

**2011-03-25 (Ale)**

- Install puppet
- Update kernel
- Update:

glite-WMS	i386	3.1.30-0.slc4	glite-WMS	5.3 k
glite-info-provider-release	noarch	1.0.2-1	glite-WMS	3.0 k
glite-lb-client	i386	3.2.4-1.slc4	glite-WMS	1.4 M
glite-lb-client-interface	i386	3.2.2-2.slc4	glite-WMS	473 k
glite-lb-common	i386	6.1.4-1.slc4	glite-WMS	655 k
glite-lb-logger	i386	1.4.12-1.slc4	glite-WMS	47 k
glite-lb-notif-logger	i386	1.0.1-1.slc4	glite-WMS	27 k
glite-lb-proxy	i386	1.5.3-4.slc4	glite-WMS	107 k
glite-lb-server	i386	1.9.6-1.slc4	glite-WMS	726 k
glite-lb-server-bones	i386	2.2.7-2.slc4	glite-WMS	20 k
glite-lb-utils	i386	1.3.0-3.slc4	glite-WMS	27 k
glite-lb-ws-interface	i386	2.5.1-2.slc4	glite-WMS	22 k
glite-security-proxyrenewal	i386	1.3.8-5.slc4	glite-WMS	86 k
glite-security-voms-api-c	i386	1.9.10-12.slc4	glite-WMS	4.0 M
glite-security-voms-api-cpp	i386	1.9.10-12.slc4	glite-WMS	4.8 M
glite-version	noarch	3.1.2-1	glite-WMS	4.4 k
glite-wms-ice	i386	3.1.53-1.slc4	glite-WMS	10 M
glite-yaim-core	noarch	4.0.13-2	glite-WMS	124 k
gridsite-apache	i386	1.1.21-1.slc4	glite-WMS	86 k
gridsite-shared	i386	1.1.21-1.slc4	glite-WMS	76 k
lcg-CA	noarch	1.37-1	CA	2.0 k
lcg-vomscerts	noarch	6.3.0-1	glite-WMS	22 k

**2010-09-27 (Ale)**

- Updating:

glite-jdl-api-cpp	i386	3.1.17-1.slc4	glite-WMS	2.6 M
glite-wms-common	i386	3.2.2-1.slc4	glite-WMS	3.2 M
glite-wms-helper	i386	3.2.13-1.slc4	glite-WMS	2.1 M
glite-wms-ice	i386	3.1.52-3.slc4	glite-WMS	10 M
lcg-CA	noarch	1.36-1	CA	1.9 k
lcg-vomscerts	noarch	6.0.0-1	glite-WMS	18 k

**2010-04-26 (Ale)**

- Updating:

glite-wms-ice	i386	3.1.51-5.slc4	ETICS-volatile-build-ff7cfcd8-feb1-49
glite-yaim-wms	noarch	4.0.7-4	ETICS-volatile-build-ff7cfcd8-feb1-49
gridsite-apache	i386	1.1.20-3	ETICS-volatile-build-ff7cfcd8-feb1-49
gridsite-shared	i386	1.1.20-3	ETICS-volatile-build-ff7cfcd8-feb1-49

**2010-04-21 (Ale)**

- Update to testing version 3.2.14

**2010-03-19 (Ale)**

- Reinstalled OS
- Installed a new Production WMS:
  - ◆ cd /etc/yum.repos.d/
  - ◆ wget http://grid-deployment.web.cern.ch/grid-deployment/glite/repos/3.1/glite-WMS.repo
  - ◆ yum install glite-WMS

## WorkLogDevel20 < EgeeJra1It < TWiki

Package	Arch	Version	Repository	Size
Installing:				
glite-WMS	i386	3.1.27-0	glite-WMS	5.2 k
Installing for dependencies:				
apr	i386	0.9.4-24.9.2.sl4.1	sl4-updates	94 k
apr-util	i386	0.9.4-22.el4_8.2	sl4-updates	52 k
bdii	noarch	4.0.1-4	glite-WMS	22 k
boost	i386	1.32.0-7.rhel4	sl4-base	756 k
c-ares	i686	1.3.0-4.slc4	glite-WMS	93 k
classads	i686	0.9.8-2.slc4	glite-WMS	1.0 M
condor	i386	6.8.4-1	glite-WMS	97 M
condor-lcg	i386	1.1.0-1	glite-WMS	522 k
curl	i386	7.12.1-11.2.el4_0.1	sl4-updates	231 k
distcache	i386	1.4.5-6	sl4-base	111 k
fcgi	i386	2.4.0-1_EGEE.slc4	glite-WMS	108 k
fetch-curl	noarch	2.7.0-1	glite-WMS	20 k
glite-ce-cream-client-api-c	i386	1.11.1-3.slc4	glite-WMS	2.5 M
glite-ce-monitor-client-api-c	i386	1.11.1-3.slc4	glite-WMS	2.3 M
glite-condor-extra	i386	1.0.0-1	glite-WMS	14 M
glite-info-generic	noarch	2.0.2-3	glite-WMS	5.4 k
glite-info-provider-release	noarch	1.0.0-5	glite-WMS	2.7 k
glite-info-provider-service	noarch	1.1.7-0	glite-WMS	26 k
glite-info-templates	noarch	1.0.0-11	glite-WMS	8.2 k
glite-initscript-globus-gridftp	noarch	1.0.2-1	glite-WMS	5.0
glite-jdl-api-cpp	i386	3.1.16-3.slc4	glite-WMS	2.6 M
glite-jp-common	i386	1.3.0-3.slc4	glite-WMS	92 k
glite-lb-client	i386	3.2.2-1.slc4	glite-WMS	1.4 M
glite-lb-client-interface	i386	3.2.1-1.slc4	glite-WMS	467 k
glite-lb-common	i386	6.1.3-2.slc4	glite-WMS	657 k
glite-lb-logger	i386	1.4.11-3.slc4	glite-WMS	46 k
glite-lb-proxy	i386	1.5.3-1.slc4	glite-WMS	108 k
glite-lb-server	i386	1.9.2-1.slc4	glite-WMS	728 k
glite-lb-server-bones	i386	2.2.7-1.slc4	glite-WMS	20 k
glite-lb-utils	i386	1.3.0-1.slc4	glite-WMS	26 k
glite-lb-ws-interface	i386	2.5.1-1.slc4	glite-WMS	22 k
glite-rgma-api-c	i386	5.0.10-6.slc4	glite-WMS	150 k
glite-rgma-api-cpp	i386	5.0.15-5.slc4	glite-WMS	659 k
glite-rgma-base	noarch	5.0.7-1	glite-WMS	1.5 M
glite-security-gsoap-plugin	i386	1.5.3-1.slc4	glite-WMS	1.2 M
glite-security-lcas	i386	1.3.11-2.slc4	glite-WMS	75 k
glite-security-lcas-interface	i386	1.3.11-1.slc4	glite-WMS	11 k
glite-security-lcas-lcmads-gt4-interface	i386	0.0.14-2.slc4	glite-WMS	
glite-security-lcas-plugins-basic	i386	1.3.2-3.slc4	glite-WMS	6
glite-security-lcas-plugins-voms	i386	1.3.4-5.slc4	glite-WMS	74
glite-security-lcmads	i386	1.4.7-1.slc4	glite-WMS	247 k
glite-security-lcmads-plugins-basic	i386	1.3.10-2.slc4	glite-WMS	
glite-security-lcmads-plugins-voms	i386	1.3.7-5.slc4	glite-WMS	1
glite-security-lcmads-without-gsi	i386	1.4.2-1.slc4	glite-WMS	16
glite-security-proxyrenewal	i386	1.3.8-2.slc4	glite-WMS	86 k
glite-security-voms-api-c	i386	1.8.12-1.slc4	glite-WMS	4.0 M
glite-security-voms-api-cpp	i386	1.8.12-1.slc4	glite-WMS	4.0 M
glite-security-voms-api-noglobus	i386	1.8.8-2.slc4	glite-WMS	1.9
glite-service-discovery-api-c	i386	2.2.2-2.slc4	glite-WMS	42 k
glite-service-discovery-bdii-c	i386	2.2.2-2.slc4	glite-WMS	30 k
glite-service-discovery-rgma-c	i386	2.0.5-2.slc4	glite-WMS	18 k
glite-version	noarch	3.1.1-2	glite-WMS	4.6 k
glite-wms-broker	i386	3.2.1-1.slc4	glite-WMS	72 k
glite-wms-brokerinfo	i386	3.2.5-1.slc4	glite-WMS	223 k
glite-wms-checkpointing	i386	3.1.2-3.slc4	glite-WMS	267 k
glite-wms-classad_plugin	i386	3.2.1-1.slc4	glite-WMS	463 k
glite-wms-common	i386	3.2.1-4.slc4	glite-WMS	3.2 M
glite-wms-configuration	i386	3.2.1-1.slc4	glite-WMS	9.4 k
glite-wms-helper	i386	3.2.10-1.slc4	glite-WMS	2.1 M
glite-wms-ice	i386	3.1.44-0.slc4	glite-WMS	8.2 M
glite-wms-interactive	i386	3.1.5-1.slc4	glite-WMS	427 k

## WorkLogDevel20 < EgeeJra11t < TWiki

glite-wms-ism	i386	3.2.1-7.slc4	glite-WMS	1.4 M
glite-wms-jobsubmission	i386	3.2.1-5.slc4	glite-WMS	3.6 M
glite-wms-manager	i386	3.2.3-1.slc4	glite-WMS	1.3 M
glite-wms-matchmaking	i386	3.2.1-1.slc4	glite-WMS	35 k
glite-wms-partitioner	i386	3.1.2-2.slc4	glite-WMS	209 k
glite-wms-purger	i386	3.2.2-1.slc4	glite-WMS	415 k
glite-wms-thirdparty-bypass	i386	3.1.3-3.slc4	glite-WMS	125 k
glite-wms-utils-classad	i386	3.1.7-1.slc4	glite-WMS	68 k
glite-wms-utils-exception	i386	3.1.3-2.slc4	glite-WMS	55 k
glite-wms-utils-jobid	i386	3.1.5-1.slc4	glite-WMS	95 k
glite-wms-utils-tls	i386	3.1.3-1.slc4	glite-WMS	285 k
glite-wms-wmproxy	i386	3.2.2-1.slc4	glite-WMS	2.3 M
glite-yaim-core	noarch	4.0.11-2	glite-WMS	119 k
glite-yaim-wms	noarch	4.0.7-1	glite-WMS	18 k
glue-schema	noarch	1.3.0-5	glite-WMS	30 k
gpt	i386	VDT1.6.0x86_rhas_4-1	glite-WMS	854 k
gridsite-apache	i386	1.1.18.1-1	glite-WMS	86 k
gridsite-shared	i386	1.1.18.1-1	glite-WMS	75 k
httpd	i386	2.0.52-41.s14.6	sl4-updates	903 k
httpd-suexec	i386	2.0.52-41.s14.6	sl4-updates	31 k
lcg-expiregridmapdir	noarch	2.0.0-1	glite-WMS	5.4 k
lcg-vomscerts	noarch	5.8.0-1	glite-WMS	18 k
libidn	i386	0.5.6-1	sl4-base	169 k
log4cpp	i386	1.0-1.el4.rf	dag	2.4 M
log4cxx	i686	0.9.7-1.slc4	glite-WMS	2.8 M
mod_fastcgi	i386	2.4.3-1.slc4	glite-WMS	87 k
mod_ssl	i386	1:2.0.52-41.s14.6	sl4-updates	101 k
myproxy	i386	VDT1.6.1x86_rhas_4-7	glite-WMS	1.2 M
mysql-server	i386	4.1.22-2.el4_8.3	sl4-updates	9.9 M
openldap-clients	i386	2.2.13-12.el4	sl4-base	121 k
openldap-servers	i386	2.2.13-12.el4	sl4-base	3.2 M
perl-Convert-ASN1	noarch	0.18-3	sl4-base	33 k
perl-DBD-mysql	i386	4.013-1.el4.rf	dag	221 k
perl-HTML-Parser	i386	3.55-1.el4	sl4-base	91 k
perl-HTML-Tagset	noarch	3.03-30	sl4-base	12 k
perl-LDAP	noarch	0.31-5	sl4-base	247 k
perl-URI	noarch	1.30-4	sl4-base	79 k
perl-XML-Namespacesupport	noarch	1.08-6	sl4-base	13 k
perl-XML-SAX	noarch	0.12-7	sl4-base	75 k
perl-libwww-perl	noarch	5.79-5	sl4-base	355 k
vdt_globus_data_server	i386	VDT1.6.1x86_rhas_4-7	glite-WMS	424 k
vdt_globus_essentials	i386	VDT1.6.1x86_rhas_4-9	glite-WMS	16 M
vdt_globus_info_essentials	i386	VDT1.6.1x86_rhas_4-7	glite-WMS	1.2 M
xerces-c	i686	2.7.0-1.slc4	glite-WMS	2.4 M

### Transaction Summary

```

=====
Install      106 Package(s)
Update       0 Package(s)
Remove       0 Package(s)
Total download size: 206 M

```

- ◆ Configure *siteinfo/services/glite-wms*
  - ◇ Set `LB_HOST="devel15.cnaf.infn.it:9000"`
- ◆ Configure *siteinfo/site-info.def*
- ◆ Apply the following workaround
- ◆ `/opt/glite/yaim/bin/yaim -c -s site-info.def -n WMS > yaim.output`
- ◆ `rm /etc/cron.d/glite-wms-check-daemons.cron`
- ◆ Install `google-perftools-devel google-perftools`
  - ◇ Set `RuntimeMalloc = "/usr/lib/libtcmalloc_minimal.so";` in `glite_wms.conf` (WorkloadManager section)
- ◆ `service gLite restart`
- ◆ `service bdii stop`
- Install `WMSMon sensors`

**2010-02-24 (Ale)**

- Update:

glite-WMS	i386	3.1.26-0	glite-WMS	5.2 k
glite-ce-cream-cli	i386	1.12.1-11.sl4	ETICS-registered-build-bd492e9f-92f4-438e-ab	
glite-ce-cream-client-api-c	i386	1.12.1-11.sl4	ETICS-registered-build-bd492e9f-92f4-43	
glite-ce-monitor-client-api-c	i386	1.12.1-11.sl4	ETICS-registered-build-bd492e9f-92f4	
glite-wms-ice	i386	3.1.42-2.sl4	glite-WMS	8.0 M
glite-yaim-core	noarch	4.0.11-2	glite-WMS	119 k
glite-yaim-wms	noarch	4.0.7-1	glite-WMS	18 k
gzip	i386	1.3.3-18.el4_8.1	sl4-updates	88 k
lcg-CA	noarch	1.34-1	CA	1.9 k
lcg-vomscerts	noarch	5.8.0-1	glite-WMS	18 k

**2009-10-15 (Ale)**

- Update to patch #3253

glite-wms-helper	3.2.10-1.sl4
glite-wms-manager	3.2.3-1.sl4
glite-wms-purger	3.2.2-1.sl4
glite-wms-wmproxy	3.2.2-1.sl4

**2009-08-31 (Ale)**

- Update

glite-security-proxyrenewal	1.3.8-1.sl4	patch_3183
-----------------------------	-------------	------------

**2009-08-25 (Ale)**

- Update:

glite-WMS	3.1.20-0
glite-info-provider-service	1.1.4-0
glite-info-templates	1.0.0-11
glite-jdl-api-cpp	3.1.16-3.sl4
glite-lb-client	3.2.2-1.sl4
glite-lb-client-interface	3.2.1-1.sl4
glite-lb-common	6.1.3-1.sl4
glite-lb-logger	1.4.11-1.sl4
glite-lb-proxy	1.5.3-1.sl4
glite-security-lcmaps	1.4.7-1.sl4
glite-security-lcmaps-plugins-basic	1.3.10-2.sl4
glite-wms-brokerinfo	3.2.5-1.sl4
glite-wms-helper	3.2.8-1.sl4
glite-wms-ice	3.1.37-0.sl4
glite-wms-manager	3.2.2-1.sl4
glite-yaim-wms	4.0.6-2

**2009-05-22 (Ale)**

- Update ICE and its dependencies

**2009-05-22 (Beta)**

- Installing a new WMS from scratch using patch #2597

- ◆ Repos:

```
[glite-WMS]
name=gLite 3.1 WMS
baseurl=http://linuxsoft.cern.ch/EGEE/gLite/R3.1/glite-WMS/sl4/i386/
enabled=1
```

```
[patch 2597]
name=patch 2597
baseurl=http://grid-deployment.web.cern.ch/grid-deployment/glite/cert/3.1/patches/2597
enabled=1
```

- ◆ Configure:

- ◇ LBServer = {"devel17.cnaf.infn.it:9000"};

- ◇ II\_Contact = "cert-bdii-04.cnaf.infn.it";

- ◆ Set: RuntimeMalloc = "/usr/lib/libtcmalloc\_minimal.so"; into the WM section of the glite\_wms.conf file

-- AlessioGianelle - 22 May 2009

---

This topic: EgeeJra1It > WorkLogDevel20

Topic revision: r13 - 2011-03-25 - AlessioGianelle



Copyright © 2008-2023 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback