

Table of Contents

WMS test report.....	1
Summary.....	1
Deployment Tests.....	1
Update from production.....	1
Install.....	43

WMS test report

Summary

- Component: **WMS EMI-2 RC4**
- Savannah task: task #21060
- ETICS Subsystem Configuration Name: emi-wms_R_3_4_0_3, emi-jdl_R_3_3_0_3
- VCS Tag: emi-ice_R_3_4_0_3, emi-wms-manager_R_3_4_0_3, glite-wms-wmproxy-interface_R_3_4_0_3, glite-wms-broker_R_3_4_0_3, glite-wms-classad_plugin_R_3_4_0_3, glite-wms-common_R_3_4_0_3, glite-wms-helper_R_3_4_0_3, emi-jobsubmission_R_3_4_0_3, emi-wmproxy_R_3_4_0_3, emi-wms-brokerinfo_R_3_4_0_3, emi-wms-configuration_R_3_4_0_3, emi-wms-ism_R_3_4_0_3, emi-wms-matchmaking_R_3_4_0_3, emi-wms-purger_R_3_4_0_3, emi-yaim-wms_R_4_2_0_3, emi-jdl-api-cpp_R_3_3_0_3, emi-wms-nagios_R_1_0_0_3, emi-wms-mp_R_1_0_2_3
- EMI Major Release: **EMI 2**
- Platform: sl5 epel
- Certification report: not yet available
- Outcome: **FAILED**

Deployment Tests

Update from production

```
[root@cert-13 siteinfo]# cat /tmp/20120410_152530_WMS-EMI1_UPDATE_EMI2_SL5x64-RC4_DEPLOYMENT_TEST

#####
EXECUTING COMMAND N° 0:  "rpm -ivh http://emisoft.web.cern.ch/emisoft/dist/EMI/1/sl5/x86_64/upda
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++
warning: /var/tmp/rpm-xfer.npTYal: Header V3 DSA signature: NOKEY, key ID df9e12ef
Retrieving http://emisoft.web.cern.ch/emisoft/dist/EMI/1/sl5/x86_64/updates/emi-release-1.0.1-1.s
Preparing...          #####
emi-release          #####

#####
EXECUTING COMMAND N° 1:  "wget http://emisoft.web.cern.ch/emisoft/dist/EMI/2/RPM-GPG-KEY-emi "
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++
--2012-04-10 15:25:30--  http://emisoft.web.cern.ch/emisoft/dist/EMI/2/RPM-GPG-KEY-emi
Resolving emisoft.web.cern.ch... 137.138.139.27
Connecting to emisoft.web.cern.ch|137.138.139.27|:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1726 (1.7K) [text/plain]
Saving to: `RPM-GPG-KEY-emi'

OK .                               100% 165M=0s

2012-04-10 15:25:30 (165 MB/s) - `RPM-GPG-KEY-emi' saved [1726/1726]
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
#####
EXECUTING COMMAND N° 2:  "mv RPM-GPG-KEY-emi /etc/pki/rpm-gpg/"
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++

#####
EXECUTING COMMAND N° 3:  "yum clean all"
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
                  : protectbase, security, verify, versionlock
Cleaning up Everything

#####
EXECUTING COMMAND N° 4:  "yum makecache"
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
                  : protectbase, security, verify, versionlock
Metadata Cache Created

#####
EXECUTING COMMAND N° 5:  "yum -y install emi-release"
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
                  : protectbase, security, verify, versionlock
255 packages excluded due to repository priority protections
0 packages excluded due to repository protections
Reading version lock configuration
Setting up Install Process
Package emi-release-1.0.1-1.sl5.noarch already installed and latest version
Nothing to do

#####
EXECUTING COMMAND N° 6:  "yum -y install yum-protectbase"
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
                  : protectbase, security, verify, versionlock
255 packages excluded due to repository priority protections
0 packages excluded due to repository protections
Reading version lock configuration
Setting up Install Process
Package yum-protectbase-1.1.16-16.el5.noarch already installed and latest version
Nothing to do

#####
EXECUTING COMMAND N° 7:  "yum -y install yum-priorities"
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
                  : protectbase, security, verify, versionlock
255 packages excluded due to repository priority protections
0 packages excluded due to repository protections
Reading version lock configuration
Setting up Install Process
Package yum-priorities-1.1.16-16.el5.noarch already installed and latest version
Nothing to do

#####
EXECUTING COMMAND N° 8:  "yum -y install ca-policy-egi-core"
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
                  : protectbase, security, verify, versionlock
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

255 packages excluded due to repository priority protections
0 packages excluded due to repository protections
Reading version lock configuration
Setting up Install Process
Package ca-policy-egi-core-1.46-1.noarch already installed and latest version
Nothing to do

```
#####  
EXECUTING COMMAND N° 9: "yum -y install emi-wms"  
COMMAND EXIT STATUS: 0  
FOLLOWS COMMAND OUTPUT: ++++++  
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,  
                : protectbase, security, verify, versionlock  
255 packages excluded due to repository priority protections  
0 packages excluded due to repository protections  
Reading version lock configuration  
Setting up Install Process  
Resolving Dependencies  
--> Running transaction check  
---> Package emi-wms.x86_64 0:1.0.2-0.s15 set to be updated  
--> Processing Dependency: globus-proxy-utils for package: emi-wms  
--> Processing Dependency: glite-info-provider-service for package: emi-wms  
--> Processing Dependency: lcmaps-plugins-voms for package: emi-wms  
--> Processing Dependency: emi-version for package: emi-wms  
--> Processing Dependency: glite-wms-jobsubmission for package: emi-wms  
--> Processing Dependency: lcas-plugins-voms for package: emi-wms  
--> Processing Dependency: globus-gridftp-server-progs for package: emi-wms  
--> Processing Dependency: glue-schema for package: emi-wms  
--> Processing Dependency: glite-yaim-wms for package: emi-wms  
--> Processing Dependency: glite-wms-wmproxy for package: emi-wms  
--> Processing Dependency: glite-wms-manager for package: emi-wms  
--> Processing Dependency: fetch-curl for package: emi-wms  
--> Processing Dependency: glite-wms-ice for package: emi-wms  
--> Processing Dependency: jemalloc for package: emi-wms  
--> Processing Dependency: bdii for package: emi-wms  
--> Processing Dependency: mysql-server for package: emi-wms  
--> Processing Dependency: condor-lcg for package: emi-wms  
--> Processing Dependency: lcas-plugins-basic for package: emi-wms  
--> Processing Dependency: emi-lb for package: emi-wms  
--> Processing Dependency: lcg-expiregridmapdir for package: emi-wms  
--> Processing Dependency: lcas-lcmaps-gt4-interface for package: emi-wms  
--> Processing Dependency: glite-initscript-globus-gridftp for package: emi-wms  
--> Running transaction check  
---> Package bdii.noarch 0:5.2.10-1.e15 set to be updated  
--> Processing Dependency: openldap-servers for package: bdii  
--> Processing Dependency: expect for package: bdii  
--> Processing Dependency: openldap-clients for package: bdii  
---> Package condor-lcg.i386 0:1.2.0-1 set to be updated  
---> Package emi-lb.x86_64 0:1.0.0-1.s15 set to be updated  
--> Processing Dependency: glite-lb-server for package: emi-lb  
--> Processing Dependency: glite-lb-doc for package: emi-lb  
--> Processing Dependency: glite-lb-logger-msg for package: emi-lb  
--> Processing Dependency: glite-lb-harvester for package: emi-lb  
--> Processing Dependency: glite-lb-logger for package: emi-lb  
--> Processing Dependency: glite-lb-yaim for package: emi-lb  
--> Processing Dependency: glite-lb-ws-test for package: emi-lb  
--> Processing Dependency: glite-lb-utils for package: emi-lb  
--> Processing Dependency: glite-lb-client-java for package: emi-lb  
---> Package emi-version.x86_64 0:1.10.0-1.s15 set to be updated  
---> Package fetch-curl.noarch 0:2.8.5-1.e15 set to be updated  
---> Package glite-info-provider-service.noarch 0:1.8.1-2.e15 set to be updated  
---> Package glite-initscript-globus-gridftp.noarch 0:1.0.4-1.s15 set to be updated  
---> Package glite-wms-ice.x86_64 0:3.3.4-1.s15 set to be updated  
--> Processing Dependency: glite-px-proxyrenewal for package: glite-wms-ice  
--> Processing Dependency: log4cpp for package: glite-wms-ice  
--> Processing Dependency: glite-wms-configuration for package: glite-wms-ice  
--> Processing Dependency: glite-wms-purger for package: glite-wms-ice
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
--> Processing Dependency: glite-ce-monitor-client-api-c for package: glite-wms-ice
--> Processing Dependency: glite-ce-cream-client-api-c for package: glite-wms-ice
--> Processing Dependency: gridsite-shared for package: glite-wms-ice
--> Processing Dependency: classads for package: glite-wms-ice
--> Processing Dependency: boost for package: glite-wms-ice
--> Processing Dependency: glite-wms-common for package: glite-wms-ice
--> Processing Dependency: libglobus_ftp_control.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_ftp_client.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_ce_cream_client_soap.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libmyproxy.so.5() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_security_proxyrenewal.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_proxy_ssl.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_security_gss.so.9() (64bit) for package: glite-wms-ice
--> Processing Dependency: liblog4cpp.so.4() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gsi_callback.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libgridsite_globus.so.1.7() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_filesystem.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libcares.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_thread.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gssapi_error.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_usage.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gsi_cert_utils.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_lb_client.so.11() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wms_conf.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libclassad_ns.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_xio.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_lb_clientpp.so.11() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_oldgaa.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wmsutils_classads.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gssapi_gsi.so.4() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_security_gsoap_plugin_276b.so.9() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_callout.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gsi_credential.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wms_purger.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gsi_sysconfig.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_regex.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libltdl.so.3() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_openssl.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wmsutils_exception.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wms_logger.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_io.so.3() (64bit) for package: glite-wms-ice
--> Processing Dependency: libclassad.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_lb_common.so.13() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_jobid.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_lbu_trio.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_program_options.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wms_util.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_serialization.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gsi_proxy_core.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_openssl_error.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_security_proxyrenewal_core.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_ce_cream_client_util.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_common.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_date_time.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libvomsapi.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gss_assist.so.3() (64bit) for package: glite-wms-ice
---> Package glite-wms-jobsubmission.x86_64 0:3.3.2-1.s15 set to be updated
--> Processing Dependency: condor for package: glite-wms-jobsubmission
--> Processing Dependency: glite-jdl-api-cpp for package: glite-wms-jobsubmission
--> Processing Dependency: libglite_jdl_api_cpp.so.0() (64bit) for package: glite-wms-jobsubmission
--> Processing Dependency: libcondorapi.so() (64bit) for package: glite-wms-jobsubmission
---> Package glite-wms-manager.x86_64 0:3.3.1-3.s15 set to be updated
--> Processing Dependency: glite-wms-helper for package: glite-wms-manager
--> Processing Dependency: glite-wms-ism for package: glite-wms-manager
--> Processing Dependency: libglite_wms_ism.so.0() (64bit) for package: glite-wms-manager
--> Processing Dependency: libglite_wms_classad_plugin.so.0() (64bit) for package: glite-wms-manager
--> Processing Dependency: libglite_wms_helper.so.0() (64bit) for package: glite-wms-manager
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
--> Processing Dependency: libglite_wms_classad_plugin_loader.so.0()(64bit) for package: glite-wms-
--> Processing Dependency: libglite-sd-c.so.2()(64bit) for package: glite-wms-manager
--> Processing Dependency: libglite_wms_helper_jobadapter.so.0()(64bit) for package: glite-wms-ma
---> Package glite-wms-wmproxy.x86_64 0:3.3.4-2.sl5 set to be updated
--> Processing Dependency: libxslt for package: glite-wms-wmproxy
--> Processing Dependency: lcmaps-without-gsi for package: glite-wms-wmproxy
--> Processing Dependency: fcgi for package: glite-wms-wmproxy
--> Processing Dependency: lcmaps-plugins-basic for package: glite-wms-wmproxy
--> Processing Dependency: libtar for package: glite-wms-wmproxy
--> Processing Dependency: glite-jobid-api-cpp for package: glite-wms-wmproxy
--> Processing Dependency: gridsite-apache for package: glite-wms-wmproxy
--> Processing Dependency: httpd for package: glite-wms-wmproxy
--> Processing Dependency: mod_fcgid for package: glite-wms-wmproxy
--> Processing Dependency: mod_ssl for package: glite-wms-wmproxy
--> Processing Dependency: libfcgi.so.0()(64bit) for package: glite-wms-wmproxy
--> Processing Dependency: libfcgi++.so.0()(64bit) for package: glite-wms-wmproxy
--> Processing Dependency: libtar.so.1()(64bit) for package: glite-wms-wmproxy
--> Processing Dependency: liblcmaps_return_poolindex_without_gsi.so.0()(64bit) for package: glit
--> Processing Dependency: liblcmaps_without_gsi.so.0()(64bit) for package: glite-wms-wmproxy
--> Processing Dependency: libxslt.so.1()(64bit) for package: glite-wms-wmproxy
---> Package glite-yaim-wms.noarch 0:4.1.4-3.sl5 set to be updated
--> Processing Dependency: glite-yaim-core for package: glite-yaim-wms
---> Package globus-gridftp-server-progs.x86_64 0:6.5-4.el5 set to be updated
--> Processing Dependency: globus-gridftp-server = 6.5-4.el5 for package: globus-gridftp-server-p
--> Processing Dependency: globus-xio-gsi-driver >= 2 for package: globus-gridftp-server-progs
--> Processing Dependency: libglobus_gridftp_server.so.6()(64bit) for package: globus-gridftp-ser
--> Processing Dependency: libglobus_gfork.so.0()(64bit) for package: globus-gridftp-server-progs
---> Package globus-proxy-utils.x86_64 0:5.0-2.el5 set to be updated
---> Package glue-schema.noarch 0:2.0.8-1.el5 set to be updated
---> Package jemalloc.x86_64 0:2.1.3-2.el5 set to be updated
---> Package lcas-lcmaps-gt4-interface.x86_64 0:0.1.4-1.sl5 set to be updated
--> Processing Dependency: lcas for package: lcas-lcmaps-gt4-interface
--> Processing Dependency: lcmaps for package: lcas-lcmaps-gt4-interface
--> Processing Dependency: libglobus_gridmap_callout_error.so.0()(64bit) for package: lcas-lcmaps
---> Package lcas-plugins-basic.x86_64 0:1.3.4-1.sl5 set to be updated
---> Package lcas-plugins-voms.x86_64 0:1.3.7-1.sl5 set to be updated
---> Package lcg-expiregridmapdir.noarch 0:3.0.1-1 set to be updated
---> Package lcmaps-plugins-voms.x86_64 0:1.4.3-1.sl5 set to be updated
---> Package mysql-server.x86_64 0:5.0.95-1.el5_7.1 set to be updated
--> Processing Dependency: perl-DBD-MySQL for package: mysql-server
--> Running transaction check
---> Package boost.x86_64 0:1.33.1-15.el5 set to be updated
--> Processing Dependency: libicuuc.so.36()(64bit) for package: boost
--> Processing Dependency: libicui18n.so.36()(64bit) for package: boost
---> Package c-ares.x86_64 0:1.6.0-5.el5 set to be updated
---> Package classads.x86_64 0:1.0.8-1.el5 set to be updated
---> Package condor.x86_64 0:7.4.2-1 set to be updated
--> Processing Dependency: /bin/csh for package: condor
---> Package expect.x86_64 0:5.43.0-5.1 set to be updated
---> Package fcgi.x86_64 0:2.4.0-12.el5 set to be updated
---> Package glite-ce-cream-client-api-c.x86_64 0:1.13.2-3.sl5 set to be updated
---> Package glite-ce-monitor-client-api-c.x86_64 0:1.13.2-2.sl5 set to be updated
---> Package glite-jdl-api-cpp.x86_64 0:3.2.6-1.sl5 set to be updated
---> Package glite-jobid-api-c.x86_64 0:2.0.3-1.sl5 set to be updated
---> Package glite-jobid-api-cpp.x86_64 0:1.1.3-1.sl5 set to be updated
---> Package glite-lb-client.x86_64 0:5.0.8-1.sl5 set to be updated
---> Package glite-lb-client-java.x86_64 0:1.1.6-1.sl5 set to be updated
--> Processing Dependency: jakarta-commons-lang for package: glite-lb-client-java
--> Processing Dependency: emi-trustmanager for package: glite-lb-client-java
--> Processing Dependency: emi-trustmanager-axis for package: glite-lb-client-java
--> Processing Dependency: glite-jobid-api-java for package: glite-lb-client-java
---> Package glite-lb-common.x86_64 0:8.0.6-1.sl5 set to be updated
---> Package glite-lb-doc.noarch 0:1.2.9-1.sl5 set to be updated
---> Package glite-lb-harvester.x86_64 0:1.1.6-3.sl5 set to be updated
--> Processing Dependency: glite-lbjp-common-log for package: glite-lb-harvester
--> Processing Dependency: glite-lbjp-common-db for package: glite-lb-harvester
--> Processing Dependency: libglite_lbu_log.so.1()(64bit) for package: glite-lb-harvester
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
--> Processing Dependency: libglite_lbu_db.so.3()(64bit) for package: glite-lb-harvester
---> Package glite-lb-logger.x86_64 0:2.2.6-1.sl5 set to be updated
---> Package glite-lb-logger-msg.x86_64 0:1.0.6-1.sl5 set to be updated
--> Processing Dependency: perl(Net::LDAP) for package: glite-lb-logger-msg
--> Processing Dependency: activemq-cpp-library for package: glite-lb-logger-msg
--> Processing Dependency: libactivemq-cpp.so.12()(64bit) for package: glite-lb-logger-msg
---> Package glite-lb-server.x86_64 0:2.2.9-1.sl5 set to be updated
--> Processing Dependency: glite-lbjp-common-server-bones for package: glite-lb-server
--> Processing Dependency: glite-lbjp-common-maildir for package: glite-lb-server
--> Processing Dependency: glite-lb-state-machine for package: glite-lb-server
--> Processing Dependency: glite-lb-ws-interface for package: glite-lb-server
--> Processing Dependency: libglite_lbu_server_bones.so.2()(64bit) for package: glite-lb-server
--> Processing Dependency: libglite_lbu_maildir.so.2()(64bit) for package: glite-lb-server
--> Processing Dependency: libgsoap.so.0()(64bit) for package: glite-lb-server
---> Package glite-lb-utils.x86_64 0:2.1.4-1.sl5 set to be updated
--> Processing Dependency: glite-lbjp-common-jp-interface for package: glite-lb-utils
--> Processing Dependency: libglite_jp_common.so.2()(64bit) for package: glite-lb-utils
---> Package glite-lb-ws-test.x86_64 0:1.2.3-1.sl5 set to be updated
---> Package glite-lb-yaim.noarch 0:4.3.9-1.sl5 set to be updated
--> Processing Dependency: glite-yaim-bdii for package: glite-lb-yaim
---> Package glite-lbjp-common-gsoap-plugin.x86_64 0:3.0.2-7.sl5 set to be updated
---> Package glite-lbjp-common-gss.x86_64 0:3.0.4-1.sl5 set to be updated
---> Package glite-lbjp-common-trio.x86_64 0:2.1.2-7.sl5 set to be updated
---> Package glite-px-proxyrenewal.x86_64 0:1.3.21-1.sl5 set to be updated
---> Package glite-service-discovery-api-c.x86_64 0:2.2.3-1.sl5 set to be updated
---> Package glite-wms-classad_plugin.x86_64 0:3.3.1-3.sl5 set to be updated
---> Package glite-wms-common.x86_64 0:3.3.2-0.sl5 set to be updated
---> Package glite-wms-configuration.x86_64 0:3.3.2-1.sl5 set to be updated
---> Package glite-wms-helper.x86_64 0:3.3.2-0.sl5 set to be updated
--> Processing Dependency: glite-wms-broker for package: glite-wms-helper
--> Processing Dependency: glite-wms-matchmaking for package: glite-wms-helper
--> Processing Dependency: glite-wms-brokerinfo for package: glite-wms-helper
--> Processing Dependency: libglite_wms_broker.so.0()(64bit) for package: glite-wms-helper
--> Processing Dependency: libglite_wms_matchmaking.so.0()(64bit) for package: glite-wms-helper
--> Processing Dependency: libglite_wms_brokerinfo.so.0()(64bit) for package: glite-wms-helper
--> Processing Dependency: libglite_wms_dli.so.0()(64bit) for package: glite-wms-helper
---> Package glite-wms-ism.x86_64 0:3.3.2-1.sl5 set to be updated
---> Package glite-wms-purger.x86_64 0:3.3.2-1.sl5 set to be updated
---> Package glite-wms-utils-classad.x86_64 0:3.2.2-2.sl5 set to be updated
---> Package glite-wms-utils-exception.x86_64 0:3.2.2-2.sl5 set to be updated
---> Package glite-yaim-core.noarch 0:5.0.2-1.sl5 set to be updated
---> Package globus-callout.x86_64 0:2.1-2.el5 set to be updated
---> Package globus-common.x86_64 0:14.5-4.el5 set to be updated
---> Package globus-ftp-client.x86_64 0:7.2-2.el5 set to be updated
--> Processing Dependency: globus-xio-popen-driver >= 2 for package: globus-ftp-client
---> Package globus-ftp-control.x86_64 0:4.2-2.el5 set to be updated
---> Package globus-gfork.x86_64 0:3.1-2.el5 set to be updated
---> Package globus-gridftp-server.x86_64 0:6.5-4.el5 set to be updated
--> Processing Dependency: globus-gridftp-server-control >= 2 for package: globus-gridftp-server
--> Processing Dependency: globus-authz >= 2 for package: globus-gridftp-server
--> Processing Dependency: libglobus_gridftp_server_control.so.0()(64bit) for package: globus-gridftp-server
--> Processing Dependency: libglobus_authz.so.0()(64bit) for package: globus-gridftp-server
---> Package globus-gridmap-callout-error.x86_64 0:1.2-2.el5 set to be updated
---> Package globus-gsi-callback.x86_64 0:4.1-2.el5 set to be updated
---> Package globus-gsi-cert-utils.x86_64 0:8.1-2.el5 set to be updated
---> Package globus-gsi-credential.x86_64 0:5.1-2.el5 set to be updated
---> Package globus-gsi-openssl-error.x86_64 0:2.1-2.el5 set to be updated
---> Package globus-gsi-proxy-core.x86_64 0:6.1-2.el5 set to be updated
---> Package globus-gsi-proxy-ssl.x86_64 0:4.1-2.el5 set to be updated
---> Package globus-gsi-sysconfig.x86_64 0:5.1-2.el5 set to be updated
---> Package globus-gss-assist.x86_64 0:8.1-2.el5 set to be updated
---> Package globus-gssapi-error.x86_64 0:4.1-2.el5 set to be updated
---> Package globus-gssapi-gsi.x86_64 0:10.2-2.el5 set to be updated
---> Package globus-io.x86_64 0:9.2-2.el5 set to be updated
---> Package globus-openssl-module.x86_64 0:3.1-2.el5 set to be updated
---> Package globus-usage.x86_64 0:3.1-2.el5 set to be updated
---> Package globus-xio.x86_64 0:3.2-2.el5 set to be updated
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
---> Package globus-xio-gsi-driver.x86_64 0:2.1-2.e15 set to be updated
---> Package gridsite-apache.x86_64 0:1.7.19-1.e15 set to be updated
---> Package gridsite-shared.x86_64 0:1.7.19-1.e15 set to be updated
---> Package httpd.x86_64 0:2.2.3-63.sl5.1 set to be updated
--> Processing Dependency: libaprutil-1.so.0() (64bit) for package: httpd
--> Processing Dependency: libapr-1.so.0() (64bit) for package: httpd
---> Package lcas.x86_64 0:1.3.13-1.sl5 set to be updated
---> Package lcms.x86_64 0:1.4.29-1.sl5 set to be updated
---> Package lcms-plugins-basic.x86_64 0:1.4.5-1.sl5 set to be updated
---> Package lcms-without-gsi.x86_64 0:1.4.29-1.sl5 set to be updated
---> Package libtar.x86_64 0:1.2.11-13.e15 set to be updated
---> Package libtool-ltdl.x86_64 0:1.5.22-7.e15_4 set to be updated
---> Package libxslt.x86_64 0:1.1.17-2.e15_2.2 set to be updated
---> Package log4cpp.x86_64 0:1.0-9.e15 set to be updated
---> Package mod_fcgid.x86_64 0:2.2-11.e15 set to be updated
---> Package mod_ssl.x86_64 1:2.2.3-63.sl5.1 set to be updated
--> Processing Dependency: libdistcache.so.1() (64bit) for package: mod_ssl
--> Processing Dependency: libnal.so.1() (64bit) for package: mod_ssl
---> Package myproxy-libs.x86_64 0:5.5-1.e15 set to be updated
---> Package openldap-clients.x86_64 0:2.3.43-12.e15_6.7 set to be updated
---> Package openldap-servers.x86_64 0:2.3.43-12.e15_6.7 set to be updated
---> Package perl-DBD-MySQL.x86_64 0:3.0007-2.e15 set to be updated
---> Package voms.x86_64 0:2.0.7-1.e15 set to be updated
--> Running transaction check
---> Package activemq-cpp-library.x86_64 0:3.2.5-1.sl5 set to be updated
---> Package apr.x86_64 0:1.2.7-11.e15_6.5 set to be updated
---> Package apr-util.x86_64 0:1.2.7-11.e15_5.2 set to be updated
---> Package distcache.x86_64 0:1.4.5-14.1 set to be updated
---> Package emi-trustmanager.noarch 0:3.0.5-1.sl5 set to be updated
---> Package emi-trustmanager-axis.noarch 0:1.0.1-1.sl5 set to be updated
--> Processing Dependency: axis for package: emi-trustmanager-axis
---> Package glite-jobid-api-java.noarch 0:1.1.3-6.sl5 set to be updated
--> Processing Dependency: jakarta-commons-codec for package: glite-jobid-api-java
---> Package glite-lb-state-machine.x86_64 0:1.2.2-5.sl5 set to be updated
---> Package glite-lb-ws-interface.noarch 0:3.2.4-1.sl5 set to be updated
---> Package glite-lbjp-common-db.x86_64 0:3.0.3-2.sl5 set to be updated
---> Package glite-lbjp-common-jp-interface.x86_64 0:2.1.2-7.sl5 set to be updated
---> Package glite-lbjp-common-log.x86_64 0:1.1.2-6.sl5 set to be updated
--> Processing Dependency: log4c for package: glite-lbjp-common-log
--> Processing Dependency: liblog4c.so.3() (64bit) for package: glite-lbjp-common-log
---> Package glite-lbjp-common-maildir.x86_64 0:2.1.2-7.sl5 set to be updated
---> Package glite-lbjp-common-server-bones.x86_64 0:2.1.3-1.sl5 set to be updated
---> Package glite-wms-broker.x86_64 0:3.3.1-3.sl5 set to be updated
---> Package glite-wms-brokerinfo.x86_64 0:3.3.2-1.sl5 set to be updated
---> Package glite-wms-matchmaking.x86_64 0:3.3.2-1.sl5 set to be updated
---> Package glite-yaim-bdii.noarch 0:4.3.9-1.e15 set to be updated
---> Package globus-authz.x86_64 0:2.1-2.e15 set to be updated
--> Processing Dependency: globus-authz-callout-error >= 2 for package: globus-authz
--> Processing Dependency: libglobus_gsi_authz_callout_error.so.0() (64bit) for package: globus-authz
---> Package globus-gridftp-server-control.x86_64 0:2.3-2.e15 set to be updated
--> Processing Dependency: globus-xio-pipe-driver >= 2 for package: globus-gridftp-server-control
---> Package globus-xio-popen-driver.x86_64 0:2.2-2.e15 set to be updated
---> Package gsoap.x86_64 0:2.7.13-4.e15 set to be updated
---> Package jakarta-commons-lang-gcj.x86_64 0:2.1-5jpp.1 set to be updated
--> Processing Dependency: java-gcj-compat for package: jakarta-commons-lang
--> Processing Dependency: libgcj_bc.so.1() (64bit) for package: jakarta-commons-lang
---> Package libicu.x86_64 0:3.6-5.16.1 set to be updated
---> Package perl-LDAP.noarch 1:0.33-3.fc6 set to be updated
--> Processing Dependency: perl(HTTP::Status) for package: perl-LDAP
--> Processing Dependency: perl(HTTP::Negotiate) for package: perl-LDAP
--> Processing Dependency: perl(Convert::ASN1) for package: perl-LDAP
--> Processing Dependency: perl(LWP::MediaTypes) for package: perl-LDAP
--> Processing Dependency: perl(HTTP::Response) for package: perl-LDAP
--> Processing Dependency: perl(LWP::Protocol) for package: perl-LDAP
--> Processing Dependency: perl(XML::SAX::Base) for package: perl-LDAP
--> Processing Dependency: perl(IO::Socket::SSL) for package: perl-LDAP
---> Package tcsh.x86_64 0:6.14-17.e15_5.2 set to be updated
```


WMSEMI2RC4SL5 < IGIRelease < TWiki

```
--> Running transaction check
---> Package axis.x86_64 0:1.2.1-2jpp.6 set to be updated
--> Processing Dependency: jpackage-utils >= 1.5 for package: axis
--> Processing Dependency: jakarta-commons-discovery for package: axis
--> Processing Dependency: log4j for package: axis
--> Processing Dependency: javamail for package: axis
--> Processing Dependency: jakarta-commons-logging for package: axis
--> Processing Dependency: jaf for package: axis
--> Processing Dependency: jakarta-commons-httpclient for package: axis
--> Processing Dependency: wsdl4j for package: axis
---> Package globus-authz-callout-error.x86_64 0:2.1-2.e15 set to be updated
---> Package globus-xio-pipe-driver.x86_64 0:2.1-2.e15 set to be updated
---> Package jakarta-commons-codec.x86_64 0:1.3-7jpp.2 set to be updated
---> Package java-1.4.2-gcj-compat.x86_64 0:1.4.2.0-40jpp.115 set to be updated
--> Processing Dependency: zip for package: java-1.4.2-gcj-compat
--> Processing Dependency: gjdoc for package: java-1.4.2-gcj-compat
---> Package libgcj.x86_64 0:4.1.2-51.e15 set to be updated
--> Processing Dependency: libart_lgpl >= 2.1.0 for package: libgcj
--> Processing Dependency: gtk2 >= 2.4.0 for package: libgcj
--> Processing Dependency: libasound.so.2(ALSA_0.9) (64bit) for package: libgcj
--> Processing Dependency: libgtk-x11-2.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libXrandr.so.2() (64bit) for package: libgcj
--> Processing Dependency: libpangoft2-1.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libfreetype.so.6() (64bit) for package: libgcj
--> Processing Dependency: libcairo.so.2() (64bit) for package: libgcj
--> Processing Dependency: libXtst.so.6() (64bit) for package: libgcj
--> Processing Dependency: libpangocairo-1.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libXrender.so.1() (64bit) for package: libgcj
--> Processing Dependency: libasound.so.2() (64bit) for package: libgcj
--> Processing Dependency: libatk-1.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libgdk-x11-2.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libpango-1.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libgdk_pixbuf-2.0.so.0() (64bit) for package: libgcj
---> Package log4c.x86_64 0:1.2.1-7.e15 set to be updated
---> Package perl-Convert-ASN1.noarch 0:0.20-1.1 set to be updated
---> Package perl-IO-Socket-SSL.noarch 0:1.01-1.fc6 set to be updated
--> Processing Dependency: perl(Net::SSLLeay) >= 1.21 for package: perl-IO-Socket-SSL
---> Package perl-XML-SAX.noarch 0:0.14-8 set to be updated
--> Processing Dependency: perl(XML::NamespaceSupport) for package: perl-XML-SAX
---> Package perl-libwww-perl.noarch 0:5.805-1.1.1 set to be updated
--> Processing Dependency: perl-HTML-Parser >= 3.33 for package: perl-libwww-perl
--> Processing Dependency: perl(URI::URL) for package: perl-libwww-perl
--> Processing Dependency: perl(URI) for package: perl-libwww-perl
--> Processing Dependency: perl(HTML::Entities) for package: perl-libwww-perl
--> Processing Dependency: perl(Compress::Zlib) for package: perl-libwww-perl
--> Processing Dependency: perl(URI::Escape) for package: perl-libwww-perl
--> Processing Dependency: perl(URI::Heuristic) for package: perl-libwww-perl
--> Running transaction check
---> Package alsa-lib.x86_64 0:1.0.17-1.e15 set to be updated
---> Package atk.x86_64 0:1.12.2-1.fc6 set to be updated
---> Package cairo.x86_64 0:1.2.4-5.e15 set to be updated
--> Processing Dependency: libpng12.so.0(PNG12_0) (64bit) for package: cairo
--> Processing Dependency: libpng12.so.0() (64bit) for package: cairo
--> Processing Dependency: libfontconfig.so.1() (64bit) for package: cairo
---> Package classpathx-jaf.x86_64 0:1.0-9jpp.1 set to be updated
---> Package classpathx-mail.x86_64 0:1.1.1-4jpp.2 set to be updated
---> Package freetype.x86_64 0:2.2.1-28.e15_7.2 set to be updated
---> Package gjdoc.x86_64 0:0.7.7-12.e15 set to be updated
--> Processing Dependency: antlr for package: gjdoc
---> Package gtk2.x86_64 0:2.10.4-21.e15_5.6 set to be updated
--> Processing Dependency: libtiff >= 3.6.1 for package: gtk2
--> Processing Dependency: hicolor-icon-theme for package: gtk2
--> Processing Dependency: libtiff.so.3() (64bit) for package: gtk2
--> Processing Dependency: libXcursor.so.1() (64bit) for package: gtk2
--> Processing Dependency: libjpeg.so.62() (64bit) for package: gtk2
--> Processing Dependency: libXinerama.so.1() (64bit) for package: gtk2
--> Processing Dependency: libXfixes.so.3() (64bit) for package: gtk2
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```

--> Processing Dependency: libcups.so.2()(64bit) for package: gtk2
--> Processing Dependency: libXi.so.6()(64bit) for package: gtk2
---> Package jakarta-commons-discovery.x86_64 1:0.3-4jpp.1 set to be updated
---> Package jakarta-commons-httpclient.x86_64 1:3.0-7jpp.1 set to be updated
---> Package jakarta-commons-logging.x86_64 0:1.0.4-6jpp.1 set to be updated
---> Package jpackage-utils.noarch 0:1.7.3-1jpp.2.el5 set to be updated
---> Package libXrandr.x86_64 0:1.1.1-3.3 set to be updated
---> Package libXrender.x86_64 0:0.9.1-3.1 set to be updated
---> Package libXtst.x86_64 0:1.0.1-3.1 set to be updated
---> Package libart_lgpl.x86_64 0:2.3.17-4 set to be updated
---> Package log4j.x86_64 0:1.2.13-3jpp.2 set to be updated
--> Processing Dependency: xml-commons-apis for package: log4j
---> Package pango.x86_64 0:1.14.9-8.el5_7.3 set to be updated
--> Processing Dependency: bitstream-vera-fonts for package: pango
--> Processing Dependency: libXft for package: pango
--> Processing Dependency: libXft.so.2()(64bit) for package: pango
---> Package perl-Compress-Zlib.x86_64 0:1.42-1.fc6 set to be updated
---> Package perl-HTML-Parser.x86_64 0:3.55-1.fc6 set to be updated
--> Processing Dependency: perl-HTML-Tagset >= 3.03 for package: perl-HTML-Parser
--> Processing Dependency: perl(HTML::Tagset) for package: perl-HTML-Parser
---> Package perl-Net-SSLeay.x86_64 0:1.30-4.fc6 set to be updated
---> Package perl-URI.noarch 0:1.35-3 set to be updated
---> Package perl-XML-Namespacesupport.noarch 0:1.09-1.2.1 set to be updated
---> Package wsd4j.x86_64 0:1.5.2-4jpp.1 set to be updated
---> Package zip.x86_64 0:2.31-2.el5 set to be updated
--> Running transaction check
---> Package antlr.x86_64 0:2.7.6-4jpp.2 set to be updated
---> Package bitstream-vera-fonts.noarch 0:1.10-7 set to be updated
---> Package cups-libs.x86_64 1:1.3.7-30.el5 set to be updated
--> Processing Dependency: libgnutls.so.13(GNUTLS_1_3)(64bit) for package: cups-libs
--> Processing Dependency: libgnutls.so.13()(64bit) for package: cups-libs
---> Package fontconfig.x86_64 0:2.4.1-7.el5 set to be updated
---> Package hicolor-icon-theme.noarch 0:0.9-2.1 set to be updated
---> Package jdk.x86_64 2000:1.6.0_31-fcs set to be updated
---> Package libXcursor.x86_64 0:1.1.7-1.1 set to be updated
---> Package libXfixes.x86_64 0:4.0.1-2.1 set to be updated
---> Package libXft.x86_64 0:2.1.10-1.1 set to be updated
---> Package libXi.x86_64 0:1.0.1-4.el5_4 set to be updated
---> Package libXinerama.x86_64 0:1.0.1-2.1 set to be updated
---> Package libjpeg.x86_64 0:6b-37 set to be updated
---> Package libpng.x86_64 2:1.2.10-16.el5_8 set to be updated
---> Package libtiff.x86_64 0:3.8.2-7.el5_6.7 set to be updated
---> Package perl-HTML-Tagset.noarch 0:3.10-2.1.1 set to be updated
--> Running transaction check
---> Package gnutls.x86_64 0:1.4.1-7.el5_8.2 set to be updated
--> Finished Dependency Resolution
Beginning Kernel Module Plugin
Finished Kernel Module Plugin

```

Dependencies Resolved

```

=====
Package                               Arch    Version                               Repository                               Size
=====
Installing:
emi-wms                                x86_64  1.0.2-0.s15                           EMI-1-updates 2.0 k
Installing for dependencies:
activemq-cpp-library                   x86_64  3.2.5-1.s15                           EMI-1-third-party
                                         24 M
alsa-lib                                x86_64  1.0.17-1.el5                           sl-base 414 k
antlr                                   x86_64  2.7.6-4jpp.2                           sl-base 1.1 M
apr                                      x86_64  1.2.7-11.el5_6.5                       sl-base 119 k
apr-util                                x86_64  1.2.7-11.el5_5.2                       sl-base 79 k
atk                                      x86_64  1.12.2-1.fc6                           sl-base 224 k
axis                                     x86_64  1.2.1-2jpp.6                           sl-base 3.6 M
bdii                                     noarch  5.2.10-1.el5                           EMI-1-updates 22 k
bitstream-vera-fonts                   noarch  1.10-7                                   sl-base 344 k

```

Update from production

WMSEMI2RC4SL5 < IGIRelease < TWiki

boost	x86_64	1.33.1-15.e15	sl-security	863 k
c-ares	x86_64	1.6.0-5.e15	sl-base	49 k
cairo	x86_64	1.2.4-5.e15	sl-base	386 k
classads	x86_64	1.0.8-1.e15	epel	453 k
classpathx-jaf	x86_64	1.0-9jpp.1	sl-base	111 k
classpathx-mail	x86_64	1.1.1-4jpp.2	sl-base	1.2 M
condor	x86_64	7.4.2-1	EMI-1-third-party	167 M
condor-lcg	i386	1.2.0-1	EMI-1-third-party	445 k
cups-libs	x86_64	1:1.3.7-30.e15	sl-security	196 k
distcache	x86_64	1.4.5-14.1	sl-base	121 k
emi-lb	x86_64	1.0.0-1.s15	EMI-1-base	1.8 k
emi-trustmanager	noarch	3.0.5-1.s15	EMI-1-updates	276 k
emi-trustmanager-axis	noarch	1.0.1-1.s15	EMI-1-base	28 k
emi-version	x86_64	1.10.0-1.s15	EMI-1-updates	2.0 k
expect	x86_64	5.43.0-5.1	sl-base	160 k
fcgi	x86_64	2.4.0-12.e15	epel	45 k
fetch-crl	noarch	2.8.5-1.e15	epel	24 k
fontconfig	x86_64	2.4.1-7.e15	sl-base	175 k
freetype	x86_64	2.2.1-28.e15_7.2	sl-security	311 k
gjdcc	x86_64	0.7.7-12.e15	sl-base	885 k
glite-ce-cream-client-api-c	x86_64	1.13.2-3.s15	EMI-1-base	1.1 M
glite-ce-monitor-client-api-c	x86_64	1.13.2-2.s15	EMI-1-updates	2.6 M
glite-info-provider-service	noarch	1.8.1-2.e15	EMI-1-updates	59 k
glite-initscript-globus-gridftp	noarch	1.0.4-1.s15	EMI-1-base	3.5 k
glite-jdl-api-cpp	x86_64	3.2.6-1.s15	EMI-1-updates	2.1 M
glite-jobid-api-c	x86_64	2.0.3-1.s15	EMI-1-updates	19 k
glite-jobid-api-cpp	x86_64	1.1.3-1.s15	EMI-1-updates	4.3 k
glite-jobid-api-java	noarch	1.1.3-6.s15	EMI-1-updates	5.6 k
glite-lb-client	x86_64	5.0.8-1.s15	EMI-1-updates	1.1 M
glite-lb-client-java	x86_64	1.1.6-1.s15	EMI-1-updates	593 k
glite-lb-common	x86_64	8.0.6-1.s15	EMI-1-updates	397 k
glite-lb-doc	noarch	1.2.9-1.s15	EMI-1-updates	1.1 M
glite-lb-harvester	x86_64	1.1.6-3.s15	EMI-1-base	68 k
glite-lb-logger	x86_64	2.2.6-1.s15	EMI-1-updates	95 k
glite-lb-logger-msg	x86_64	1.0.6-1.s15	EMI-1-base	29 k
glite-lb-server	x86_64	2.2.9-1.s15	EMI-1-updates	933 k
glite-lb-state-machine	x86_64	1.2.2-5.s15	EMI-1-base	87 k
glite-lb-utils	x86_64	2.1.4-1.s15	EMI-1-updates	64 k
glite-lb-ws-interface	noarch	3.2.4-1.s15	EMI-1-base	20 k
glite-lb-ws-test	x86_64	1.2.3-1.s15	EMI-1-base	883 k
glite-lb-yaim	noarch	4.3.9-1.s15	EMI-1-updates	11 k
glite-lbjp-common-db	x86_64	3.0.3-2.s15	EMI-1-base	46 k
glite-lbjp-common-gsoap-plugin	x86_64	3.0.2-7.s15	EMI-1-updates	1.4 M
glite-lbjp-common-gss	x86_64	3.0.4-1.s15	EMI-1-updates	43 k
glite-lbjp-common-jp-interface	x86_64	2.1.2-7.s15	EMI-1-updates	25 k
glite-lbjp-common-log	x86_64	1.1.2-6.s15	EMI-1-base	11 k
glite-lbjp-common-maildir	x86_64	2.1.2-7.s15	EMI-1-updates	14 k
glite-lbjp-common-server-bones	x86_64	2.1.3-1.s15	EMI-1-updates	24 k
glite-lbjp-common-trio	x86_64	2.1.2-7.s15	EMI-1-updates	71 k
glite-px-proxyrenewal	x86_64	1.3.21-1.s15	EMI-1-updates	86 k
glite-service-discovery-api-c	x86_64	2.2.3-1.s15	EMI-1-base	47 k
glite-wms-broker	x86_64	3.3.1-3.s15	EMI-1-base	184 k
glite-wms-brokerinfo	x86_64	3.3.2-1.s15	EMI-1-updates	588 k
glite-wms-classad_plugin	x86_64	3.3.1-3.s15	EMI-1-base	162 k
glite-wms-common	x86_64	3.3.2-0.s15	EMI-1-updates	2.3 M
glite-wms-configuration	x86_64	3.3.2-1.s15	EMI-1-updates	8.2 k
glite-wms-helper	x86_64	3.3.2-0.s15	EMI-1-updates	1.1 M
glite-wms-ice	x86_64	3.3.4-1.s15	EMI-1-updates	10 M
glite-wms-ism	x86_64	3.3.2-1.s15	EMI-1-updates	1.5 M
glite-wms-jobsubmission	x86_64	3.3.2-1.s15	EMI-1-updates	3.0 M
glite-wms-manager	x86_64	3.3.1-3.s15	EMI-1-base	968 k
glite-wms-matchmaking	x86_64	3.3.2-1.s15	EMI-1-updates	215 k
glite-wms-purger	x86_64	3.3.2-1.s15	EMI-1-updates	336 k
glite-wms-utils-classad	x86_64	3.2.2-2.s15	EMI-1-base	30 k
glite-wms-utils-exception	x86_64	3.2.2-2.s15	EMI-1-base	32 k

WMSEMI2RC4SL5 < IGIRelease < TWiki

glite-wms-wmproxy	x86_64	3.3.4-2.s15	EMI-1-updates	2.1 M
glite-yaim-bdii	noarch	4.3.9-1.e15	EMI-1-updates	10 k
glite-yaim-core	noarch	5.0.2-1.s15	EMI-1-updates	116 k
glite-yaim-wms	noarch	4.1.4-3.s15	EMI-1-updates	20 k
globus-authz	x86_64	2.1-2.e15	epel	14 k
globus-authz-callout-error	x86_64	2.1-2.e15	epel	11 k
globus-callout	x86_64	2.1-2.e15	epel	17 k
globus-common	x86_64	14.5-4.e15	epel	131 k
globus-ftp-client	x86_64	7.2-2.e15	epel	108 k
globus-ftp-control	x86_64	4.2-2.e15	epel	73 k
globus-gfork	x86_64	3.1-2.e15	epel	20 k
globus-gridftp-server	x86_64	6.5-4.e15	epel	165 k
globus-gridftp-server-control	x86_64	2.3-2.e15	epel	77 k
globus-gridftp-server-progs	x86_64	6.5-4.e15	epel	44 k
globus-gridmap-callout-error	x86_64	1.2-2.e15	epel	10 k
globus-gsi-callback	x86_64	4.1-2.e15	epel	42 k
globus-gsi-cert-utils	x86_64	8.1-2.e15	epel	20 k
globus-gsi-credential	x86_64	5.1-2.e15	epel	35 k
globus-gsi-openssl-error	x86_64	2.1-2.e15	epel	16 k
globus-gsi-proxy-core	x86_64	6.1-2.e15	epel	37 k
globus-gsi-proxy-ssl	x86_64	4.1-2.e15	epel	18 k
globus-gsi-sysconfig	x86_64	5.1-2.e15	epel	30 k
globus-gss-assist	x86_64	8.1-2.e15	epel	35 k
globus-gssapi-error	x86_64	4.1-2.e15	epel	14 k
globus-gssapi-gsi	x86_64	10.2-2.e15	epel	57 k
globus-io	x86_64	9.2-2.e15	epel	44 k
globus-openssl-module	x86_64	3.1-2.e15	epel	13 k
globus-proxy-utils	x86_64	5.0-2.e15	epel	45 k
globus-usage	x86_64	3.1-2.e15	epel	17 k
globus-xio	x86_64	3.2-2.e15	epel	178 k
globus-xio-gsi-driver	x86_64	2.1-2.e15	epel	37 k
globus-xio-pipe-driver	x86_64	2.1-2.e15	epel	17 k
globus-xio-popen-driver	x86_64	2.2-2.e15	epel	21 k
glue-schema	noarch	2.0.8-1.e15	EMI-1-updates	33 k
gnutls	x86_64	1.4.1-7.e15_8.2	sl-security	365 k
gridsite-apache	x86_64	1.7.19-1.e15	EMI-1-updates	70 k
gridsite-shared	x86_64	1.7.19-1.e15	EMI-1-updates	131 k
gsoap	x86_64	2.7.13-4.e15	epel	444 k
gtk2	x86_64	2.10.4-21.e15_5.6	sl-base	6.6 M
hicolor-icon-theme	noarch	0.9-2.1	sl-base	25 k
httpd	x86_64	2.2.3-63.s15.1	sl-security	1.3 M
jakarta-commons-codec	x86_64	1.3-7jpp.2	sl-base	109 k
jakarta-commons-discovery	x86_64	1:0.3-4jpp.1	sl-base	150 k
jakarta-commons-httpclient	x86_64	1:3.0-7jpp.1	sl-base	595 k
jakarta-commons-lang	x86_64	2.1-5jpp.1	sl-base	508 k
jakarta-commons-logging	x86_64	1.0.4-6jpp.1	sl-base	115 k
java-1.4.2-gcj-compat	x86_64	1.4.2.0-40jpp.115	sl-base	29 k
jdk	x86_64	2000:1.6.0_31-fcs	sl-security	68 M
jemalloc	x86_64	2.1.3-2.e15	epel	63 k
jpackage-utils	noarch	1.7.3-1jpp.2.e15	sl-base	61 k
lcas	x86_64	1.3.13-1.s15	EMI-1-base	34 k
lcas-lcmaps-gt4-interface	x86_64	0.1.4-1.s15	EMI-1-base	16 k
lcas-plugins-basic	x86_64	1.3.4-1.s15	EMI-1-base	22 k
lcas-plugins-voms	x86_64	1.3.7-1.s15	EMI-1-base	29 k
lcg-expiregridmapdir	noarch	3.0.1-1	EMI-1-base	6.7 k
lcmaps	x86_64	1.4.29-1.s15	EMI-1-base	98 k
lcmaps-plugins-basic	x86_64	1.4.5-1.s15	EMI-1-base	48 k
lcmaps-plugins-voms	x86_64	1.4.3-1.s15	EMI-1-base	39 k
lcmaps-without-gsi	x86_64	1.4.29-1.s15	EMI-1-base	79 k
libXcursor	x86_64	1.1.7-1.1	sl-base	32 k
libXfixes	x86_64	4.0.1-2.1	sl-base	15 k
libXft	x86_64	2.1.10-1.1	sl-base	44 k
libXi	x86_64	1.0.1-4.e15_4	sl-base	26 k
libXinerama	x86_64	1.0.1-2.1	sl-base	9.8 k
libXrandr	x86_64	1.1.1-3.3	sl-base	15 k
libXrender	x86_64	0.9.1-3.1	sl-base	28 k
libXtst	x86_64	1.0.1-3.1	sl-base	16 k

WMSEMI2RC4SL5 < IGIRelease < TWiki

libart_lgpl	x86_64	2.3.17-4	sl-base	75 k
libgcj	x86_64	4.1.2-51.e15	sl-base	18 M
libicu	x86_64	3.6-5.16.1	sl-security	5.2 M
libjpeg	x86_64	6b-37	sl-base	139 k
libpng	x86_64	2:1.2.10-16.e15_8	sl-security	235 k
libtar	x86_64	1.2.11-13.e15	epel	30 k
libtiff	x86_64	3.8.2-7.e15_6.7	sl-base	313 k
libtool-ltdl	x86_64	1.5.22-7.e15_4	sl-base	38 k
libxslt	x86_64	1.1.17-2.e15_2.2	sl-base	488 k
log4c	x86_64	1.2.1-7.e15	epel	35 k
log4cpp	x86_64	1.0-9.e15	sl-base	197 k
log4j	x86_64	1.2.13-3jpp.2	sl-base	729 k
mod_fcgid	x86_64	2.2-11.e15	epel	58 k
mod_ssl	x86_64	1:2.2.3-63.sl5.1	sl-security	96 k
myproxy-libs	x86_64	5.5-1.e15	epel	121 k
mysql-server	x86_64	5.0.95-1.e15_7.1	sl-security	9.9 M
openldap-clients	x86_64	2.3.43-12.e15_6.7	sl-base	223 k
openldap-servers	x86_64	2.3.43-12.e15_6.7	sl-base	2.2 M
pango	x86_64	1.14.9-8.e15_7.3	sl-security	338 k
perl-Compress-Zlib	x86_64	1.42-1.fc6	sl-base	52 k
perl-Convert-ASN1	noarch	0.20-1.1	sl-base	41 k
perl-DBD-MySQL	x86_64	3.0007-2.e15	sl-base	147 k
perl-HTML-Parser	x86_64	3.55-1.fc6	sl-base	91 k
perl-HTML-Tagset	noarch	3.10-2.1.1	sl-base	14 k
perl-IO-Socket-SSL	noarch	1.01-1.fc6	sl-base	49 k
perl-LDAP	noarch	1:0.33-3.fc6	sl-base	316 k
perl-Net-SSLeay	x86_64	1.30-4.fc6	sl-base	192 k
perl-URI	noarch	1.35-3	sl-base	116 k
perl-XML-Namespacesupport	noarch	1.09-1.2.1	sl-base	15 k
perl-XML-SAX	noarch	0.14-8	sl-base	77 k
perl-libwww-perl	noarch	5.805-1.1.1	sl-base	375 k
tcsh	x86_64	6.14-17.e15_5.2	sl-base	476 k
voms	x86_64	2.0.7-1.e15	EMI-1-updates	163 k
wSDL4j	x86_64	1.5.2-4jpp.1	sl-base	428 k
zip	x86_64	2.31-2.e15	sl-base	135 k

Transaction Summary

```
=====
Install      177 Package(s)
Upgrade      0 Package(s)
```

Total download size: 359 M
 Downloading Packages:

```
-----
Total                               4.2 MB/s | 359 MB      01:26
```

warning: rpmts_HdrFromFdno: Header V3 DSA signature: NOKEY, key ID df9e12ef

Importing GPG key 0xDF9E12EF "Doina Cristina Aiftimiei (EMI Release Manager) <aiftim@pd.infn.it>"

Running rpm_check_debug

Running Transaction Test

Finished Transaction Test

Transaction Test Succeeded

Running Transaction

```
Installing      : classads                               1/177
Installing      : libtool-ltdl                           2/177
Installing      : globus-common                          3/177
Installing      : globus-gsi-openssl-error               4/177
Installing      : globus-gsi-sysconfig                    5/177
Installing      : globus-gsi-proxy-ssl                    6/177
Installing      : globus-openssl-module                   7/177
Installing      : globus-gsi-cert-utils                    8/177
Installing      : globus-gsi-callback                      9/177
Installing      : globus-gsi-credential                  10/177
Installing      : globus-gsi-proxy-core                   11/177
Installing      : globus-gssapi-gsi                       12/177
Installing      : globus-xio                               13/177
Installing      : glite-jobid-api-c                        14/177
Installing      : globus-callout                           15/177
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

Installing	: globus-gss-assist	16/177
Installing	: glite-wms-utils-classad	17/177
Installing	: glite-lbjp-common-trio	18/177
Installing	: globus-gssapi-error	19/177
Installing	: glite-wms-utils-exception	20/177
Installing	: voms	21/177
Installing	: c-ares	22/177
Installing	: glite-lbjp-common-gss	23/177
Installing	: glite-lb-common	24/177
Installing	: glite-lb-client	25/177
Installing	: libXrender	26/177
Installing	: globus-usage	27/177
Installing	: gridsite-shared	28/177
Installing	: freetype	29/177
Installing	: fontconfig	30/177
Installing	: myproxy-libs	31/177
Installing	: glite-px-proxyrenewal	32/177
Installing	: globus-xio-gsi-driver	33/177
Installing	: lcas	34/177
Installing	: globus-io	35/177
Installing	: globus-ftp-control	36/177
Installing	: lcmaps	37/177
Installing	: libpng	38/177
Installing	: cairo	39/177
Installing	: gsoap	40/177
Installing	: glite-lbjp-common-gsoap-plugin	41/177
Installing	: glite-service-discovery-api-c	42/177
Installing	: libjpeg	43/177
Installing	: libtiff	44/177
Installing	: libXrandr	45/177
Installing	: globus-gfork	46/177
Installing	: atk	47/177
Installing	: glite-lbjp-common-maildir	48/177
Installing	: apr	49/177
Installing	: log4cpp	50/177
Installing	: libXfixes	51/177
Installing	: zip	52/177
Installing	: libXcursor	53/177
Installing	: apr-util	54/177
Installing	: httpd	55/177
Installing	: mod_fcgid	56/177
Installing	: lcmaps-plugins-voms	57/177
Installing	: lcmaps-plugins-basic	58/177
Installing	: lcas-plugins-voms	59/177
Installing	: lcas-plugins-basic	60/177
Installing	: libXft	61/177
Installing	: gridsite-apache	62/177
Installing	: globus-gridmap-callout-error	63/177
Installing	: lcas-lcmaps-gt4-interface	64/177
Installing	: globus-proxy-utils	65/177
Installing	: globus-xio-popen-driver	66/177
Installing	: globus-ftp-client	67/177
Installing	: globus-xio-pipe-driver	68/177
Installing	: globus-gridftp-server-control	69/177
Installing	: globus-authz-callout-error	70/177
Installing	: globus-authz	71/177
Installing	: globus-gridftp-server	72/177
Installing	: globus-gridftp-server-progs	73/177
Installing	: openldap-servers	74/177
Installing	: expect	75/177
Installing	: perl-Compress-Zlib	76/177
Installing	: gnutls	77/177
Installing	: cups-libs	78/177
Installing	: distcache	79/177
Installing	: mod_ssl	80/177
Installing	: libtar	81/177
Installing	: openldap-clients	82/177

WMSEMI2RC4SL5 < IGIRelease < TWiki

Installing	: fcgi	83/177
Installing	: libicu	84/177
Installing	: boost	85/177
Installing	: glite-wms-common	86/177
Installing	: glite-wms-ism	87/177
Installing	: glite-wms-purger	88/177
Installing	: glite-wms-classad_plugin	89/177
Installing	: glite-ce-monitor-client-api-c	90/177
Installing	: glite-ce-cream-client-api-c	91/177
Installing	: alsa-lib	92/177
Installing	: libart_lgpl	93/177
Installing	: libXi	94/177
Installing	: jemalloc	95/177
Installing	: perl-DBD-MySQL	96/177
Installing	: mysql-server	97/177
Installing	: libxslt	98/177
Installing	: libXtst	99/177
Installing	: perl-Net-SSLeay	100/177
Installing	: lcmsaps-without-gsi	101/177
Installing	: activemq-cpp-library	102/177
Installing	: log4c	103/177
Installing	: glite-lb-jp-common-log	104/177
Installing	: glite-lb-jp-common-db	105/177
Installing	: glite-lb-jp-common-jp-interface	106/177
Installing	: glite-lb-state-machine	107/177
Installing	: glite-lb-logger	108/177
Installing	: glite-lb-utils	109/177
Installing	: glite-lb-harvester	110/177
Installing	: glite-lb-jp-common-server-bones	111/177
Installing	: libXinerama	112/177
Installing	: tcsh	113/177
Installing	: jpackage-utils	114/177
Installing	: glite-wms-configuration	115/177
Installing	: glue-schema	116/177
Installing	: bdi	117/177
Installing	: glite-jobid-api-cpp	118/177
Installing	: glite-jdl-api-cpp	119/177
Installing	: glite-wms-brokerinfo	120/177
Installing	: glite-wms-matchmaking	121/177
Installing	: emi-trustmanager	122/177
Installing	: glite-info-provider-service	123/177
Installing	: glite-lb-ws-interface	124/177
Installing	: emi-version	125/177
Installing	: glite-yaim-core	126/177
Installing	: fetch-crl	127/177
Installing	: glite-lb-server	128/177
Installing	: glite-lb-ws-test	129/177
Installing	: glite-wms-broker	130/177
Installing	: glite-wms-helper	131/177
Installing	: glite-wms-wmproxy	132/177
Installing	: glite-wms-ice	133/177
Installing	: condor	134/177Setting up Condor

WARNING: Unable to find mail program! Condor will not be

able to send status notifications until MAIL parameter is configured.
Unable to find a valid Java installation
Java Universe will not work properly until the JAVA
(and JAVA_MAXHEAP_ARGUMENT) parameters are set in the configuration file!

Condor has been installed into:
/opt/condor-7.4.2

Configured condor using these configuration files:
global: /opt/condor-7.4.2/etc/condor_config
local: /opt/condor-7.4.2/local.cert-13/condor_config.local

WMSEMI2RC4SL5 < IGIRelease < TWiki

In order for Condor to work properly you must set your CONDOR_CONFIG environment variable to point to your Condor configuration file: /opt/condor-7.4.2/etc/condor_config before running Condor commands/daemons. Created scripts which can be sourced by users to setup their Condor environment variables. These are:

```
sh: /opt/condor-7.4.2/condor.sh
csh: /opt/condor-7.4.2/condor.csh
```

```
Installing      : glite-wms-jobsubmission      135/177
Installing      : glite-wms-manager           136/177
Installing      : glite-yaim-wms              137/177
Installing      : perl-IO-Socket-SSL          138/177
Installing      : bitstream-vera-fonts        139/177
Installing      : pango                        140/177
Installing      : jdk                          141/177Unpacking JAR file
  rt.jar...
  jsse.jar...
  charsets.jar...
  tools.jar...
  localedata.jar...
  plugin.jar...
  javaws.jar...
  deploy.jar...

Installing      : perl-URI                     142/177
Installing      : hicolor-icon-theme          143/177
Installing      : gtk2                         144/177
Installing      : libgcj                       145/177
Installing      : perl-XML-Namespacesupport    146/177
Installing      : perl-XML-SAX                 147/177
Installing      : glite-lb-doc                  148/177
Installing      : perl-HTML-Tagset             149/177
Installing      : perl-HTML-Parser            150/177
Installing      : perl-libwww-perl             151/177
Installing      : perl-Convert-ASN1           152/177
Installing      : perl-LDAP                    153/177
Installing      : glite-lb-logger-msg          154/177
Installing      : glite-yaim-bdii              155/177
Installing      : glite-lb-yaim                156/177
Installing      : glite-initscript-globus-gridftp 157/177
Installing      : lcg-expiregridmapdir         158/177
Installing      : condor-lcg                   159/177
Installing      : java-1.4.2-gcj-compat        160/177
Installing      : jakarta-commons-logging      161/177
Installing      : classpathx-jaf               162/177
Installing      : classpathx-mail              163/177
Installing      : jakarta-commons-httpclient   164/177
Installing      : jakarta-commons-discovery    165/177
Installing      : gjdoc                         166/177
Installing      : antlr                        167/177
Installing      : jakarta-commons-codec        168/177
Installing      : log4j                         169/177
Installing      : wsdl4j                       170/177
Installing      : axis                          171/177
Installing      : jakarta-commons-lang         172/177
Installing      : emi-trustmanager-axis        173/177
Installing      : glite-jobid-api-java         174/177
Installing      : glite-lb-client-java         175/177
Installing      : emi-lb                       176/177
Installing      : emi-wms                      177/177
```

```
Installed:
  emi-wms.x86_64 0:1.0.2-0.s15
```

Dependency Installed:

Update from production


```

activemq-cpp-library.x86_64 0:3.2.5-1.s15
alsa-lib.x86_64 0:1.0.17-1.e15
antlr.x86_64 0:2.7.6-4jpp.2
apr.x86_64 0:1.2.7-11.e15_6.5
apr-util.x86_64 0:1.2.7-11.e15_5.2
atk.x86_64 0:1.12.2-1.fc6
axis.x86_64 0:1.2.1-2jpp.6
bdii.noarch 0:5.2.10-1.e15
bitstream-vera-fonts.noarch 0:1.10-7
boost.x86_64 0:1.33.1-15.e15
c-ares.x86_64 0:1.6.0-5.e15
cairo.x86_64 0:1.2.4-5.e15
classads.x86_64 0:1.0.8-1.e15
classpathx-jaf.x86_64 0:1.0-9jpp.1
classpathx-mail.x86_64 0:1.1.1-4jpp.2
condor.x86_64 0:7.4.2-1
condor-lcg.i386 0:1.2.0-1
cups-libs.x86_64 1:1.3.7-30.e15
distcache.x86_64 0:1.4.5-14.1
emi-lb.x86_64 0:1.0.0-1.s15
emi-trustmanager.noarch 0:3.0.5-1.s15
emi-trustmanager-axis.noarch 0:1.0.1-1.s15
emi-version.x86_64 0:1.10.0-1.s15
expect.x86_64 0:5.43.0-5.1
fcgi.x86_64 0:2.4.0-12.e15
fetch-curl.noarch 0:2.8.5-1.e15
fontconfig.x86_64 0:2.4.1-7.e15
freetype.x86_64 0:2.2.1-28.e15_7.2
gjdock.x86_64 0:0.7.7-12.e15
glite-ce-cream-client-api-c.x86_64 0:1.13.2-3.s15
glite-ce-monitor-client-api-c.x86_64 0:1.13.2-2.s15
glite-info-provider-service.noarch 0:1.8.1-2.e15
glite-initscript-globus-gridftp.noarch 0:1.0.4-1.s15
glite-jdl-api-cpp.x86_64 0:3.2.6-1.s15
glite-jobid-api-c.x86_64 0:2.0.3-1.s15
glite-jobid-api-cpp.x86_64 0:1.1.3-1.s15
glite-jobid-api-java.noarch 0:1.1.3-6.s15
glite-lb-client.x86_64 0:5.0.8-1.s15
glite-lb-client-java.x86_64 0:1.1.6-1.s15
glite-lb-common.x86_64 0:8.0.6-1.s15
glite-lb-doc.noarch 0:1.2.9-1.s15
glite-lb-harvester.x86_64 0:1.1.6-3.s15
glite-lb-logger.x86_64 0:2.2.6-1.s15
glite-lb-logger-msg.x86_64 0:1.0.6-1.s15
glite-lb-server.x86_64 0:2.2.9-1.s15
glite-lb-state-machine.x86_64 0:1.2.2-5.s15
glite-lb-utils.x86_64 0:2.1.4-1.s15
glite-lb-ws-interface.noarch 0:3.2.4-1.s15
glite-lb-ws-test.x86_64 0:1.2.3-1.s15
glite-lb-yaim.noarch 0:4.3.9-1.s15
glite-lbjp-common-db.x86_64 0:3.0.3-2.s15
glite-lbjp-common-gsoap-plugin.x86_64 0:3.0.2-7.s15
glite-lbjp-common-gss.x86_64 0:3.0.4-1.s15
glite-lbjp-common-jp-interface.x86_64 0:2.1.2-7.s15
glite-lbjp-common-log.x86_64 0:1.1.2-6.s15
glite-lbjp-common-maildir.x86_64 0:2.1.2-7.s15
glite-lbjp-common-server-bones.x86_64 0:2.1.3-1.s15
glite-lbjp-common-trio.x86_64 0:2.1.2-7.s15
glite-px-proxyrenewal.x86_64 0:1.3.21-1.s15
glite-service-discovery-api-c.x86_64 0:2.2.3-1.s15
glite-wms-broker.x86_64 0:3.3.1-3.s15
glite-wms-brokerinfo.x86_64 0:3.3.2-1.s15
glite-wms-classad_plugin.x86_64 0:3.3.1-3.s15
glite-wms-common.x86_64 0:3.3.2-0.s15
glite-wms-configuration.x86_64 0:3.3.2-1.s15
glite-wms-helper.x86_64 0:3.3.2-0.s15
glite-wms-ice.x86_64 0:3.3.4-1.s15

```

```

glite-wms-ism.x86_64 0:3.3.2-1.s15
glite-wms-jobsubmission.x86_64 0:3.3.2-1.s15
glite-wms-manager.x86_64 0:3.3.1-3.s15
glite-wms-matchmaking.x86_64 0:3.3.2-1.s15
glite-wms-purger.x86_64 0:3.3.2-1.s15
glite-wms-utils-classad.x86_64 0:3.2.2-2.s15
glite-wms-utils-exception.x86_64 0:3.2.2-2.s15
glite-wms-wmproxy.x86_64 0:3.3.4-2.s15
glite-yaim-bdii.noarch 0:4.3.9-1.e15
glite-yaim-core.noarch 0:5.0.2-1.s15
glite-yaim-wms.noarch 0:4.1.4-3.s15
globus-authz.x86_64 0:2.1-2.e15
globus-authz-callout-error.x86_64 0:2.1-2.e15
globus-callout.x86_64 0:2.1-2.e15
globus-common.x86_64 0:14.5-4.e15
globus-ftp-client.x86_64 0:7.2-2.e15
globus-ftp-control.x86_64 0:4.2-2.e15
globus-gfork.x86_64 0:3.1-2.e15
globus-gridftp-server.x86_64 0:6.5-4.e15
globus-gridftp-server-control.x86_64 0:2.3-2.e15
globus-gridftp-server-progs.x86_64 0:6.5-4.e15
globus-gridmap-callout-error.x86_64 0:1.2-2.e15
globus-gsi-callback.x86_64 0:4.1-2.e15
globus-gsi-cert-utils.x86_64 0:8.1-2.e15
globus-gsi-credential.x86_64 0:5.1-2.e15
globus-gsi-openssl-error.x86_64 0:2.1-2.e15
globus-gsi-proxy-core.x86_64 0:6.1-2.e15
globus-gsi-proxy-ssl.x86_64 0:4.1-2.e15
globus-gsi-sysconfig.x86_64 0:5.1-2.e15
globus-gss-assist.x86_64 0:8.1-2.e15
globus-gssapi-error.x86_64 0:4.1-2.e15
globus-gssapi-gsi.x86_64 0:10.2-2.e15
globus-io.x86_64 0:9.2-2.e15
globus-openssl-module.x86_64 0:3.1-2.e15
globus-proxy-utils.x86_64 0:5.0-2.e15
globus-usage.x86_64 0:3.1-2.e15
globus-xio.x86_64 0:3.2-2.e15
globus-xio-gsi-driver.x86_64 0:2.1-2.e15
globus-xio-pipe-driver.x86_64 0:2.1-2.e15
globus-xio-popen-driver.x86_64 0:2.2-2.e15
glue-schema.noarch 0:2.0.8-1.e15
gnutls.x86_64 0:1.4.1-7.e15_8.2
gridsite-apache.x86_64 0:1.7.19-1.e15
gridsite-shared.x86_64 0:1.7.19-1.e15
gsoap.x86_64 0:2.7.13-4.e15
gtk2.x86_64 0:2.10.4-21.e15_5.6
hicolor-icon-theme.noarch 0:0.9-2.1
httpd.x86_64 0:2.2.3-63.s15.1
jakarta-commons-codec.x86_64 0:1.3-7jpp.2
jakarta-commons-discovery.x86_64 1:0.3-4jpp.1
jakarta-commons-httpclient.x86_64 1:3.0-7jpp.1
jakarta-commons-lang.x86_64 0:2.1-5jpp.1
jakarta-commons-logging.x86_64 0:1.0.4-6jpp.1
java-1.4.2-gcj-compat.x86_64 0:1.4.2.0-40jpp.115
jdk.x86_64 2000:1.6.0_31-fcs
jemalloc.x86_64 0:2.1.3-2.e15
jpackage-utils.noarch 0:1.7.3-1jpp.2.e15
lcas.x86_64 0:1.3.13-1.s15
lcas-lcmapi-gt4-interface.x86_64 0:0.1.4-1.s15
lcas-plugins-basic.x86_64 0:1.3.4-1.s15
lcas-plugins-voms.x86_64 0:1.3.7-1.s15
lcg-expiregridmapdir.noarch 0:3.0.1-1
lcmapi.x86_64 0:1.4.29-1.s15
lcmapi-plugins-basic.x86_64 0:1.4.5-1.s15
lcmapi-plugins-voms.x86_64 0:1.4.3-1.s15
lcmapi-without-gsi.x86_64 0:1.4.29-1.s15
libXcursor.x86_64 0:1.1.7-1.1

```

```

libXfixes.x86_64 0:4.0.1-2.1
libXft.x86_64 0:2.1.10-1.1
libXi.x86_64 0:1.0.1-4.e15_4
libXinerama.x86_64 0:1.0.1-2.1
libXrandr.x86_64 0:1.1.1-3.3
libXrender.x86_64 0:0.9.1-3.1
libXtst.x86_64 0:1.0.1-3.1
libart_lgpl.x86_64 0:2.3.17-4
libgcj.x86_64 0:4.1.2-51.e15
libicu.x86_64 0:3.6-5.16.1
libjpeg.x86_64 0:6b-37
libpng.x86_64 2:1.2.10-16.e15_8
libtar.x86_64 0:1.2.11-13.e15
libtiff.x86_64 0:3.8.2-7.e15_6.7
libtool-ltdl.x86_64 0:1.5.22-7.e15_4
libxslt.x86_64 0:1.1.17-2.e15_2.2
log4c.x86_64 0:1.2.1-7.e15
log4cpp.x86_64 0:1.0-9.e15
log4j.x86_64 0:1.2.13-3jpp.2
mod_fcgid.x86_64 0:2.2-11.e15
mod_ssl.x86_64 1:2.2.3-63.s15.1
myproxy-libs.x86_64 0:5.5-1.e15
mysql-server.x86_64 0:5.0.95-1.e15_7.1
openldap-clients.x86_64 0:2.3.43-12.e15_6.7
openldap-servers.x86_64 0:2.3.43-12.e15_6.7
pango.x86_64 0:1.14.9-8.e15_7.3
perl-Compress-Zlib.x86_64 0:1.42-1.fc6
perl-Convert-ASN1.noarch 0:0.20-1.1
perl-DBD-MySQL.x86_64 0:3.0007-2.e15
perl-HTML-Parser.x86_64 0:3.55-1.fc6
perl-HTML-Tagset.noarch 0:3.10-2.1.1
perl-IO-Socket-SSL.noarch 0:1.01-1.fc6
perl-LDAP.noarch 1:0.33-3.fc6
perl-Net-SSLeay.x86_64 0:1.30-4.fc6
perl-URI.noarch 0:1.35-3
perl-XML-Namespacesupport.noarch 0:1.09-1.2.1
perl-XML-SAX.noarch 0:0.14-8
perl-libwww-perl.noarch 0:5.805-1.1.1
tcsh.x86_64 0:6.14-17.e15_5.2
voms.x86_64 0:2.0.7-1.e15
wsdl4j.x86_64 0:1.5.2-4jpp.1
zip.x86_64 0:2.31-2.e15

```

Complete!

```

#####
EXECUTING COMMAND N° 10:  "/opt/glite/yaim/bin/yaim -v -s site-info.def -n WMS"
COMMAND EXIT STATUS:  0
FOLLOWS COMMAND OUTPUT:  ++++++
WARNING:
WARNING: *****
WARNING: Your siteinfo directory is world readable. This is generally a bad idea
WARNING: as configuration files may contain passwords and other sensitive information.
WARNING: *****
WARNING:
INFO: Using site configuration file: site-info.def
INFO: Sourcing service specific configuration file: ./services/glite-wms
INFO:
#####

.          /'-. ' )
.   yA,-"-,( ,m,:/ ) .oo.   oo   o   ooo o.   .oo
.   /          .-Y a   a Y-.   8. .8'   8'8.   8   8b   d'8
.   /          ~ ~ /          8'   .8oo88.   8   8   8' 8
.   (/_          '===='      8   .8'   8.   8   8   Y   8
.   Y,-''-,Yy,-.,/          oo   oo   oo8oo oo   oo   oo
.   I_)_) I_)_)

```

WMSEMI2RC4SL5 < IGIRelease < TWiki

current working directory: /root/siteinfo
site-info.def date: Apr 10 15:18 site-info.def
yaim command: -v -s site-info.def -n WMS
log file: /opt/glite/yaim/bin/./log/yaimlog
Tue Apr 10 15:29:51 CEST 2012 : /opt/glite/yaim/bin/yaim

Installed YAIM versions:
glite-lb-yaim 4.3.9-1
glite-yaim-bdii 4.3.9-1
glite-yaim-core 5.0.2-1
glite-yaim-wms 4.1.4-3

#####
INFO: The default location of the grid-env.(c)sh files will be: /usr/libexec
INFO: Sourcing the utilities in /opt/glite/yaim/functions/utils
INFO: Detecting environment
INFO: Executing function: config_add_pool_env_check
INFO: Executing function: config_host_certs_check
INFO: Executing function: config_lcgenv_check
INFO: Executing function: config_edgusers_check
INFO: Executing function: config_users_check
INFO: Executing function: config_vomsmmap_check
INFO: Executing function: config_vomsdir_check
INFO: Executing function: config_vomses_check
INFO: Executing function: config_gip_wms_check
INFO: Executing function: config_info_service_wms_check
INFO: Executing function: config_globus_gridftp_check
INFO: Executing function: config_lcas_lcmmaps_gt4_check
INFO: Executing function: config_condor_wms_check
INFO: Executing function: config_glite_wms_check
INFO: Executing function: config_gliteservices_wms_check
INFO: Executing function: config_cron_wms_check
INFO: Executing function: config_glite_lb_check
INFO: Executing function: config_glite_locallogger_check
INFO: Executing function: config_bdii_5.2_check
INFO: Checking is done.
INFO: All the necessary variables to configure WMS are defined in your configuration files.
INFO: Please, bear in mind that YAIM only guarantees the definition of variables
INFO: controlled in the _check functions.
INFO: YAIM terminated succesfully.

#####
EXECUTING COMMAND N° 11: "/opt/glite/yaim/bin/yaim -c -d 6 -s site-info.def -n WMS"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
DEBUG: Checking siteinfo dir is not world readable
WARNING:
WARNING: *****
WARNING: Your siteinfo directory is world readable. This is generally a bad idea
WARNING: as configuration files may contain passwords and other sensitive information.
WARNING: *****
WARNING:
DEBUG: Checking site-info.def is syntactically correct
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/site-info.pre
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/glite-wms.pre
INFO: Using site configuration file: site-info.def
DEBUG: Sourcing site-info.def file: site-info.def
INFO: Sourcing service specific configuration file: ./services/glite-wms
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/site-info.post
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/glite-wms.post
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/mapping
INFO:
#####
. ('.-.')

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
.      yA,-"-,( ,m,:/ ) .oo.      oo      o      ooo o.      .oo
.      /      .-Y a  a Y-.      8. .8'      8'8.      8      8b  d'8
.      /      ~ ~ /      8'      .8oo88.      8      8 8' 8
.      (_/      '===='      8      .8'      8.      8      8 Y 8
.      Y,-''-,Yy,-.,/      o8o o8o      o88o o8o o8o      o8o
.      I_))_) I_))_)
```

```
current working directory: /root/siteinfo
site-info.def date: Apr 10 15:18 site-info.def
yaim command: -c -d 6 -s site-info.def -n WMS
log file: /opt/glite/yaim/bin/./log/yaimlog
Tue Apr 10 15:29:54 CEST 2012 : /opt/glite/yaim/bin/yaim
```

```
Installed YAIM versions:
glite-lb-yaim 4.3.9-1
glite-yaim-bdii 4.3.9-1
glite-yaim-core 5.0.2-1
glite-yaim-wms 4.1.4-3
```

```
#####
INFO: The default location of the grid-env.(c)sh files will be: /usr/libexec
INFO: Sourcing the utilities in /opt/glite/yaim/functions/utils
INFO: Detecting environment
DEBUG: Detect platform: OS flavour detected is: emi
DEBUG: Detected architecture is 64BIT
DEBUG: Detect platform: OS type detected: sl5
DEBUG: GROUPS_CONF is defined. Adding global groups to the groups.conf temp file
DEBUG: GROUPS_CONF points now to the groups.conf temp file
DEBUG: GROUPS_CONF=/tmp/yaim.EW2769
DEBUG: Resulted NODE_TYPE_LIST is : WMS
DEBUG: Setting environment variable GRID_ENV_LOCATION, to value "/usr/libexec".
DEBUG: Unset environment variable GRID_ENV_LOCATION.
DEBUG: Setting environment variable LCG_LOCATION, to value "/usr".
DEBUG: Unset environment variable LCG_LOCATION.
DEBUG: Setting environment variable GLITE_LOCATION, to value "/usr".
DEBUG: Unset environment variable GLITE_LOCATION.
DEBUG: Setting environment variable GLITE_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable GLITE_LOCATION_VAR.
DEBUG: Appending value "/bin" to environment variable PATH.
DEBUG: Deleting value "/bin" from environment variable PATH.
DEBUG: Appending value "/opt/glite/share/man" to environment variable MANPATH.
DEBUG: Deleting value "/opt/glite/share/man" from environment variable MANPATH.
DEBUG: Sourcing node definition file: /opt/glite/yaim/bin/./node-info.d/glite-wms
INFO: Executing function: config_add_pool_env_check
DEBUG: Skipping function: config_crl_check because it is not defined
INFO: Executing function: config_host_certs_check
INFO: Executing function: config_lcgenv_check
INFO: Executing function: config_edgusers_check
INFO: Executing function: config_users_check
INFO: Executing function: config_vomsmmap_check
INFO: Executing function: config_vomsdir_check
INFO: Executing function: config_vomses_check
INFO: Executing function: config_gip_wms_check
INFO: Executing function: config_info_service_wms_check
INFO: Executing function: config_globus_gridftp_check
INFO: Executing function: config_lcas_lcmapi_gt4_check
INFO: Executing function: config_condor_wms_check
INFO: Executing function: config_glite_wms_check
INFO: Executing function: config_gliteservices_wms_check
INFO: Executing function: config_cron_wms_check
INFO: Executing function: config_glite_lb_check
INFO: Executing function: config_glite_locallogger_check
INFO: Executing function: config_bdii_5.2_check
DEBUG: Skipping function: config_glite_initd_check because it is not defined
INFO: Executing function: config_add_pool_env_setenv
DEBUG: Currently this function doesn't set any environment variables.
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
INFO: Executing function: config_add_pool_env
DEBUG: Creating links for the grid enviroment in /etc/profile.d/
DEBUG: Skipping function: config_crl_setenv because it is not defined
INFO: Executing function: config_crl
INFO: Now updating the CRLs - this may take a few minutes...
Enabling periodic fetch-crl: [ OK ]
DEBUG: fetch-crl cron enabled
DEBUG: Skipping function: config_host_certs_setenv because it is not defined
INFO: Executing function: config_host_certs
DEBUG: Skipping function: config_lcgenv_setenv because it is not defined
INFO: Executing function: config_lcgenv
DEBUG: Setting environment variable LCG_GFAL_INFOSYS, to value "emi2rc-sl5-bdii.cern.ch:2170".
DEBUG: Unset environment variable LCG_GFAL_INFOSYS.
DEBUG: Setting environment variable MYPROXY_SERVER, to value "emitb-myproxy.civ.zcu.cz".
DEBUG: Unset environment variable MYPROXY_SERVER.
DEBUG: Setting environment variable VO_TESTERS_EU_EMI_EU_SW_DIR, to value "/testers.eu-emi.eu".
DEBUG: Unset environment variable VO_TESTERS_EU_EMI_EU_SW_DIR.
DEBUG: Setting environment variable VO_TESTERS2_EU_EMI_EU_SW_DIR, to value "/testers2.eu-emi.eu".
DEBUG: Unset environment variable VO_TESTERS2_EU_EMI_EU_SW_DIR.
DEBUG: Setting environment variable VO_DTEAM_SW_DIR, to value "/dteam".
DEBUG: Unset environment variable VO_DTEAM_SW_DIR.
DEBUG: Skipping function: config_edgusers_setenv because it is not defined
INFO: Executing function: config_edgusers
DEBUG: Creating user edguser...
DEBUG: User edguser doesn't exist
DEBUG: YAIM is going to add user edguser
DEBUG: HOME directory ${EDG_HOME_DIR} is specified for the user
DEBUG: Checking whether the group edguser infosys for user edguser already exist...
DEBUG: Group edguser added
DEBUG: Group infosys added
DEBUG: User edguser added
DEBUG: Creating user edginfo...
DEBUG: User edginfo doesn't exist
DEBUG: YAIM is going to add user edginfo
DEBUG: HOME directory ${EDGINFO_HOME_DIR} is specified for the user
DEBUG: Checking whether the group edginfo infosys for user edginfo already exist...
DEBUG: Group edginfo added
DEBUG: Group infosys added
DEBUG: User edginfo added
DEBUG: Creating user glite...
DEBUG: User glite doesn't exist
DEBUG: YAIM is going to add user glite
DEBUG: HOME directory ${GLITE_HOME_DIR} is specified for the user
DEBUG: Checking whether the group glite for user glite already exist...
DEBUG: Group glite added
DEBUG: User glite added
DEBUG: Creating user edguser...
DEBUG: Skipping user edguser since it already exists...
DEBUG: Skipping function: config_users_setenv because it is not defined
INFO: Executing function: config_users
WARNING: VO dteam doesn't have pool accounts defined in /root/siteinfo/users.conf
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
DEBUG: Group 'piltesters2' with gid '6270' for user 'pilt2st01' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'pilt2st01' succesfully created.
DEBUG: Group 'piltesters2' with gid '6270' for user 'pilt2st02' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'pilt2st02' succesfully created.
DEBUG: Group 'piltesters2' with gid '6270' for user 'pilt2st03' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'pilt2st03' succesfully created.
DEBUG: Group 'piltesters' with gid '6170' for user 'piltst01' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'piltst01' succesfully created.
DEBUG: Group 'piltesters' with gid '6170' for user 'piltst02' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'piltst02' succesfully created.
DEBUG: Group 'piltesters' with gid '6170' for user 'piltst03' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'piltst03' succesfully created.
DEBUG: Group 'sgmtesters2' with gid '6290' for user 'sgmt2st01' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'sgmt2st01' succesfully created.
```


WMSEMI2RC4SL5 < IGIRelease < TWiki

```
DEBUG: Group 'testers' with gid '6100' for user 'tst26' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'tst27' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'tst28' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'tst29' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'tst30' succesfully created.
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
INFO: Executing function: config_vomsmmap_setenv
DEBUG: Setting environment variable GRIDMAPDIR, to value "/etc/grid-security/gridmapdir".
DEBUG: Unset environment variable GRIDMAPDIR.
users_getvogroup: could not find group for "DTEAM".
users_getvoprefix: could not find pool account prefix for DTEAM in /root/siteinfo/users.conf
grep: /etc/grid-security/gridftp.conf: No such file or directory
INFO: Executing function: config_vomsmmap
INFO: Creating grid-map directory in /etc/grid-security/gridmapdir
INFO: Creating voms grid-map file in /etc/grid-security/voms-grid-mapfile
INFO: Creating voms groupmap file in /etc/grid-security/groupmapfile
DEBUG: **** VO TESTERS.EU-EMI.EU ****
DEBUG: create gridmapdir files
DEBUG: **** VO TESTERS2.EU-EMI.EU ****
DEBUG: create gridmapdir files
DEBUG: **** VO DTEAM ****
DEBUG: create gridmapdir files
WARNING: VO 'DTEAM' not found in /tmp/yaim.EW2769
INFO: Copying the /etc/grid-security/voms-grid-mapfile in the standard location /etc/grid-security/voms-grid-mapfile
INFO: Executing function: config_vomsdir_setenv
DEBUG: This function currently doesn't set any environment variables.
INFO: Executing function: config_vomsdir
DEBUG: .lsc file configuration for VO testers.eu-emi.eu...
DEBUG: Create the /etc/grid-security/vomsdir/testers.eu-emi.eu directory
DEBUG: Create the /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed07.cnaf.infn.it.lsc
DEBUG: Copying /C=IT/O=INFN/OU=Host/L=CNAF/CN=emitestbed07.cnaf.infn.it in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed07.cnaf.infn.it
DEBUG: Create the /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed01.cnaf.infn.it.lsc
DEBUG: Copying /C=IT/O=INFN/OU=Host/L=CNAF/CN=emitestbed01.cnaf.infn.it in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed01.cnaf.infn.it
DEBUG: Copying the emitestbed07.cnaf.infn.it CA DN /C=IT/O=INFN/CN=INFN CA in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed07.cnaf.infn.it
DEBUG: Copying the emitestbed01.cnaf.infn.it CA DN /C=IT/O=INFN/CN=INFN CA in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed01.cnaf.infn.it
DEBUG: .lsc file configuration for VO testers2.eu-emi.eu...
DEBUG: Create the /etc/grid-security/vomsdir/testers2.eu-emi.eu directory
DEBUG: Create the /etc/grid-security/vomsdir/testers2.eu-emi.eu/emitestbed27.cnaf.infn.it.lsc
DEBUG: Copying /C=IT/O=INFN/OU=Host/L=CNAF/CN=emitestbed27.cnaf.infn.it in /etc/grid-security/vomsdir/testers2.eu-emi.eu/emitestbed27.cnaf.infn.it
DEBUG: Copying the emitestbed27.cnaf.infn.it CA DN /C=IT/O=INFN/CN=INFN CA in /etc/grid-security/vomsdir/testers2.eu-emi.eu/emitestbed27.cnaf.infn.it
DEBUG: .lsc file configuration for VO dteam...
DEBUG: Create the /etc/grid-security/vomsdir/dteam directory
DEBUG: Create the /etc/grid-security/vomsdir/dteam/lcg-voms.cern.ch.lsc
DEBUG: Copying /DC=ch/DC=cern/OU=computers/CN=lcg-voms.cern.ch in /etc/grid-security/vomsdir/dteam/lcg-voms.cern.ch
DEBUG: Create the /etc/grid-security/vomsdir/dteam/voms.cern.ch.lsc
DEBUG: Copying /DC=ch/DC=cern/OU=computers/CN=voms.cern.ch in /etc/grid-security/vomsdir/dteam/voms.cern.ch
DEBUG: Copying the lcg-voms.cern.ch CA DN /DC=ch/DC=cern/CN=CERN Trusted Certification Authority in /etc/grid-security/vomsdir/dteam/voms.cern.ch
DEBUG: Copying the voms.cern.ch CA DN /DC=ch/DC=cern/CN=CERN Trusted Certification Authority in /etc/grid-security/vomsdir/dteam/voms.cern.ch
DEBUG: Skipping function: config_vomses_setenv because it is not defined
INFO: Executing function: config_vomses
DEBUG: Skipping function: config_gip_wms_setenv because it is not defined
INFO: Executing function: config_gip_wms
INFO: Executing function: config_info_service_wms_setenv
DEBUG: This function currently doesn't set any environment variables.
INFO: Executing function: config_info_service_wms
DEBUG: Delete a previous version of the glite-info-service-wmproxy.conf if it exists
DEBUG: Create the glite-info-service-wmproxy.conf file out of the template file
DEBUG: Delete a previous version of the glite-info-provider-service-wmproxy-wrapper if it exists
DEBUG: Create the /var/lib/bdii/gip/provider in case it doesn't exist
DEBUG: Create the glite-info-provider-service-wmproxy-wrapper file
INFO: Executing function: config_globus_gridftp_setenv
DEBUG: Setting environment variable GLOBUS_TCP_PORT_RANGE, to value "20000,25000".
DEBUG: Unset environment variable GLOBUS_TCP_PORT_RANGE.
INFO: Executing function: config_globus_gridftp
DEBUG: Set up maximum number of connections
DEBUG: connections_max is not defined in /etc/grid-security/gridftp.conf.
```


WMSEMI2RC4SL5 < IGIRelease < TWiki

```
DEBUG: Adding the value of connections_max with 150...
INFO: Starting gridftp service :
Stopping globus-gridftp-server: [FAILED]
Starting globus-gridftp-server: [ OK ]
INFO: Executing function: config_lcas_lcmaps_gt4_setenv
DEBUG: Setting environment variable X509_VOMS_DIR, to value "/etc/grid-security/vomsdir/".
DEBUG: Unset environment variable X509_VOMS_DIR.
DEBUG: Setting environment variable X509_CERT_DIR, to value "/etc/grid-security/certificates/".
DEBUG: Unset environment variable X509_CERT_DIR.
DEBUG: Setting environment variable LCMAPS_LOG_LEVEL, to value "1".
DEBUG: Unset environment variable LCMAPS_LOG_LEVEL.
DEBUG: Setting environment variable LCMAPS_DEBUG_LEVEL, to value "0".
DEBUG: Unset environment variable LCMAPS_DEBUG_LEVEL.
DEBUG: Setting environment variable LCAS_LOG_LEVEL, to value "1".
DEBUG: Unset environment variable LCAS_LOG_LEVEL.
DEBUG: Setting environment variable LCAS_DEBUG_LEVEL, to value "0".
DEBUG: Unset environment variable LCAS_DEBUG_LEVEL.
INFO: Executing function: config_lcas_lcmaps_gt4
DEBUG: Creating GSI authorization file in /etc/grid-security/gsi-authz.conf
DEBUG: Creating and setting permissions in /etc/lcas
INFO: Creating LCAS_DB_FILE in /etc/lcas/lcas.db
DEBUG: Creating an empty BANNED_DB_FILE in /etc/lcas/ban_users.db
INFO: Creating LCMAPS_DB_FILE in /etc/lcmaps/lcmaps.db.gridftp
INFO: Executing function: config_condor_wms_setenv
DEBUG: Appending value "/opt/condor-c/lib" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/opt/condor-c/lib" from environment variable LD_LIBRARY_PATH.
DEBUG: Appending value "/opt/condor-c/bin" to environment variable PATH.
DEBUG: Deleting value "/opt/condor-c/bin" from environment variable PATH.
DEBUG: Appending value "/opt/condor-c/libexec/glite" to environment variable PATH.
DEBUG: Deleting value "/opt/condor-c/libexec/glite" from environment variable PATH.
DEBUG: Setting environment variable GRIDMAP, to value "/etc/grid-security/grid-mapfile".
DEBUG: Unset environment variable GRIDMAP.
DEBUG: Setting environment variable CONDOR_CONFIG, to value "/opt/condor-c/etc/condor_config".
DEBUG: Unset environment variable CONDOR_CONFIG.
DEBUG: Setting environment variable CONDORG_INSTALL_PATH, to value "/opt/condor-c".
DEBUG: Unset environment variable CONDORG_INSTALL_PATH.
INFO: Executing function: config_condor_wms
Error: The proxy credential could not be written to the output file.
Use -debug for further information.
INFO: Executing function: config_glite_wms_setenv
DEBUG: Setting environment variable WMS_LOCATION_LOG, to value "/var/log/wms".
DEBUG: Unset environment variable WMS_LOCATION_LOG.
DEBUG: Setting environment variable WMS_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable WMS_LOCATION_VAR.
DEBUG: Setting environment variable WMS_LOCATION_TMP, to value "/tmp".
DEBUG: Unset environment variable WMS_LOCATION_TMP.
DEBUG: Setting environment variable WMS_LOCATION_LIBEXEC, to value "/usr/libexec".
DEBUG: Unset environment variable WMS_LOCATION_LIBEXEC.
DEBUG: Setting environment variable WMS_LOCATION_USR, to value "/usr".
DEBUG: Unset environment variable WMS_LOCATION_USR.
DEBUG: Setting environment variable WMS_LOCATION_ETC, to value "/etc".
DEBUG: Unset environment variable WMS_LOCATION_ETC.
DEBUG: Setting environment variable WMS_LOCATION_SBIN, to value "/usr/sbin".
DEBUG: Unset environment variable WMS_LOCATION_SBIN.
DEBUG: Setting environment variable WMS_JOBWRAPPER_TEMPLATE, to value "/usr/share/glite-wms".
DEBUG: Unset environment variable WMS_JOBWRAPPER_TEMPLATE.
DEBUG: Setting environment variable GLITE_WMS_TMP, to value "/tmp".
DEBUG: Unset environment variable GLITE_WMS_TMP.
DEBUG: Setting environment variable GLITE_WMS_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable GLITE_WMS_LOCATION_VAR.
DEBUG: Setting environment variable GLITE_SD_PLUGIN, to value "bdii".
DEBUG: Unset environment variable GLITE_SD_PLUGIN.
DEBUG: Setting environment variable GLITE_WMS_GROUP, to value "glite".
DEBUG: Unset environment variable GLITE_WMS_GROUP.
DEBUG: Setting environment variable GLITE_WMS_USER, to value "glite".
DEBUG: Unset environment variable GLITE_WMS_USER.
DEBUG: Setting environment variable GLITE_USER, to value "glite".
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
DEBUG: Unset environment variable GLITE_USER.
DEBUG: Setting environment variable GLITE_WMS_QUERY_TIMEOUT, to value "300".
DEBUG: Unset environment variable GLITE_WMS_QUERY_TIMEOUT.
DEBUG: Setting environment variable GLITE_PR_TIMEOUT, to value "300".
DEBUG: Unset environment variable GLITE_PR_TIMEOUT.
DEBUG: Setting environment variable GLITE_HOST_CERT, to value "/home/glite/.certs/hostcert.pem".
DEBUG: Unset environment variable GLITE_HOST_CERT.
DEBUG: Setting environment variable GLITE_HOST_KEY, to value "/home/glite/.certs/hostkey.pem".
DEBUG: Unset environment variable GLITE_HOST_KEY.
DEBUG: Setting environment variable X509_CERT_DIR, to value "/etc/grid-security/certificates/".
DEBUG: Unset environment variable X509_CERT_DIR.
DEBUG: Setting environment variable X509_VOMS_DIR, to value "/etc/grid-security/vomsdir/".
DEBUG: Unset environment variable X509_VOMS_DIR.
DEBUG: Setting environment variable GRIDMAPDIR, to value "/etc/grid-security/gridmapdir".
DEBUG: Unset environment variable GRIDMAPDIR.
DEBUG: Setting environment variable GRIDMAPFILE, to value "/etc/grid-security/grid-mapfile".
DEBUG: Unset environment variable GRIDMAPFILE.
DEBUG: Setting environment variable GLOBUS_TCP_PORT_RANGE, to value "20000,25000".
DEBUG: Unset environment variable GLOBUS_TCP_PORT_RANGE.
DEBUG: Setting environment variable MYPROXY_TCP_PORT_RANGE, to value "20000,25000".
DEBUG: Unset environment variable MYPROXY_TCP_PORT_RANGE.
DEBUG: Setting environment variable GLITE_WMS_WMPROXY_MAX_SERVED_REQUESTS, to value "50".
DEBUG: Unset environment variable GLITE_WMS_WMPROXY_MAX_SERVED_REQUESTS.
DEBUG: Setting environment variable CONDORG_INSTALL_PATH, to value "/opt/condor-c".
DEBUG: Unset environment variable CONDORG_INSTALL_PATH.
DEBUG: Appending value "/opt/condor-c" to environment variable CONDORG_INSTALL_PATH.
DEBUG: Deleting value "/opt/condor-c" from environment variable CONDORG_INSTALL_PATH.
DEBUG: Setting environment variable LCMAPS_LOG_LEVEL, to value "1".
DEBUG: Unset environment variable LCMAPS_LOG_LEVEL.
DEBUG: Setting environment variable LCMAPS_DEBUG_LEVEL, to value "0".
DEBUG: Unset environment variable LCMAPS_DEBUG_LEVEL.
DEBUG: Appending value "/usr/lib64" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/usr/lib64" from environment variable LD_LIBRARY_PATH.
INFO: Executing function: config_glite_wms
INFO: config_glite_wms: Configuration file
DEBUG: config_glite_wms: First configuration, /etc/glite-wms/glite_wms.conf does not exist, cr
DEBUG: config_glite_wms: Removing old backup files
DEBUG: OS_ARCH = 64BIT
INFO: config_glite_wms: Creating /etc/glite-wms/glite_wms.conf ...
WARNING: /usr/sbin/glite_wms_wmproxy_load_monitor found
DEBUG: OS_ARCH = 64BIT
Your identity: /C=IT/O=INFN/OU=Host/L=CNAF/CN=cert-13.cnaf.infn.it
Creating proxy ..... Done
INFO: Executing function: config_gliteservices_wms_setenv
DEBUG: Setting environment variable GLITE_WMS_CONFIG_DIR, to value "/etc/glite-wms".
DEBUG: Unset environment variable GLITE_WMS_CONFIG_DIR.
DEBUG: Setting environment variable WMS_LOCATION_BIN, to value "/usr/bin".
DEBUG: Unset environment variable WMS_LOCATION_BIN.
DEBUG: Setting environment variable WMS_LOCATION_ETC, to value "/etc".
DEBUG: Unset environment variable WMS_LOCATION_ETC.
DEBUG: Setting environment variable WMS_LOCATION_LOG, to value "/var/log/wms".
DEBUG: Unset environment variable WMS_LOCATION_LOG.
DEBUG: Setting environment variable WMS_LOCATION_TMP, to value "/tmp".
DEBUG: Unset environment variable WMS_LOCATION_TMP.
DEBUG: Setting environment variable WMS_LOCATION_LIBEXEC, to value "/usr/libexec".
DEBUG: Unset environment variable WMS_LOCATION_LIBEXEC.
DEBUG: Setting environment variable CONDOR_CONFIG, to value "/opt/condor-c/etc/condor_config".
DEBUG: Unset environment variable CONDOR_CONFIG.
DEBUG: Appending value "/opt/condor-c/lib" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/opt/condor-c/lib" from environment variable LD_LIBRARY_PATH.
DEBUG: Appending value "/opt/c-ares/lib" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/opt/c-ares/lib" from environment variable LD_LIBRARY_PATH.
INFO: Executing function: config_gliteservices_wms
DEBUG: Starting service globus-gridftp
Stopping globus-gridftp-server: [ OK ]
Starting globus-gridftp-server: [ OK ]
DEBUG: Starting service glite-wms-wm
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

stopping workload manager... ok (was not running)
starting workload manager... Create jobdir queue object.
ok

```
DEBUG: Starting service glite-wms-jc
Restarting JobController daemon(s)
  Stopping JobController...      JobController not running!
  Stopping CondorG...      CondorG not running!
  Starting JobController...      [ OK ]
  Starting CondorG...      [ OK ]
DEBUG: Starting service glite-wms-lm
Stopping LogMonitor...      LogMonitor not running!
Starting LogMonitor...      [ OK ]
DEBUG: Starting service glite-wms-ice
```

starting ICE... glite-proxy-renewd: no process killed
ok

```
DEBUG: Starting service glite-proxy-renewald
Stopping ProxyRenewal Daemon: glite-proxy-renewd ... done
Starting ProxyRenewal Daemon: glite-proxy-renewd ... done
```

```
DEBUG: Starting service glite-wms-wmproxy
httpd not running, trying to start
httpd not running, trying to start
  DEBUG: Setting environment variable GLOBUS_LOCATION, to value "/usr".
  DEBUG: Unset environment variable GLOBUS_LOCATION.
  DEBUG: GLITE_USER = glite
```

Starting Condor-C Launcher
Error: Can't find address for schedd cert-13.cnaf.infn.it

Extra Info: You probably saw this error because the condor_schedd is not running on the machine you are trying to query. If the condor_schedd is not running, the Condor system will not be able to find an address and port to connect to and satisfy this request. Please make sure the Condor daemons are running and try again.

Extra Info: If the condor_schedd is running on the machine you are trying to query and you still see the error, the most likely cause is that you have setup a personal Condor, you have not defined SCHEDD_NAME in your condor_config file, and something is wrong with your SCHEDD_ADDRESS_FILE setting. You must define either or both of those settings in your config file, or you must use the -name option to condor_q. Please see the Condor manual for details on SCHEDD_NAME and SCHEDD_ADDRESS_FILE.

condor_q failed!

Skipping Condor-C Launcher
Starting Condor-C Advertiser
Submitting job(s).

1 job(s) submitted to cluster 1.

Starting Condor-C Authorizer
Submitting job(s).

1 job(s) submitted to cluster 2.

Starting Condor-C VO Advertiser
Submitting job(s).

1 job(s) submitted to cluster 3.

```
DEBUG: Unset environment variable GLOBUS_LOCATION.
INFO: Executing function: config_cron_wms_setenv
DEBUG: Setting environment variable WMS_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable WMS_LOCATION_VAR.
DEBUG: Setting environment variable WMS_LOCATION_LOG, to value "/var/log/wms".
DEBUG: Unset environment variable WMS_LOCATION_LOG.
INFO: Executing function: config_cron_wms
INFO: Executing function: config_glite_lb_setenv
DEBUG: Setting environment variable GLITE_USER, to value "glite".
DEBUG: Unset environment variable GLITE_USER.
DEBUG: Setting environment variable GLITE_WMS_QUERY_TIMEOUT, to value "300".
DEBUG: Unset environment variable GLITE_WMS_QUERY_TIMEOUT.
DEBUG: Setting environment variable GLITE_HOST_CERT, to value "/home/glite/.certs/hostcert.pem".
DEBUG: Unset environment variable GLITE_HOST_CERT.
DEBUG: Setting environment variable GLITE_HOST_KEY, to value "/home/glite/.certs/hostkey.pem".
DEBUG: Unset environment variable GLITE_HOST_KEY.
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
DEBUG: Setting environment variable X509_CERT_DIR, to value "/etc/grid-security/certificates/"
DEBUG: Unset environment variable X509_CERT_DIR.
DEBUG: Setting environment variable X509_VOMS_DIR, to value "/etc/grid-security/vomsdir/".
DEBUG: Unset environment variable X509_VOMS_DIR.
DEBUG: Setting environment variable GLITE_LB_EXPORT_ENABLED, to value "false".
DEBUG: Unset environment variable GLITE_LB_EXPORT_ENABLED.
DEBUG: Setting environment variable GLITE_LB_EXPORT_PURGE_ARGS, to value "".
DEBUG: Unset environment variable GLITE_LB_EXPORT_PURGE_ARGS.
DEBUG: Calling gridenv_set with the incorrect number of parameters: GLITE_LB_EXPORT_JPPS
DEBUG: Setting environment variable GLITE_LB_LOCATION, to value "/usr".
DEBUG: Unset environment variable GLITE_LB_LOCATION.
DEBUG: Setting environment variable GLITE_LB_LOCATION_ETC, to value "/etc".
DEBUG: Unset environment variable GLITE_LB_LOCATION_ETC.
DEBUG: Setting environment variable GLITE_LB_LOCATION_VAR, to value "/var/glite".
DEBUG: Unset environment variable GLITE_LB_LOCATION_VAR.
DEBUG: Setting environment variable GLITE_JP_LOCATION, to value "".
DEBUG: Unset environment variable GLITE_JP_LOCATION.
DEBUG: Setting environment variable GLITE_LB_SERVER_OTHER_OPTIONS, to value "".
DEBUG: Unset environment variable GLITE_LB_SERVER_OTHER_OPTIONS.
DEBUG: Setting environment variable GLITE_LB_NOTIF_IL_OTHER_OPTIONS, to value "".
DEBUG: Unset environment variable GLITE_LB_NOTIF_IL_OTHER_OPTIONS.
DEBUG: Setting environment variable GLITE_LB_PROXY_IL_OTHER_OPTIONS, to value "".
DEBUG: Unset environment variable GLITE_LB_PROXY_IL_OTHER_OPTIONS.
DEBUG: Setting environment variable GLITE_LB_TYPE, to value "proxy".
DEBUG: Unset environment variable GLITE_LB_TYPE.
INFO: Executing function: config_glite_lb
INFO: Configuring nodes [WMS], using L&B mode: proxy
Initializing MySQL database: Installing MySQL system tables...
OK
Filling help tables...
OK
```

To start mysqld at boot time you have to copy support-files/mysql.server to the right place for your system

```
PLEASE REMEMBER TO SET A PASSWORD FOR THE MySQL root USER !
To do so, start the server, then issue the following commands:
/usr/bin/mysqladmin -u root password 'new-password'
/usr/bin/mysqladmin -u root -h cert-13.cnaf.infn.it password 'new-password'
```

Alternatively you can run:
/usr/bin/mysql_secure_installation

which will also give you the option of removing the test databases and anonymous user created by default. This is strongly recommended for production servers.

See the manual for more instructions.

You can start the MySQL daemon with:
cd /usr ; /usr/bin/mysqld_safe &

You can test the MySQL daemon with mysql-test-run.pl
cd mysql-test ; perl mysql-test-run.pl

Please report any problems with the /usr/bin/mysqlbug script!

The latest information about MySQL is available on the web at
<http://www.mysql.com>
Support MySQL by buying support/licenses at <http://shop.mysql.com>

```
[ OK ]
Starting MySQL: [ OK ]
* got an empty brokers list from BDII
Warning: MySQL library version mismatch (compiled '50077', runtime '50095')
glite-lb-notif-interlogd not running
glite-lb-bkserverd not running
glite-jp-importer not running
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
glite-lb-interlogd not running
Starting glite-lb-bkserver ... done
Starting glite-lb-notif-interlogd ... done
Starting glite-lb-interlog for proxy ... done
  INFO: Executing function: config_glite_locallogger_setenv
  DEBUG: Setting environment variable GLITE_USER, to value "glite".
  DEBUG: Unset environment variable GLITE_USER.
  DEBUG: Setting environment variable GLITE_HOST_CERT, to value "/home/glite/.certs/hostcert.pem"
  DEBUG: Unset environment variable GLITE_HOST_CERT.
  DEBUG: Setting environment variable GLITE_HOST_KEY, to value "/home/glite/.certs/hostkey.pem"
  DEBUG: Unset environment variable GLITE_HOST_KEY.
  DEBUG: Setting environment variable X509_CERT_DIR, to value "/etc/grid-security/certificates/"
  DEBUG: Unset environment variable X509_CERT_DIR.
  INFO: Executing function: config_glite_locallogger
  INFO: GLITE_LB_TYPE=proxy: nothing to do.
  DEBUG: Skipping function: config_bdii_5.2_setenv because it is not defined
  INFO: Executing function: config_bdii_5.2
Stopping BDII: BDII already stopped
Starting BDII slapd: [ OK ]
Starting BDII update process: [ OK ]
  DEBUG: Skipping function: config_glite_initd_setenv because it is not defined
  INFO: Executing function: config_glite_initd
  INFO: Configuration Complete. [ OK ]
  INFO: YAIM terminated succesfully.
```

```
#####
EXECUTING COMMAND N° 12: "service gLite status"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
*** globus-gridftp:
globus-gridftp-server (pid 13756) is running...
```

```
*** glite-wms-wmproxy:
WMPProxy httpd listening on port 7443
httpd (pid 14158 14157 14156 14155 14154 14153 14123) is running ....
===
```

```
WMPProxy Server running instances:
UID      PID  PPID  C  STIME TTY      TIME CMD
```

```
*** glite-wms-wm:
/usr/bin/glite-wms-workload_manager (pid 13802) is running...
```

```
*** glite-wms-lm:
Logmonitor running...
```

```
*** glite-wms-jc:
JobController running in pid: 13859
CondorG master running in pid: 13867 13865
CondorG schedd running in pid: 14159
```

```
*** glite-wms-ice:
/usr/bin/glite-wms-ice-safe (pid 13948) is running...
```

```
*** glite-proxy-renewald:
glite-proxy-renewd running
```

```
*** glite-lb-bkserverd:
glite-lb-notif-interlogd running as 14671
glite-lb-interlogd for proxy running as 14699
glite-lb-bkserverd running as 14624
glite-jp-importer not running (disabled)
```

```
#####
EXECUTING COMMAND N° 13: "service gLite stop"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
*** glite-lb-bkserverd:
Stopping glite-lb-notif-interlogd (14671) ... done
Stopping glite-lb-bkserverd (14624) ... done
glite-jp-importer not running
Stopping glite-lb-interlogd (14699) ... done

*** glite-proxy-renewald:
Stopping ProxyRenewal Daemon: glite-proxy-renewd ... done

*** glite-wms-ice:
stopping ICE... ok

*** glite-wms-jc:
Stopping JobController daemon(s)
  Stopping JobController... [ OK ]
A stale lock file still exists, removing it.. [ OK ]
  Stopping CondorG... [ OK ]

*** glite-wms-lm:
Stopping LogMonitor... [ OK ]
A stale lock file still exists, removing it.. [ OK ]

*** glite-wms-wm:
stopping workload manager... ok

*** glite-wms-wmproxy:

*** globus-gridftp:
Stopping globus-gridftp-server: [ OK ]

#####
EXECUTING COMMAND N° 14: "service gLite start"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
*** globus-gridftp:
Starting globus-gridftp-server: [ OK ]

*** glite-wms-wmproxy:

*** glite-wms-wm:
starting workload manager... ok

*** glite-wms-lm:
Starting LogMonitor... [ OK ]

*** glite-wms-jc:
Starting JobController daemon(s)
  Starting JobController...Create jobdir queue object. [ OK ]
  Starting CondorG... [ OK ]

*** glite-wms-ice:
starting ICE... ok

*** glite-proxy-renewald:
Starting ProxyRenewal Daemon: glite-proxy-renewd ... done

*** glite-lb-bkserverd:
Starting glite-lb-bkserver ...Warning: MySQL library version mismatch (compiled '50077', runtime
done
Starting glite-lb-notif-interlogd ... done
Starting glite-lb-interlog for proxy ... done

#####
EXECUTING COMMAND N° 15: "rpm -qa |grep emi"
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
emi-release-1.0.1-1.sl5
emi-trustmanager-3.0.5-1.sl5
emi-version-1.10.0-1.sl5
emi-trustmanager-axis-1.0.1-1.sl5
emi-wms-1.0.2-0.sl5
emi-lb-1.0.0-1.sl5

EXECUTING COMMAND N° 16: "rpm -qa |grep wms"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
glite-wms-common-3.3.2-0.sl5
glite-wms-broker-3.3.1-3.sl5
glite-wms-utils-exception-3.2.2-2.sl5
glite-wms-ism-3.3.2-1.sl5
glite-wms-classad_plugin-3.3.1-3.sl5
glite-wms-configuration-3.3.2-1.sl5
glite-wms-matchmaking-3.3.2-1.sl5
glite-wms-helper-3.3.2-0.sl5
glite-wms-ice-3.3.4-1.sl5
glite-wms-jobsubmission-3.3.2-1.sl5
glite-yaim-wms-4.1.4-3.sl5
emi-wms-1.0.2-0.sl5
glite-wms-utils-classad-3.2.2-2.sl5
glite-wms-purger-3.3.2-1.sl5
glite-wms-brokerinfo-3.3.2-1.sl5
glite-wms-wmproxy-3.3.4-2.sl5
glite-wms-manager-3.3.1-3.sl5

EXECUTING COMMAND N° 17: "wget --no-check-certificate https://twiki.cern.ch/twiki/pub/EMI/EMI-2"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
--2012-04-10 15:32:09-- https://twiki.cern.ch/twiki/pub/EMI/EMI-2/emi-2-rc4-sl5.repo
Resolving twiki.cern.ch... 137.138.6.73
Connecting to twiki.cern.ch|137.138.6.73|:443... connected.
WARNING: cannot verify twiki.cern.ch's certificate, issued by `C=US/O=VeriSign, Inc./OU=VeriSign
Unable to locally verify the issuer's authority.
HTTP request sent, awaiting response... 200 OK
Length: 1324 (1.3K) [application/octet-stream]
Saving to: `/etc/yum.repos.d/emi-2-rc4-sl5.repo'

OK . 100% 19.7M=0s

2012-04-10 15:32:10 (19.7 MB/s) - `/etc/yum.repos.d/emi-2-rc4-sl5.repo' saved [1324/1324]

EXECUTING COMMAND N° 18: "wget http://emisoft.web.cern.ch/emisoft/dist/EMI/2/RPM-GPG-KEY-emi"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
--2012-04-10 15:32:10-- http://emisoft.web.cern.ch/emisoft/dist/EMI/2/RPM-GPG-KEY-emi
Resolving emisoft.web.cern.ch... 137.138.139.27
Connecting to emisoft.web.cern.ch|137.138.139.27|:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1726 (1.7K) [text/plain]
Saving to: `RPM-GPG-KEY-emi'

OK . 100% 150M=0s

2012-04-10 15:32:10 (150 MB/s) - `RPM-GPG-KEY-emi' saved [1726/1726]

EXECUTING COMMAND N° 19: "mv RPM-GPG-KEY-emi /etc/pki/rpm-gpg/"

WMSEMI2RC4SL5 < IGIRelease < TWiki

COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++

```
#####  
EXECUTING COMMAND N° 20: "yum clean all"  
COMMAND EXIT STATUS: 0  
FOLLOWS COMMAND OUTPUT: ++++++  
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,  
                : protectbase, security, verify, versionlock  
Repository EGI-trustanchors is listed more than once in the configuration  
Cleaning up Everything
```

```
#####  
EXECUTING COMMAND N° 21: "yum makecache"  
COMMAND EXIT STATUS: 0  
FOLLOWS COMMAND OUTPUT: ++++++  
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,  
                : protectbase, security, verify, versionlock  
Repository EGI-trustanchors is listed more than once in the configuration  
http://ftp.udc.es/fedora/epel/5/x86_64/repodata/repomd.xml: [Errno 12] Timeout: <urlopen error ti  
Trying other mirror.  
Metadata Cache Created
```

```
#####  
EXECUTING COMMAND N° 22: "yum -y update"  
COMMAND EXIT STATUS: 0  
FOLLOWS COMMAND OUTPUT: ++++++  
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,  
                : protectbase, security, verify, versionlock  
Repository EGI-trustanchors is listed more than once in the configuration  
4332 packages excluded due to repository priority protections  
0 packages excluded due to repository protections  
Skipping security plugin, no data  
Reading version lock configuration  
Setting up Update Process  
Resolving Dependencies  
Skipping security plugin, no data  
--> Running transaction check  
---> Package emi-lb.x86_64 0:1.0.1-1.el5 set to be updated  
--> Processing Dependency: glite-lb-client-progs for package: emi-lb  
---> Package emi-release.noarch 0:2.0.0-0_rc2.sl5 set to be updated  
---> Package emi-trustmanager.noarch 0:3.1.3-1.sl5 set to be updated  
---> Package emi-trustmanager-axis.noarch 0:2.0.2-1.sl5 set to be updated  
---> Package emi-version.x86_64 0:2.0.0-0_rc2.sl5 set to be updated  
---> Package emi-wms.x86_64 0:1.0.2-3.sl5 set to be updated  
--> Processing Dependency: argus-gsi-pep-callout for package: emi-wms  
---> Package glite-ce-cream-client-api-c.x86_64 0:1.14.0-3.sl5 set to be updated  
---> Package glite-ce-monitor-client-api-c.x86_64 0:1.14.0-3.sl5 set to be updated  
---> Package glite-jdl-api-cpp.x86_64 0:3.3.0-3.sl5 set to be updated  
---> Package glite-jobid-api-c.x86_64 0:2.1.2-1.el5 set to be updated  
---> Package glite-jobid-api-java.noarch 0:1.2.0-4.el5 set to be updated  
---> Package glite-lb-client.x86_64 0:5.1.3-1.el5 set to be updated  
---> Package glite-lb-client-java.x86_64 0:1.2.1-2.el5 set to be updated  
---> Package glite-lb-common.x86_64 0:8.1.3-1.el5 set to be updated  
---> Package glite-lb-doc.noarch 0:1.3.3-1.el5 set to be updated  
---> Package glite-lb-harvester.x86_64 0:1.2.3-1.el5 set to be updated  
---> Package glite-lb-logger.x86_64 0:2.3.4-1.el5 set to be updated  
---> Package glite-lb-logger-msg.x86_64 0:1.1.3-1.el5 set to be updated  
---> Package glite-lb-server.x86_64 0:2.3.3-1.el5 set to be updated  
---> Package glite-lb-state-machine.x86_64 0:1.3.2-1.el5 set to be updated  
---> Package glite-lb-utils.x86_64 0:2.2.1-3.el5 set to be updated  
---> Package glite-lb-ws-interface.noarch 0:3.3.1-3.el5 set to be updated  
---> Package glite-lb-ws-test.x86_64 0:1.3.0-4.el5 set to be updated  
---> Package glite-lb-yaim.noarch 0:4.4.3-1.el5 set to be updated  
---> Package glite-lbjp-common-db.x86_64 0:3.1.2-1.el5 set to be updated  
---> Package glite-lbjp-common-gsoap-plugin.x86_64 0:3.1.2-1.el5 set to be updated
```


WMSEMI2RC4SL5 < IGIRelease < TWiki

```
---> Package glite-lbjp-common-gss.x86_64 0:3.1.3-1.el5 set to be updated
---> Package glite-lbjp-common-jp-interface.x86_64 0:2.2.1-1.el5 set to be updated
---> Package glite-lbjp-common-log.x86_64 0:1.2.0-4.el5 set to be updated
---> Package glite-lbjp-common-maildir.x86_64 0:2.2.1-3.el5 set to be updated
---> Package glite-lbjp-common-server-bones.x86_64 0:2.2.2-1.el5 set to be updated
---> Package glite-lbjp-common-trio.x86_64 0:2.2.2-2.el5 set to be updated
---> Package glite-px-proxyrenewal.x86_64 0:1.3.25-1.el5 set to be updated
--> Processing Dependency: glite-px-proxyrenewal-progs for package: glite-px-proxyrenewal
--> Processing Dependency: glite-px-proxyrenewal-devel for package: glite-px-proxyrenewal
---> Package glite-wms-broker.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-brokerinfo.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-classad_plugin.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-common.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-configuration.noarch 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-helper.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-ice.x86_64 0:3.4.0-3.s15 set to be updated
--> Processing Dependency: libglite_security_proxyrenewal_core.so.2()(64bit) for package: glite-w
--> Processing Dependency: libglite_security_proxyrenewal.so.2()(64bit) for package: glite-wms-ic
---> Package glite-wms-ism.x86_64 0:3.4.0-3.s15 set to be updated
--> Processing Dependency: libglite_wms_jss_common.so.0()(64bit) for package: glite-wms-manager
--> Processing Dependency: libglite_wms_jss_common.so.0()(64bit) for package: glite-wms-jobsu
--> Processing Dependency: libglite_wms_jss_controller.so.0()(64bit) for package: glite-wms-jobsu
--> Processing Dependency: libglite_wms_jss_controller_adapter.so.0()(64bit) for package: glite-w
--> Processing Dependency: libglite_wms_jss_controller_adapter.so.0()(64bit) for package: glite-w
--> Processing Dependency: libglite_wms_jss_logmonitor.so.0()(64bit) for package: glite-wms-jobsu
---> Package glite-wms-jobsubmission.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-manager.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-matchmaking.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-purger.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-utils-classad.x86_64 0:3.3.0-2.s15 set to be updated
---> Package glite-wms-utils-exception.x86_64 0:3.3.0-2.s15 set to be updated
---> Package glite-wms-wmproxy.x86_64 0:3.4.0-3.s15 set to be updated
--> Processing Dependency: libargus-pep.so.2()(64bit) for package: glite-wms-wmproxy
---> Package glite-yaim-core.noarch 0:5.0.3-4.s15 set to be updated
---> Package glite-yaim-wms.noarch 0:4.2.0-3.s15 set to be updated
---> Package gridsite-apache.x86_64 0:1.7.20-1.el5 set to be updated
---> Package gridsite-shared.x86_64 0:1.7.20-1.el5 set to be updated
---> Package lcas.x86_64 0:1.3.18-2.el5 set to be updated
---> Package lcas-lcmapi-gt4-interface.x86_64 0:0.2.1-4.el5 set to be updated
---> Package lcas-plugins-basic.x86_64 0:1.3.6-1.el5 set to be updated
---> Package lcas-plugins-voms.x86_64 0:1.3.10-1.el5 set to be updated
---> Package lcmapi.x86_64 0:1.5.4-1.el5 set to be updated
---> Package lcmapi-plugins-basic.x86_64 0:1.5.0-3.el5 set to be updated
---> Package lcmapi-plugins-voms.x86_64 0:1.5.3-1.el5 set to be updated
---> Package lcmapi-without-gsi.x86_64 0:1.5.4-1.el5 set to be updated
---> Package popt.x86_64 0:1.10.2.3-28.el5_8 set to be updated
---> Package rpm.x86_64 0:4.4.2.3-28.el5_8 set to be updated
---> Package rpm-libs.x86_64 0:4.4.2.3-28.el5_8 set to be updated
---> Package rpm-python.x86_64 0:4.4.2.3-28.el5_8 set to be updated
--> Running transaction check
---> Package argus-gsi-pep-callout.x86_64 0:1.2.1-2.s15 set to be updated
---> Package argus-pep-api-c.x86_64 0:2.1.0-3.s15 set to be updated
---> Package glite-lb-client-progs.x86_64 0:5.1.3-1.el5 set to be updated
---> Package glite-px-proxyrenewal-devel.x86_64 0:1.3.25-1.el5 set to be updated
---> Package glite-px-proxyrenewal-libs.x86_64 0:1.3.25-1.el5 set to be updated
---> Package glite-px-proxyrenewal-progs.x86_64 0:1.3.25-1.el5 set to be updated
---> Package glite-wms-jobsubmission-lib.x86_64 0:3.4.0-3.s15 set to be updated
--> Finished Dependency Resolution
Beginning Kernel Module Plugin
Finished Kernel Module Plugin
```

Dependencies Resolved

```
=====
Package                Arch    Version                Repository            Size
=====
Updating:
```

Update from production

WMSEMI2RC4SL5 < IGIRelease < TWiki

emi-lb	x86_64	1.0.1-1.e15	EMI-2-RC4-base	1.9 k
emi-release	noarch	2.0.0-0_rc2.s15	EMI-2-RC4-base	4.7 k
emi-trustmanager	noarch	3.1.3-1.s15	EMI-2-RC4-base	272 k
emi-trustmanager-axis	noarch	2.0.2-1.s15	EMI-2-RC4-base	28 k
emi-version	x86_64	2.0.0-0_rc2.s15	EMI-2-RC4-base	1.9 k
emi-wms	x86_64	1.0.2-3.s15	EMI-2-RC4-base	1.9 k
glite-ce-cream-client-api-c	x86_64	1.14.0-3.s15	EMI-2-RC4-base	4.9 M
glite-ce-monitor-client-api-c	x86_64	1.14.0-3.s15	EMI-2-RC4-base	306 k
glite-jdl-api-cpp	x86_64	3.3.0-3.s15	EMI-2-RC4-base	2.4 M
glite-jobid-api-c	x86_64	2.1.2-1.e15	EMI-2-RC4-base	8.9 k
glite-jobid-api-java	noarch	1.2.0-4.e15	EMI-2-RC4-base	5.6 k
glite-lb-client	x86_64	5.1.3-1.e15	EMI-2-RC4-base	229 k
glite-lb-client-java	x86_64	1.2.1-2.e15	EMI-2-RC4-base	592 k
glite-lb-common	x86_64	8.1.3-1.e15	EMI-2-RC4-base	115 k
glite-lb-doc	noarch	1.3.3-1.e15	EMI-2-RC4-base	1.3 M
glite-lb-harvester	x86_64	1.2.3-1.e15	EMI-2-RC4-base	69 k
glite-lb-logger	x86_64	2.3.4-1.e15	EMI-2-RC4-base	78 k
glite-lb-logger-msg	x86_64	1.1.3-1.e15	EMI-2-RC4-base	26 k
glite-lb-server	x86_64	2.3.3-1.e15	EMI-2-RC4-base	675 k
glite-lb-state-machine	x86_64	1.3.2-1.e15	EMI-2-RC4-base	48 k
glite-lb-utils	x86_64	2.2.1-3.e15	EMI-2-RC4-base	39 k
glite-lb-ws-interface	noarch	3.3.1-3.e15	EMI-2-RC4-base	20 k
glite-lb-ws-test	x86_64	1.3.0-4.e15	EMI-2-RC4-base	883 k
glite-lb-yaim	noarch	4.4.3-1.e15	EMI-2-RC4-base	10 k
glite-lbjp-common-db	x86_64	3.1.2-1.e15	EMI-2-RC4-base	22 k
glite-lbjp-common-gsoap-plugin	x86_64	3.1.2-1.e15	EMI-2-RC4-base	14 k
glite-lbjp-common-gss	x86_64	3.1.3-1.e15	EMI-2-RC4-base	18 k
glite-lbjp-common-jp-interface	x86_64	2.2.1-1.e15	EMI-2-RC4-base	8.9 k
glite-lbjp-common-log	x86_64	1.2.0-4.e15	EMI-2-RC4-base	8.7 k
glite-lbjp-common-maildir	x86_64	2.2.1-3.e15	EMI-2-RC4-base	6.9 k
glite-lbjp-common-server-bones	x86_64	2.2.2-1.e15	EMI-2-RC4-base	11 k
glite-lbjp-common-trio	x86_64	2.2.2-2.e15	EMI-2-RC4-base	27 k
glite-px-proxyrenewal	x86_64	1.3.25-1.e15	EMI-2-RC4-base	1.8 k
glite-wms-broker	x86_64	3.4.0-3.s15	EMI-2-RC4-base	338 k
glite-wms-brokerinfo	x86_64	3.4.0-3.s15	EMI-2-RC4-base	415 k
glite-wms-classad_plugin	x86_64	3.4.0-3.s15	EMI-2-RC4-base	354 k
glite-wms-common	x86_64	3.4.0-3.s15	EMI-2-RC4-base	1.3 M
glite-wms-configuration	noarch	3.4.0-3.s15	EMI-2-RC4-base	8.2 k
glite-wms-helper	x86_64	3.4.0-3.s15	EMI-2-RC4-base	832 k
glite-wms-ice	x86_64	3.4.0-3.s15	EMI-2-RC4-base	9.0 M
glite-wms-ism	x86_64	3.4.0-3.s15	EMI-2-RC4-base	1.7 M
glite-wms-jobsubmission	x86_64	3.4.0-3.s15	EMI-2-RC4-base	138 k
glite-wms-manager	x86_64	3.4.0-3.s15	EMI-2-RC4-base	482 k
glite-wms-matchmaking	x86_64	3.4.0-3.s15	EMI-2-RC4-base	154 k
glite-wms-purger	x86_64	3.4.0-3.s15	EMI-2-RC4-base	252 k
glite-wms-utils-classad	x86_64	3.3.0-2.s15	EMI-2-RC4-base	45 k
glite-wms-utils-exception	x86_64	3.3.0-2.s15	EMI-2-RC4-base	42 k
glite-wms-wmproxy	x86_64	3.4.0-3.s15	EMI-2-RC4-base	1.6 M
glite-yaim-core	noarch	5.0.3-4.s15	EMI-2-RC4-base	118 k
glite-yaim-wms	noarch	4.2.0-3.s15	EMI-2-RC4-base	20 k
gridsite-apache	x86_64	1.7.20-1.e15	EMI-2-RC4-base	69 k
gridsite-shared	x86_64	1.7.20-1.e15	EMI-2-RC4-base	131 k
lcas	x86_64	1.3.18-2.e15	EMI-2-RC4-base	25 k
lcas-lcmaps-gt4-interface	x86_64	0.2.1-4.e15	EMI-2-RC4-third-party	21 k
lcas-plugins-basic	x86_64	1.3.6-1.e15	EMI-2-RC4-base	22 k
lcas-plugins-voms	x86_64	1.3.10-1.e15	EMI-2-RC4-base	29 k
lcmaps	x86_64	1.5.4-1.e15	EMI-2-RC4-base	85 k
lcmaps-plugins-basic	x86_64	1.5.0-3.e15	EMI-2-RC4-base	38 k
lcmaps-plugins-voms	x86_64	1.5.3-1.e15	EMI-2-RC4-base	48 k
lcmaps-without-gsi	x86_64	1.5.4-1.e15	EMI-2-RC4-base	67 k
popt	x86_64	1.10.2.3-28.e15_8	sl-security	78 k
rpm	x86_64	4.4.2.3-28.e15_8	sl-security	1.2 M
rpm-libs	x86_64	4.4.2.3-28.e15_8	sl-security	925 k
rpm-python	x86_64	4.4.2.3-28.e15_8	sl-security	64 k
Installing for dependencies:				
argus-gsi-pep-callout	x86_64	1.2.1-2.s15	EMI-2-RC4-base	38 k

WMSEMI2RC4SL5 < IGIRelease < TWiki

argus-pep-api-c	x86_64 2.1.0-3.s15	EMI-2-RC4-base	53 k
glite-lb-client-progs	x86_64 5.1.3-1.e15	EMI-2-RC4-base	101 k
glite-px-proxyrenewal-devel	x86_64 1.3.25-1.e15	EMI-2-RC4-base	5.6 k
glite-px-proxyrenewal-libs	x86_64 1.3.25-1.e15	EMI-2-RC4-base	19 k
glite-px-proxyrenewal-progs	x86_64 1.3.25-1.e15	EMI-2-RC4-base	34 k
glite-wms-jobsubmission-lib	x86_64 3.4.0-3.s15	EMI-2-RC4-base	377 k

Transaction Summary

```
=====
Install          7 Package(s)
Upgrade         64 Package(s)
```

Total download size: 32 M

Downloading Packages:

```
-----
Total                               2.9 MB/s | 32 MB    00:11
```

Running rpm_check_debug

Running Transaction Test

Finished Transaction Test

Transaction Test Succeeded

Running Transaction

Updating	: glite-jobid-api-c	1/135
Updating	: glite-lbjp-common-gss	2/135
Updating	: glite-wms-utils-classad	3/135
Updating	: glite-wms-utils-exception	4/135
Updating	: glite-wms-common	5/135
Updating	: glite-lbjp-common-trio	6/135
Updating	: glite-lb-common	7/135
Updating	: glite-lb-client	8/135
Updating	: glite-jdl-api-cpp	9/135
Updating	: gridsite-shared	10/135
Updating	: glite-wms-ism	11/135
Updating	: glite-lbjp-common-log	12/135
Updating	: glite-lbjp-common-gsoap-plugin	13/135
Updating	: glite-lbjp-common-db	14/135
Updating	: lcas	15/135
Updating	: glite-wms-classad_plugin	16/135
Updating	: popt	17/135
Installing	: glite-px-proxyrenewal-libs	18/135
Updating	: glite-wms-purger	19/135
Updating	: lcmaps	20/135
Updating	: glite-wms-matchmaking	21/135
Updating	: glite-wms-brokerinfo	22/135
Updating	: glite-lb-state-machine	23/135
Updating	: glite-lbjp-common-maildir	24/135
Updating	: glite-lbjp-common-jp-interface	25/135
Updating	: glite-lb-logger	26/135
Installing	: glite-wms-jobsubmission-lib	27/135
Updating	: glite-lb-logger-msg	28/135
Updating	: glite-wms-broker	29/135
Updating	: glite-wms-helper	30/135
Updating	: lcas-lcmaps-gt4-interface	31/135
Updating	: glite-lbjp-common-server-bones	32/135
Updating	: glite-lb-server	33/135
Updating	: glite-ce-cream-client-api-c	34/135
Updating	: lcmaps-without-gsi	35/135
Updating	: glite-lb-utils	36/135
Updating	: lcmaps-plugins-voms	37/135
Updating	: lcas-plugins-basic	38/135
Updating	: glite-lb-harvester	39/135
Updating	: glite-ce-monitor-client-api-c	40/135
Updating	: lcas-plugins-voms	41/135
Updating	: gridsite-apache	42/135
Installing	: argus-pep-api-c	43/135
Updating	: lcmaps-plugins-basic	44/135
Updating	: glite-wms-configuration	45/135
Updating	: emi-trustmanager	46/135

WMSEMI2RC4SL5 < IGIRelease < TWiki

Updating	: emi-version	47/135
Updating	: glite-yaim-core	48/135
Updating	: glite-wms-wmproxy	49/135
warning:	group mockbuild does not exist - using root	
warning:	group mockbuild does not exist - using root	
warning:	group mockbuild does not exist - using root	
warning:	group mockbuild does not exist - using root	
Updating	: glite-wms-jobsubmission	50/135
Updating	: glite-wms-ice	51/135
Updating	: glite-lb-ws-interface	52/135
Updating	: glite-lb-ws-test	53/135
Updating	: glite-wms-manager	54/135
Updating	: glite-lb-yaim	55/135
Updating	: glite-yaim-wms	56/135
Updating	: emi-trustmanager-axis	57/135
Updating	: glite-jobid-api-java	58/135
Updating	: glite-lb-client-java	59/135
Updating	: glite-lb-doc	60/135
Installing	: argus-gsi-pep-callout	61/135
Installing	: glite-px-proxyrenewal-progs	62/135
Installing	: glite-lb-client-progs	63/135
Updating	: emi-lb	64/135
Installing	: glite-px-proxyrenewal-devel	65/135
Updating	: glite-px-proxyrenewal	66/135
Updating	: emi-wms	67/135
Updating	: emi-release	68/135
Updating	: rpm-libs	69/135
Updating	: rpm	70/135
Updating	: rpm-python	71/135
Cleanup	: glite-lb-logger-msg	72/135
Cleanup	: glite-lb-yaim	73/135
Cleanup	: lcas-plugins-voms	74/135
Cleanup	: glite-lb-client-java	75/135
Cleanup	: glite-lb-doc	76/135
Cleanup	: glite-ce-cream-client-api-c	77/135
Cleanup	: rpm-python	78/135
Cleanup	: glite-wms-wmproxy	79/135
Cleanup	: rpm	80/135
Cleanup	: glite-lb-client	81/135
Cleanup	: glite-lb-utils	82/135
Cleanup	: lcmaps-plugins-basic	83/135
Cleanup	: glite-yaim-core	84/135
Cleanup	: glite-yaim-wms	85/135
Cleanup	: emi-version	86/135
Cleanup	: rpm-libs	87/135
Cleanup	: glite-wms-purger	88/135
Cleanup	: glite-wms-utils-exception	89/135
Cleanup	: glite-lb-state-machine	90/135
Cleanup	: lcas	91/135
Cleanup	: glite-lb-ws-interface	92/135
Cleanup	: popt	93/135
Cleanup	: glite-lb-server	94/135
Cleanup	: glite-lbjp-common-db	95/135
Cleanup	: glite-ce-monitor-client-api-c	96/135
Cleanup	: lcmaps-plugins-voms	97/135
Cleanup	: emi-lb	98/135
Cleanup	: glite-lb-ws-test	99/135
Cleanup	: lcmaps	100/135
Cleanup	: glite-lb-harvester	101/135
Cleanup	: gridsite-apache	102/135
Cleanup	: glite-lbjp-common-gss	103/135
Cleanup	: gridsite-shared	104/135
Cleanup	: glite-lb-logger	105/135
Cleanup	: glite-wms-jobsubmission	106/135
Cleanup	: lcas-lcmaps-gt4-interface	107/135
Cleanup	: glite-jobid-api-java	108/135
Cleanup	: glite-lbjp-common-maildir	109/135

WMSEMI2RC4SL5 < IGIRelease < TWiki

Cleanup	: glite-lbjp-common-gsoap-plugin	110/135
Cleanup	: glite-lbjp-common-jp-interface	111/135
Cleanup	: glite-wms-configuration	112/135
Cleanup	: glite-lbjp-common-trio	113/135
Cleanup	: glite-jobid-api-c	114/135
Cleanup	: glite-wms-manager	115/135
Cleanup	: emi-release	116/135
Cleanup	: glite-wms-classad_plugin	117/135
Cleanup	: glite-px-proxyrenewal	118/135
Cleanup	: glite-wms-helper	119/135
Cleanup	: glite-lbjp-common-server-bones	120/135
Cleanup	: glite-wms-common	121/135
Cleanup	: glite-lbjp-common-log	122/135
Cleanup	: glite-wms-utils-classad	123/135
Cleanup	: emi-trustmanager-axis	124/135
Cleanup	: glite-lb-common	125/135
Cleanup	: glite-wms-broker	126/135
Cleanup	: glite-wms-ism	127/135
Cleanup	: lcas-plugins-basic	128/135
Cleanup	: glite-wms-ice	129/135
Cleanup	: glite-wms-brokerinfo	130/135
Cleanup	: emi-trustmanager	131/135
Cleanup	: glite-wms-matchmaking	132/135
Cleanup	: emi-wms	133/135
Cleanup	: glite-jdl-api-cpp	134/135
Cleanup	: lcmaps-without-gsi	135/135

Dependency Installed:

argus-gsi-pep-callout.x86_64 0:1.2.1-2.s15
argus-pep-api-c.x86_64 0:2.1.0-3.s15
glite-lb-client-progs.x86_64 0:5.1.3-1.e15
glite-px-proxyrenewal-devel.x86_64 0:1.3.25-1.e15
glite-px-proxyrenewal-libs.x86_64 0:1.3.25-1.e15
glite-px-proxyrenewal-progs.x86_64 0:1.3.25-1.e15
glite-wms-jobsubmission-lib.x86_64 0:3.4.0-3.s15

Updated:

emi-lb.x86_64 0:1.0.1-1.e15
emi-release.noarch 0:2.0.0-0_rc2.s15
emi-trustmanager.noarch 0:3.1.3-1.s15
emi-trustmanager-axis.noarch 0:2.0.2-1.s15
emi-version.x86_64 0:2.0.0-0_rc2.s15
emi-wms.x86_64 0:1.0.2-3.s15
glite-ce-cream-client-api-c.x86_64 0:1.14.0-3.s15
glite-ce-monitor-client-api-c.x86_64 0:1.14.0-3.s15
glite-jdl-api-cpp.x86_64 0:3.3.0-3.s15
glite-jobid-api-c.x86_64 0:2.1.2-1.e15
glite-jobid-api-java.noarch 0:1.2.0-4.e15
glite-lb-client.x86_64 0:5.1.3-1.e15
glite-lb-client-java.x86_64 0:1.2.1-2.e15
glite-lb-common.x86_64 0:8.1.3-1.e15
glite-lb-doc.noarch 0:1.3.3-1.e15
glite-lb-harvester.x86_64 0:1.2.3-1.e15
glite-lb-logger.x86_64 0:2.3.4-1.e15
glite-lb-logger-msg.x86_64 0:1.1.3-1.e15
glite-lb-server.x86_64 0:2.3.3-1.e15
glite-lb-state-machine.x86_64 0:1.3.2-1.e15
glite-lb-utils.x86_64 0:2.2.1-3.e15
glite-lb-ws-interface.noarch 0:3.3.1-3.e15
glite-lb-ws-test.x86_64 0:1.3.0-4.e15
glite-lb-yaim.noarch 0:4.4.3-1.e15
glite-lbjp-common-db.x86_64 0:3.1.2-1.e15
glite-lbjp-common-gsoap-plugin.x86_64 0:3.1.2-1.e15
glite-lbjp-common-gss.x86_64 0:3.1.3-1.e15
glite-lbjp-common-jp-interface.x86_64 0:2.2.1-1.e15
glite-lbjp-common-log.x86_64 0:1.2.0-4.e15
glite-lbjp-common-maildir.x86_64 0:2.2.1-3.e15

WMSEMI2RC4SL5 < IGIRelease < TWiki

glite-lbjp-common-server-bones.x86_64 0:2.2.2-1.e15
glite-lbjp-common-trio.x86_64 0:2.2.2-2.e15
glite-px-proxyrenewal.x86_64 0:1.3.25-1.e15
glite-wms-broker.x86_64 0:3.4.0-3.s15
glite-wms-brokerinfo.x86_64 0:3.4.0-3.s15
glite-wms-classad_plugin.x86_64 0:3.4.0-3.s15
glite-wms-common.x86_64 0:3.4.0-3.s15
glite-wms-configuration.noarch 0:3.4.0-3.s15
glite-wms-helper.x86_64 0:3.4.0-3.s15
glite-wms-ice.x86_64 0:3.4.0-3.s15
glite-wms-ism.x86_64 0:3.4.0-3.s15
glite-wms-jobsubmission.x86_64 0:3.4.0-3.s15
glite-wms-manager.x86_64 0:3.4.0-3.s15
glite-wms-matchmaking.x86_64 0:3.4.0-3.s15
glite-wms-purger.x86_64 0:3.4.0-3.s15
glite-wms-utils-classad.x86_64 0:3.3.0-2.s15
glite-wms-utils-exception.x86_64 0:3.3.0-2.s15
glite-wms-wmproxy.x86_64 0:3.4.0-3.s15
glite-yaim-core.noarch 0:5.0.3-4.s15
glite-yaim-wms.noarch 0:4.2.0-3.s15
gridsite-apache.x86_64 0:1.7.20-1.e15
gridsite-shared.x86_64 0:1.7.20-1.e15
lcas.x86_64 0:1.3.18-2.e15
lcas-lcmads-gt4-interface.x86_64 0:0.2.1-4.e15
lcas-plugins-basic.x86_64 0:1.3.6-1.e15
lcas-plugins-voms.x86_64 0:1.3.10-1.e15
lcmads.x86_64 0:1.5.4-1.e15
lcmads-plugins-basic.x86_64 0:1.5.0-3.e15
lcmads-plugins-voms.x86_64 0:1.5.3-1.e15
lcmads-without-gsi.x86_64 0:1.5.4-1.e15
popt.x86_64 0:1.10.2.3-28.e15_8
rpm.x86_64 0:4.4.2.3-28.e15_8
rpm-libs.x86_64 0:4.4.2.3-28.e15_8
rpm-python.x86_64 0:4.4.2.3-28.e15_8

Complete!

#####
EXECUTING COMMAND N° 23: "/opt/glite/yaim/bin/yaim -v -s site-info.def -n WMS"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++

WARNING:
WARNING: *****
WARNING: Your siteinfo directory is world readable. This is generally a bad idea
WARNING: as configuration files may contain passwords and other sensitive information.
WARNING: *****
WARNING:
INFO: Configuring HOST: cert-13.cnaf.infn.it
INFO: Using site configuration file: site-info.def
INFO: Sourcing service specific configuration file: ./services/glite-wms
INFO:

#####

. /'-. ')
yA,-"-,(,m,:/) .oo. oo o ooo o. .oo
. / .-Y a a Y-. 8. .8' 8'8. 8 8b d'8
. / ~ ~ / 8' .8oo88. 8 8 8' 8
. (_/ '====' 8 .8' 8. 8 8 Y 8
. Y,-''-,Yy,-.,/ o8o o8o o88o o8o o8o o8o
. I_))_) I_))_)

current working directory: /root/siteinfo
site-info.def date: Apr 10 15:18 site-info.def
yaim command: -v -s site-info.def -n WMS
log file: /opt/glite/yaim/bin/./log/yaimlog
Tue Apr 10 15:34:40 CEST 2012 : /opt/glite/yaim/bin/yaim

```

Installed YAIM versions:
glite-lb-yaim 4.4.3-1
glite-yaim-bdii 4.3.9-1
glite-yaim-core 5.0.3-4
glite-yaim-wms 4.2.0-3

#####
INFO: The default location of the grid-env.(c)sh files will be: /usr/libexec
INFO: Sourcing the utilities in /opt/glite/yaim/functions/utils
INFO: Detecting environment
INFO: Executing function: config_add_pool_env_check
INFO: Executing function: config_host_certs_check
INFO: Executing function: config_lcgenv_check
INFO: Executing function: config_edgusers_check
INFO: Executing function: config_users_check
INFO: Executing function: config_vomsmmap_check
INFO: Executing function: config_vomsdir_check
INFO: Executing function: config_vomses_check
INFO: Executing function: config_gip_wms_check
INFO: Executing function: config_info_service_wms_check
INFO: Executing function: config_globus_gridftp_check
INFO: Executing function: config_lcas_lcmmaps_gt4_check
INFO: Executing function: config_condor_wms_check
INFO: Executing function: config_mysql_wms_check
INFO: Executing function: config_glite_wms_check
INFO: Executing function: config_gliteservices_wms_check
INFO: Executing function: config_cron_wms_check
INFO: Executing function: config_glite_lb_check
INFO: Executing function: config_glite_locallogger_check
INFO: Executing function: config_bdii_5.2_check
INFO: Checking is done.
INFO: All the necessary variables to configure WMS are defined in your configuration files.
INFO: Please, bear in mind that YAIM only guarantees the definition of variables
INFO: controlled in the _check functions.
INFO: YAIM terminated succesfully.

```

```

#####
EXECUTING COMMAND N° 24:  "/opt/glite/yaim/bin/yaim -c -d 6 -s site-info.def -n WMS"
COMMAND EXIT STATUS:  256
FOLLOWS COMMAND OUTPUT:  ++++++
DEBUG: Checking siteinfo dir is not world readable
WARNING:
WARNING: *****
WARNING: Your siteinfo directory is world readable. This is generally a bad idea
WARNING: as configuration files may contain passwords and other sensitive information.
WARNING: *****
WARNING:
DEBUG: Checking site-info.def is syntactically correct
INFO: Configuring HOST: cert-13.cnaf.infn.it
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/site-info.pre
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/glite-wms.pre
INFO: Using site configuration file: site-info.def
DEBUG: Sourcing site-info.def file: site-info.def
INFO: Sourcing service specific configuration file: ./services/glite-wms
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/site-info.post
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/glite-wms.post
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/mapping
INFO:

```

```

#####
.          /'-. ' )
.   yA,-"-,( ,m,:/ ) .oo.   oo   o   ooo o.   .oo
.   /          .-Y a  a Y-.   8. .8'   8'8.   8   8b   d'8
.   /          ~ ~ /          8'   .8oo88.   8   8   8'  8
.   (_/          '===='      8   .8'   8.   8   8   Y   8
.   Y,-''-,Yy,-.,/          o8o  o8o   o88o  o8o  o8o   o8o

```

```

.    I_))_ I_))_

current working directory: /root/siteinfo
site-info.def date: Apr 10 15:18 site-info.def
yaim command: -c -d 6 -s site-info.def -n WMS
log file: /opt/glite/yaim/bin/./log/yaimlog
Tue Apr 10 15:34:43 CEST 2012 : /opt/glite/yaim/bin/yaim

Installed YAIM versions:
glite-lb-yaim 4.4.3-1
glite-yaim-bdii 4.3.9-1
glite-yaim-core 5.0.3-4
glite-yaim-wms 4.2.0-3

#####
INFO: The default location of the grid-env.(c)sh files will be: /usr/libexec
INFO: Sourcing the utilities in /opt/glite/yaim/functions/utils
INFO: Detecting environment
DEBUG: Detect platform: OS flavour detected is: "Scientific Linux SL release 5.7 (Boron)"
DEBUG: Detected architecture is 64BIT
DEBUG: Detect platform: OS type detected: sl5
DEBUG: GROUPS_CONF is defined. Adding global groups to the groups.conf temp file
DEBUG: GROUPS_CONF points now to the groups.conf temp file
DEBUG: GROUPS_CONF=/tmp/yaim.g17548
DEBUG: Resulted NODE_TYPE_LIST is : WMS
DEBUG: Setting environment variable GRID_ENV_LOCATION, to value "/usr/libexec".
DEBUG: Unset environment variable GRID_ENV_LOCATION.
DEBUG: Setting environment variable LCG_LOCATION, to value "/usr".
DEBUG: Unset environment variable LCG_LOCATION.
DEBUG: Setting environment variable GLITE_LOCATION, to value "/usr".
DEBUG: Unset environment variable GLITE_LOCATION.
DEBUG: Setting environment variable GLITE_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable GLITE_LOCATION_VAR.
DEBUG: Appending value "/bin" to environment variable PATH.
DEBUG: Deleting value "/bin" from environment variable PATH.
DEBUG: Appending value "/opt/glite/share/man" to environment variable MANPATH.
DEBUG: Deleting value "/opt/glite/share/man" from environment variable MANPATH.
DEBUG: Sourcing node definition file: /opt/glite/yaim/bin/./node-info.d/glite-wms
INFO: Executing function: config_add_pool_env_check
DEBUG: Skipping function: config_crl_check because it is not defined
INFO: Executing function: config_host_certs_check
INFO: Executing function: config_lcgenv_check
INFO: Executing function: config_edgusers_check
INFO: Executing function: config_users_check
INFO: Executing function: config_vomsmap_check
INFO: Executing function: config_vomsdir_check
INFO: Executing function: config_vomses_check
INFO: Executing function: config_gip_wms_check
INFO: Executing function: config_info_service_wms_check
INFO: Executing function: config_globus_gridftp_check
INFO: Executing function: config_lcas_lcmapi_gt4_check
INFO: Executing function: config_condor_wms_check
INFO: Executing function: config_mysql_wms_check
DEBUG: This function doesn't set any environment variable
INFO: Executing function: config_glite_wms_check
INFO: Executing function: config_gliteservices_wms_check
INFO: Executing function: config_cron_wms_check
INFO: Executing function: config_glite_lb_check
INFO: Executing function: config_glite_locallogger_check
INFO: Executing function: config_bdii_5.2_check
DEBUG: Skipping function: config_glite_initd_check because it is not defined
INFO: Executing function: config_add_pool_env_setenv
DEBUG: Currently this function doesn't set any environment variables.
INFO: Executing function: config_add_pool_env
DEBUG: Creating links for the grid environment in /etc/profile.d/
DEBUG: Skipping function: config_crl_setenv because it is not defined

```


WMSEMI2RC4SL5 < IGIRelease < TWiki

```
INFO: Executing function: config_crl
INFO: Now updating the CRLs - this may take a few minutes...
users_getvogroup: could not find group for "DTEAM".
users_getvoprefix: could not find pool account prefix for DTEAM in /root/siteinfo/users.conf
Enabling periodic fetch-crl: [ OK ]
DEBUG: fetch-crl cron enabled
DEBUG: Skipping function: config_host_certs_setenv because it is not defined
INFO: Executing function: config_host_certs
DEBUG: Skipping function: config_lcgenv_setenv because it is not defined
INFO: Executing function: config_lcgenv
DEBUG: Setting environment variable LCG_GFAL_INFOSYS, to value "emi2rc-sl5-bdii.cern.ch:2170".
DEBUG: Unset environment variable LCG_GFAL_INFOSYS.
DEBUG: Setting environment variable MYPROXY_SERVER, to value "emitb-myproxy.civ.zcu.cz".
DEBUG: Unset environment variable MYPROXY_SERVER.
DEBUG: Setting environment variable VO_TESTERS_EU_EMI_EU_SW_DIR, to value "/testers.eu-emi.eu".
DEBUG: Unset environment variable VO_TESTERS_EU_EMI_EU_SW_DIR.
DEBUG: Setting environment variable VO_TESTERS2_EU_EMI_EU_SW_DIR, to value "/testers2.eu-emi.eu".
DEBUG: Unset environment variable VO_TESTERS2_EU_EMI_EU_SW_DIR.
DEBUG: Setting environment variable VO_DTEAM_SW_DIR, to value "/dteam".
DEBUG: Unset environment variable VO_DTEAM_SW_DIR.
DEBUG: Skipping function: config_edgusers_setenv because it is not defined
INFO: Executing function: config_edgusers
DEBUG: Creating user edguser...
DEBUG: Skipping user edguser since it already exists...
DEBUG: Creating user edginfo...
DEBUG: Skipping user edginfo since it already exists...
DEBUG: Creating user glite...
DEBUG: Skipping user glite since it already exists...
DEBUG: Creating user edguser...
DEBUG: Skipping user edguser since it already exists...
DEBUG: Skipping function: config_users_setenv because it is not defined
INFO: Executing function: config_users
WARNING: VO dteam doesn't have pool accounts defined in /root/siteinfo/users.conf
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
INFO: Executing function: config_vomsmmap_setenv
DEBUG: Setting environment variable GRIDMAPDIR, to value "/etc/grid-security/gridmapdir".
DEBUG: Unset environment variable GRIDMAPDIR.
INFO: Executing function: config_vomsmmap
INFO: Creating grid-map directory in /etc/grid-security/gridmapdir
INFO: Creating voms grid-map file in /etc/grid-security/voms-grid-mapfile
INFO: Creating voms groupmap file in /etc/grid-security/groupmapfile
DEBUG: **** VO TESTERS.EU-EMI.EU ****
DEBUG: create gridmapdir files
DEBUG: **** VO TESTERS2.EU-EMI.EU ****
DEBUG: create gridmapdir files
DEBUG: **** VO DTEAM ****
DEBUG: create gridmapdir files
WARNING: VO 'DTEAM' not found in /tmp/yaim.g17548
INFO: Copying the /etc/grid-security/voms-grid-mapfile in the standard location /etc/grid-security/voms-grid-mapfile
INFO: Executing function: config_vomsdir_setenv
DEBUG: This function currently doesn't set any environment variables.
INFO: Executing function: config_vomsdir
DEBUG: .lsc file configuration for VO testers.eu-emi.eu...
DEBUG: Create the /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed07.cnaf.infn.it.lsc
DEBUG: Copying /C=IT/O=INFN/OU=Host/L=CNAF/CN=emitestbed07.cnaf.infn.it in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed07.cnaf.infn.it
DEBUG: Create the /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed01.cnaf.infn.it.lsc
DEBUG: Copying /C=IT/O=INFN/OU=Host/L=CNAF/CN=emitestbed01.cnaf.infn.it in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed01.cnaf.infn.it
DEBUG: Copying the emitestbed07.cnaf.infn.it CA DN /C=IT/O=INFN/CN=INFN CA in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed07.cnaf.infn.it
DEBUG: Copying the emitestbed01.cnaf.infn.it CA DN /C=IT/O=INFN/CN=INFN CA in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed01.cnaf.infn.it
DEBUG: .lsc file configuration for VO testers2.eu-emi.eu...
DEBUG: Create the /etc/grid-security/vomsdir/testers2.eu-emi.eu/emitestbed27.cnaf.infn.it.lsc
DEBUG: Copying /C=IT/O=INFN/OU=Host/L=CNAF/CN=emitestbed27.cnaf.infn.it in /etc/grid-security/vomsdir/testers2.eu-emi.eu/emitestbed27.cnaf.infn.it
DEBUG: Copying the emitestbed27.cnaf.infn.it CA DN /C=IT/O=INFN/CN=INFN CA in /etc/grid-security/vomsdir/testers2.eu-emi.eu/emitestbed27.cnaf.infn.it
DEBUG: .lsc file configuration for VO dteam...
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
DEBUG: Create the /etc/grid-security/vomsdir/dteam/lcg-voms.cern.ch.lsc
DEBUG: Copying /DC=ch/DC=cern/OU=computers/CN=lcg-voms.cern.ch in /etc/grid-security/vomsdir/d
DEBUG: Create the /etc/grid-security/vomsdir/dteam/voms.cern.ch.lsc
DEBUG: Copying /DC=ch/DC=cern/OU=computers/CN=voms.cern.ch in /etc/grid-security/vomsdir/dteam
/opt/glite/yaim/functions/config_condor_wms: line 64: ./condor_configure: No such file or directo
DEBUG: Copying the lcg-voms.cern.ch CA DN /DC=ch/DC=cern/CN=CERN Trusted Certification Author
DEBUG: Copying the voms.cern.ch CA DN /DC=ch/DC=cern/CN=CERN Trusted Certification Authority
DEBUG: Skipping function: config_vomses_setenv because it is not defined
INFO: Executing function: config_vomses
DEBUG: Skipping function: config_gip_wms_setenv because it is not defined
INFO: Executing function: config_gip_wms
INFO: Executing function: config_info_service_wms_setenv
DEBUG: This function currently doesn't set any environment variables.
INFO: Executing function: config_info_service_wms
DEBUG: Delete a previous version of the glite-info-service-wmproxy.conf if it exists
DEBUG: Create the glite-info-service-wmproxy.conf file out of the template file
DEBUG: Delete a previous version of the glite-info-provider-service-wmproxy-wrapper if it exists
DEBUG: Create the /var/lib/bdii/gip/provider in case it doesn't exist
DEBUG: Create the glite-info-provider-service-wmproxy-wrapper file
INFO: Executing function: config_globus_gridftp_setenv
DEBUG: Setting environment variable GLOBUS_TCP_PORT_RANGE, to value "20000,25000".
DEBUG: Unset environment variable GLOBUS_TCP_PORT_RANGE.
INFO: Executing function: config_globus_gridftp
DEBUG: Set up maximum number of connections
DEBUG: connections_max is not defined in /etc/gridftp.conf.
DEBUG: Adding the value of connections_max with 150...
INFO: Starting gridftp service :
Stopping globus-gridftp-server: [ OK ]
Starting globus-gridftp-server: [ OK ]
INFO: Executing function: config_lcas_lcmaps_gt4_setenv
DEBUG: Setting environment variable X509_VOMS_DIR, to value "/etc/grid-security/vomsdir/".
DEBUG: Unset environment variable X509_VOMS_DIR.
DEBUG: Setting environment variable X509_CERT_DIR, to value "/etc/grid-security/certificates/".
DEBUG: Unset environment variable X509_CERT_DIR.
DEBUG: Setting environment variable LCMAPS_LOG_LEVEL, to value "1".
DEBUG: Unset environment variable LCMAPS_LOG_LEVEL.
DEBUG: Setting environment variable LCMAPS_DEBUG_LEVEL, to value "0".
DEBUG: Unset environment variable LCMAPS_DEBUG_LEVEL.
DEBUG: Setting environment variable LCAS_LOG_LEVEL, to value "1".
DEBUG: Unset environment variable LCAS_LOG_LEVEL.
DEBUG: Setting environment variable LCAS_DEBUG_LEVEL, to value "0".
DEBUG: Unset environment variable LCAS_DEBUG_LEVEL.
INFO: Executing function: config_lcas_lcmaps_gt4
DEBUG: Creating GSI authorization file in /etc/grid-security/gsi-authz.conf
DEBUG: Backuping old LCAS_DB_FILE in /etc/lcas/lcas.db.old
INFO: Creating LCAS_DB_FILE in /etc/lcas/lcas.db
DEBUG: Backuping old LCMAPS_DB_FILE in /etc/lcmaps/lcmaps.db.gridftp.old
INFO: Creating LCMAPS_DB_FILE in /etc/lcmaps/lcmaps.db.gridftp
INFO: Executing function: config_condor_wms_setenv
DEBUG: Appending value "/opt/condor-c/lib" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/opt/condor-c/lib" from environment variable LD_LIBRARY_PATH.
DEBUG: Appending value "/opt/condor-c/bin" to environment variable PATH.
DEBUG: Deleting value "/opt/condor-c/bin" from environment variable PATH.
DEBUG: Appending value "/opt/condor-c/libexec/glite" to environment variable PATH.
DEBUG: Deleting value "/opt/condor-c/libexec/glite" from environment variable PATH.
DEBUG: Setting environment variable GRIDMAP, to value "/etc/grid-security/grid-mapfile".
DEBUG: Unset environment variable GRIDMAP.
DEBUG: Setting environment variable CONDOR_CONFIG, to value "/opt/condor-c/etc/condor_config".
DEBUG: Unset environment variable CONDOR_CONFIG.
DEBUG: Setting environment variable CONDORG_INSTALL_PATH, to value "/opt/condor-c".
DEBUG: Unset environment variable CONDORG_INSTALL_PATH.
INFO: Executing function: config_condor_wms
DEBUG: Configure Condor
DEBUG: Skipping function: config_mysql_wms_setenv because it is not defined
INFO: Executing function: config_mysql_wms
DEBUG: Backup existing my.cnf file
DEBUG: Create and fill /etc/my.cnf
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
INFO: Executing function: config_glite_wms_setenv
DEBUG: Setting environment variable WMS_LOCATION_LOG, to value "/var/log/wms".
DEBUG: Unset environment variable WMS_LOCATION_LOG.
DEBUG: Setting environment variable WMS_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable WMS_LOCATION_VAR.
DEBUG: Setting environment variable WMS_LOCATION_TMP, to value "/tmp".
DEBUG: Unset environment variable WMS_LOCATION_TMP.
DEBUG: Setting environment variable WMS_LOCATION_LIBEXEC, to value "/usr/libexec".
DEBUG: Unset environment variable WMS_LOCATION_LIBEXEC.
DEBUG: Setting environment variable WMS_LOCATION_USR, to value "/usr".
DEBUG: Unset environment variable WMS_LOCATION_USR.
DEBUG: Setting environment variable WMS_LOCATION_ETC, to value "/etc".
DEBUG: Unset environment variable WMS_LOCATION_ETC.
DEBUG: Setting environment variable WMS_LOCATION_SBIN, to value "/usr/sbin".
DEBUG: Unset environment variable WMS_LOCATION_SBIN.
DEBUG: Setting environment variable WMS_JOBWRAPPER_TEMPLATE, to value "/usr/share/glite-wms".
DEBUG: Unset environment variable WMS_JOBWRAPPER_TEMPLATE.
DEBUG: Setting environment variable GLITE_WMS_TMP, to value "/tmp".
DEBUG: Unset environment variable GLITE_WMS_TMP.
DEBUG: Setting environment variable GLITE_WMS_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable GLITE_WMS_LOCATION_VAR.
DEBUG: Setting environment variable GLITE_SD_PLUGIN, to value "bdii".
DEBUG: Unset environment variable GLITE_SD_PLUGIN.
DEBUG: Setting environment variable GLITE_WMS_GROUP, to value "glite".
DEBUG: Unset environment variable GLITE_WMS_GROUP.
DEBUG: Setting environment variable GLITE_WMS_USER, to value "glite".
DEBUG: Unset environment variable GLITE_WMS_USER.
DEBUG: Setting environment variable GLITE_USER, to value "glite".
DEBUG: Unset environment variable GLITE_USER.
DEBUG: Setting environment variable GLITE_WMS_QUERY_TIMEOUT, to value "300".
DEBUG: Unset environment variable GLITE_WMS_QUERY_TIMEOUT.
DEBUG: Setting environment variable GLITE_PR_TIMEOUT, to value "300".
DEBUG: Unset environment variable GLITE_PR_TIMEOUT.
DEBUG: Setting environment variable GLITE_HOST_CERT, to value "/home/glite/.certs/hostcert.pem".
DEBUG: Unset environment variable GLITE_HOST_CERT.
DEBUG: Setting environment variable GLITE_HOST_KEY, to value "/home/glite/.certs/hostkey.pem".
DEBUG: Unset environment variable GLITE_HOST_KEY.
DEBUG: Setting environment variable X509_CERT_DIR, to value "/etc/grid-security/certificates/".
DEBUG: Unset environment variable X509_CERT_DIR.
DEBUG: Setting environment variable X509_VOMS_DIR, to value "/etc/grid-security/vomsdir/".
DEBUG: Unset environment variable X509_VOMS_DIR.
DEBUG: Setting environment variable GRIDMAPDIR, to value "/etc/grid-security/gridmapdir".
DEBUG: Unset environment variable GRIDMAPDIR.
DEBUG: Setting environment variable GRIDMAPFILE, to value "/etc/grid-security/grid-mapfile".
DEBUG: Unset environment variable GRIDMAPFILE.
DEBUG: Setting environment variable GLOBUS_TCP_PORT_RANGE, to value "20000,25000".
DEBUG: Unset environment variable GLOBUS_TCP_PORT_RANGE.
DEBUG: Setting environment variable MYPROXY_TCP_PORT_RANGE, to value "20000,25000".
DEBUG: Unset environment variable MYPROXY_TCP_PORT_RANGE.
DEBUG: Setting environment variable GLITE_WMS_WMPROXY_MAX_SERVED_REQUESTS, to value "50".
DEBUG: Unset environment variable GLITE_WMS_WMPROXY_MAX_SERVED_REQUESTS.
DEBUG: Setting environment variable CONDORG_INSTALL_PATH, to value "/opt/condor-c".
DEBUG: Unset environment variable CONDORG_INSTALL_PATH.
DEBUG: Appending value "/opt/condor-c" to environment variable CONDORG_INSTALL_PATH.
DEBUG: Deleting value "/opt/condor-c" from environment variable CONDORG_INSTALL_PATH.
DEBUG: Setting environment variable LCMAPS_LOG_LEVEL, to value "1".
DEBUG: Unset environment variable LCMAPS_LOG_LEVEL.
DEBUG: Setting environment variable LCMAPS_DEBUG_LEVEL, to value "0".
DEBUG: Unset environment variable LCMAPS_DEBUG_LEVEL.
DEBUG: Appending value "/usr/lib64" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/usr/lib64" from environment variable LD_LIBRARY_PATH.
INFO: Executing function: config_glite_wms
INFO: config_glite_wms: Configuration file
DEBUG: config_glite_wms: Overwrite old configuration file /etc/glite-wms/glite_wms.conf
DEBUG: config_glite_wms: Backup old configuration file in /etc/glite-wms/glite_wms.conf.bkp20
DEBUG: config_glite_wms: Removing old backup files
DEBUG: OS_ARCH = 64BIT
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
INFO: config_glite_wms: Creating /etc/glite-wms/glite_wms.conf ...
WARNING: /usr/sbin/glite_wms_wmproxy_load_monitor found
DEBUG: OS_ARCH = 64BIT
Your identity: /C=IT/O=INFN/OU=Host/L=CNAF/CN=cert-13.cnaf.infn.it
Creating proxy ..... Don
Your proxy is valid until: Wed Apr 11 15:35:25 2012
INFO: Executing function: config_gliteservices_wms_setenv
DEBUG: Setting environment variable GLITE_WMS_CONFIG_DIR, to value "/etc/glite-wms".
DEBUG: Unset environment variable GLITE_WMS_CONFIG_DIR.
DEBUG: Setting environment variable WMS_LOCATION_BIN, to value "/usr/bin".
DEBUG: Unset environment variable WMS_LOCATION_BIN.
DEBUG: Setting environment variable WMS_LOCATION_ETC, to value "/etc".
DEBUG: Unset environment variable WMS_LOCATION_ETC.
DEBUG: Setting environment variable WMS_LOCATION_LOG, to value "/var/log/wms".
DEBUG: Unset environment variable WMS_LOCATION_LOG.
DEBUG: Setting environment variable WMS_LOCATION_TMP, to value "/tmp".
DEBUG: Unset environment variable WMS_LOCATION_TMP.
DEBUG: Setting environment variable WMS_LOCATION_LIBEXEC, to value "/usr/libexec".
DEBUG: Unset environment variable WMS_LOCATION_LIBEXEC.
DEBUG: Setting environment variable CONDOR_CONFIG, to value "/opt/condor-c/etc/condor_config".
DEBUG: Unset environment variable CONDOR_CONFIG.
DEBUG: Appending value "/opt/condor-c/lib" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/opt/condor-c/lib" from environment variable LD_LIBRARY_PATH.
DEBUG: Appending value "/opt/c-ares/lib" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/opt/c-ares/lib" from environment variable LD_LIBRARY_PATH.
INFO: Executing function: config_gliteservices_wms
DEBUG: Starting service globus-gridftp
Stopping globus-gridftp-server: [ OK ]
Starting globus-gridftp-server: [ OK ]
DEBUG: Starting service glite-wms-wm
stopping workload manager... ok
starting workload manager... failure
ABORT: Service glite-wms-wm failed to start!
ERROR: Error during the execution of function: config_gliteservices_wms
ERROR: Error during the configuration.Exiting. [FAILED]
ERROR: One of the functions returned with error without specifying its nature !
```

```
+++++
***** END OF TEST: FAILURE *****
```

Install

```
[root@cert-13 ~]# cat /tmp/20120411_150415_WMS-EMI1_INSTALL_EMI2_SL5x64-RC4_DEPLOYMENT_TEST.log
```

```
#####
EXECUTING COMMAND N° 0: "wget http://emisoft.web.cern.ch/emisoft/dist/EMI/2/RPM-GPG-KEY-emi"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
--2012-04-11 15:04:15-- http://emisoft.web.cern.ch/emisoft/dist/EMI/2/RPM-GPG-KEY-emi
Risoluzione di emisoft.web.cern.ch... 137.138.139.27
Connessione a emisoft.web.cern.ch|137.138.139.27|:80... connesso.
HTTP richiesta inviata, in attesa di risposta... 200 OK
Lunghezza: 1726 (1,7K) [text/plain]
Salvataggio in: "RPM-GPG-KEY-emi"

OK . 100% 82,3M=0s
```

```
2012-04-11 15:04:16 (82,3 MB/s) - "RPM-GPG-KEY-emi" salvato [1726/1726]
```

```
#####
EXECUTING COMMAND N° 1: "mv RPM-GPG-KEY-emi /etc/pki/rpm-gpg/"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
#####
EXECUTING COMMAND N° 2: "wget --no-check-certificate https://twiki.cern.ch/twiki/pub/EMI/EMI-2/
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
--2012-04-11 15:04:16-- https://twiki.cern.ch/twiki/pub/EMI/EMI-2/emi-2-rc4-sl5.repo
Risoluzione di twiki.cern.ch... 137.138.6.73
Connessione a twiki.cern.ch|137.138.6.73|:443... connesso.
AVVERTIMENTO: impossibile verificare il certificato di twiki.cern.ch, rilasciato da "/C=US/O=Veri
Impossibile verificare localmente l'autorità dell'emittente.
HTTP richiesta inviata, in attesa di risposta... 200 OK
Lunghezza: 1324 (1,3K) [application/octet-stream]
Salvataggio in: "/etc/yum.repos.d/emi-2-rc4-sl5.repo"

OK .                                100% 19,7M=0s
```

2012-04-11 15:04:16 (19,7 MB/s) - "/etc/yum.repos.d/emi-2-rc4-sl5.repo" salvato [1324/1324]

```
#####
EXECUTING COMMAND N° 3: "yum clean all"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
                : protectbase, security, verify, versionlock
Repository EGI-trustanchors is listed more than once in the configuration
Cleaning up Everything
```

```
#####
EXECUTING COMMAND N° 4: "yum makecache"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
                : protectbase, security, verify, versionlock
Repository EGI-trustanchors is listed more than once in the configuration
Metadata Cache Created
```

```
#####
EXECUTING COMMAND N° 5: "yum -y install emi-release"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++
Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
                : protectbase, security, verify, versionlock
Repository EGI-trustanchors is listed more than once in the configuration
4281 packages excluded due to repository priority protections
0 packages excluded due to repository protections
Reading version lock configuration
Setting up Install Process
Resolving Dependencies
--> Running transaction check
---> Package emi-release.noarch 0:2.0.0-0_rc2.sl5 set to be updated
--> Finished Dependency Resolution
Beginning Kernel Module Plugin
Finished Kernel Module Plugin
```

Dependencies Resolved

```
=====
Package            Arch      Version                               Repository      Size
=====
Installing:
emi-release        noarch   2.0.0-0_rc2.sl5                       EMI-2-RC4-base 4.7 k
```

Transaction Summary

```
=====
Install           1 Package(s)
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

Upgrade 0 Package(s)

Total download size: 4.7 k

Downloading Packages:

Running rpm_check_debug

Running Transaction Test

Finished Transaction Test

Transaction Test Succeeded

Running Transaction

Installing : emi-release

1/1

Installed:

emi-release.noarch 0:2.0.0-0_rc2.sl5

Complete!

#####

EXECUTING COMMAND N° 6: "yum -y install yum-protectbase"

COMMAND EXIT STATUS: 0

FOLLOWS COMMAND OUTPUT: ++++++

Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
: protectbase, security, verify, versionlock

Repository EGI-trustanchors is listed more than once in the configuration

4319 packages excluded due to repository priority protections

0 packages excluded due to repository protections

Reading version lock configuration

Setting up Install Process

Package yum-protectbase-1.1.16-16.el5.noarch already installed and latest version

Nothing to do

#####

EXECUTING COMMAND N° 7: "yum -y install yum-priorities"

COMMAND EXIT STATUS: 0

FOLLOWS COMMAND OUTPUT: ++++++

Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
: protectbase, security, verify, versionlock

Repository EGI-trustanchors is listed more than once in the configuration

4319 packages excluded due to repository priority protections

0 packages excluded due to repository protections

Reading version lock configuration

Setting up Install Process

Package yum-priorities-1.1.16-16.el5.noarch already installed and latest version

Nothing to do

#####

EXECUTING COMMAND N° 8: "yum -y install ca-policy-egi-core"

COMMAND EXIT STATUS: 0

FOLLOWS COMMAND OUTPUT: ++++++

Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
: protectbase, security, verify, versionlock

Repository EGI-trustanchors is listed more than once in the configuration

4319 packages excluded due to repository priority protections

0 packages excluded due to repository protections

Reading version lock configuration

Setting up Install Process

Package ca-policy-egi-core-1.46-1.noarch already installed and latest version

Nothing to do

#####

EXECUTING COMMAND N° 9: "yum -y install emi-wms"

COMMAND EXIT STATUS: 0

FOLLOWS COMMAND OUTPUT: ++++++

Loaded plugins: downloadonly, kernel-module, priorities, protect-packages,
: protectbase, security, verify, versionlock

Repository EGI-trustanchors is listed more than once in the configuration

4319 packages excluded due to repository priority protections

0 packages excluded due to repository protections

Install

WMSEMI2RC4SL5 < IGIRelease < TWiki

Reading version lock configuration

Setting up Install Process

Resolving Dependencies

--> Running transaction check

----> Package emi-wms.x86_64 0:1.0.2-3.s15 set to be updated

--> Processing Dependency: globus-proxy-utils for package: emi-wms

--> Processing Dependency: glite-info-provider-service for package: emi-wms

--> Processing Dependency: emi-version for package: emi-wms

--> Processing Dependency: glite-wms-jobsubmission for package: emi-wms

--> Processing Dependency: jemalloc for package: emi-wms

--> Processing Dependency: argus-gsi-pep-callout for package: emi-wms

--> Processing Dependency: globus-gridftp-server-progs for package: emi-wms

--> Processing Dependency: glue-schema for package: emi-wms

--> Processing Dependency: glite-yaim-wms for package: emi-wms

--> Processing Dependency: lcas-plugins-voms for package: emi-wms

--> Processing Dependency: glite-wms-manager for package: emi-wms

--> Processing Dependency: fetch-crl for package: emi-wms

--> Processing Dependency: glite-wms-ice for package: emi-wms

--> Processing Dependency: bdii for package: emi-wms

--> Processing Dependency: lcmaps-plugins-voms for package: emi-wms

--> Processing Dependency: mysql-server for package: emi-wms

--> Processing Dependency: condor-lcg for package: emi-wms

--> Processing Dependency: lcas-plugins-basic for package: emi-wms

--> Processing Dependency: emi-lb for package: emi-wms

--> Processing Dependency: glite-wms-wmproxy for package: emi-wms

--> Processing Dependency: lcg-expiregridmapdir for package: emi-wms

--> Processing Dependency: lcas-lcmaps-gt4-interface for package: emi-wms

--> Processing Dependency: glite-initscript-globus-gridftp for package: emi-wms

--> Running transaction check

----> Package argus-gsi-pep-callout.x86_64 0:1.2.1-2.s15 set to be updated

--> Processing Dependency: libglobus_gssapi_gsi.so.4(globus_gssapi_gsi)(64bit) for package: argus-gsi-pep-callout

--> Processing Dependency: globus-gridmap-callout-error for package: argus-gsi-pep-callout

--> Processing Dependency: globus-gssapi-gsi for package: argus-gsi-pep-callout

--> Processing Dependency: argus-pep-api-c for package: argus-gsi-pep-callout

--> Processing Dependency: libargus-pep.so.2()(64bit) for package: argus-gsi-pep-callout

--> Processing Dependency: libglobus_gssapi_gsi.so.4()(64bit) for package: argus-gsi-pep-callout

--> Processing Dependency: libglobus_gssapi_error.so.2()(64bit) for package: argus-gsi-pep-callout

--> Processing Dependency: libglobus_gridmap_callout_error.so.0()(64bit) for package: argus-gsi-pep-callout

--> Processing Dependency: libglobus_gss_assist.so.3()(64bit) for package: argus-gsi-pep-callout

----> Package bdii.noarch 0:5.2.10-1.e15 set to be updated

--> Processing Dependency: openldap-servers for package: bdii

--> Processing Dependency: expect for package: bdii

--> Processing Dependency: openldap-clients for package: bdii

----> Package condor-lcg.i386 0:1.2.0-1 set to be updated

----> Package emi-lb.x86_64 0:1.0.1-1.e15 set to be updated

--> Processing Dependency: glite-lb-server for package: emi-lb

--> Processing Dependency: glite-lb-doc for package: emi-lb

--> Processing Dependency: glite-lb-logger-msg for package: emi-lb

--> Processing Dependency: glite-lb-harvester for package: emi-lb

--> Processing Dependency: glite-lb-logger for package: emi-lb

--> Processing Dependency: glite-lb-yaim for package: emi-lb

--> Processing Dependency: glite-lb-client-progs for package: emi-lb

--> Processing Dependency: glite-lb-ws-test for package: emi-lb

--> Processing Dependency: glite-lb-utils for package: emi-lb

--> Processing Dependency: glite-lb-client-java for package: emi-lb

----> Package emi-version.x86_64 0:2.0.0-0_rc2.s15 set to be updated

----> Package fetch-crl.noarch 0:2.8.5-1.e15 set to be updated

----> Package glite-info-provider-service.noarch 0:1.8.1-2.e15 set to be updated

----> Package glite-initscript-globus-gridftp.noarch 0:1.0.4-1.s15 set to be updated

----> Package glite-wms-ice.x86_64 0:3.4.0-3.s15 set to be updated

--> Processing Dependency: libglobus_common.so.0(GLOBUS_COMMON_14)(64bit) for package: glite-wms-ice

--> Processing Dependency: glite-wms-configuration for package: glite-wms-ice

--> Processing Dependency: libglite_ce_cream_client_soap.so.0()(64bit) for package: glite-wms-ice

--> Processing Dependency: libglite_security_proxyrenewal_core.so.2()(64bit) for package: glite-wms-ice

--> Processing Dependency: libvomsapi.so.1()(64bit) for package: glite-wms-ice

--> Processing Dependency: libglite_lb_client.so.11()(64bit) for package: glite-wms-ice

--> Processing Dependency: libgridsite.so.1.7()(64bit) for package: glite-wms-ice

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
--> Processing Dependency: libglite_wms_conf.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libclassad_ns.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_security_gss.so.9() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_program_options.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wms_purger.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_regex.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_security_proxyrenewal.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libmyproxy.so.5() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gsi_cert_utils.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_lb_common.so.13() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_jobid.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wmsutils_exception.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: liblog4cpp.so.4() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gsi_credential.so.1() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wms_logger.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wms_util.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_serialization.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libgsoapssl++.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_lb_clientpp.so.11() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_ce_cream_client_util.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_wmsutils_classads.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_common.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_filesystem.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libcares.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_thread.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libboost_date_time.so.2() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglite_security_gsoap_plugin_2713_cxx.so.9() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_usage.so.0() (64bit) for package: glite-wms-ice
--> Processing Dependency: libglobus_gsi_proxy_core.so.0() (64bit) for package: glite-wms-ice
---> Package glite-wms-jobsubmission.x86_64 0:3.4.0-3.sl5 set to be updated
--> Processing Dependency: libglite_wms_jss_common.so.0() (64bit) for package: glite-wms-jobsubmission
--> Processing Dependency: libglite_wms_jss_controller_adapter.so.0() (64bit) for package: glite-wms-jobsubmission
--> Processing Dependency: libglite_wms_jss_logmonitor.so.0() (64bit) for package: glite-wms-jobsubmission
--> Processing Dependency: libglite_wms_jss_controller.so.0() (64bit) for package: glite-wms-jobsubmission
--> Processing Dependency: libglite_jdl_api_cpp.so.0() (64bit) for package: glite-wms-jobsubmission
--> Processing Dependency: libcondorapi.so.0() (64bit) for package: glite-wms-jobsubmission
---> Package glite-wms-manager.x86_64 0:3.4.0-3.sl5 set to be updated
--> Processing Dependency: libglite_wms_helper.so.0() (64bit) for package: glite-wms-manager
--> Processing Dependency: libglite_wms_classad_plugin_loader.so.0() (64bit) for package: glite-wms-manager
--> Processing Dependency: libglite_wms_classad_plugin.so.0() (64bit) for package: glite-wms-manager
--> Processing Dependency: libglite_wms_ism.so.0() (64bit) for package: glite-wms-manager
--> Processing Dependency: libglite_wms_helper_jobadapter.so.0() (64bit) for package: glite-wms-manager
---> Package glite-wms-wmproxy.x86_64 0:3.4.0-3.sl5 set to be updated
--> Processing Dependency: mod_fcgid for package: glite-wms-wmproxy
--> Processing Dependency: lcmaps-plugins-basic for package: glite-wms-wmproxy
--> Processing Dependency: gridsite-apache for package: glite-wms-wmproxy
--> Processing Dependency: httpd for package: glite-wms-wmproxy
--> Processing Dependency: mod_ssl for package: glite-wms-wmproxy
--> Processing Dependency: libfcgi++.so.0() (64bit) for package: glite-wms-wmproxy
--> Processing Dependency: libtar.so.1() (64bit) for package: glite-wms-wmproxy
--> Processing Dependency: libxslt.so.1() (64bit) for package: glite-wms-wmproxy
--> Processing Dependency: libfcgi.so.0() (64bit) for package: glite-wms-wmproxy
--> Processing Dependency: liblcmaps_without_gsi.so.0() (64bit) for package: glite-wms-wmproxy
--> Processing Dependency: liblcmaps_return_poolindex_without_gsi.so.0() (64bit) for package: glite-wms-wmproxy
---> Package glite-yaim-wms.noarch 0:4.2.0-3.sl5 set to be updated
--> Processing Dependency: glite-yaim-core for package: glite-yaim-wms
---> Package globus-gridftp-server-progs.x86_64 0:6.5-4.el5 set to be updated
--> Processing Dependency: globus-gridftp-server = 6.5-4.el5 for package: globus-gridftp-server-progs
--> Processing Dependency: globus-xio-gsi-driver >= 2 for package: globus-gridftp-server-progs
--> Processing Dependency: libglobus_xio.so.0() (64bit) for package: globus-gridftp-server-progs
--> Processing Dependency: libglobus_gridftp_server.so.6() (64bit) for package: globus-gridftp-server-progs
--> Processing Dependency: libglobus_gfork.so.0() (64bit) for package: globus-gridftp-server-progs
---> Package globus-proxy-utils.x86_64 0:5.0-2.el5 set to be updated
--> Processing Dependency: globus-openssl-module >= 3 for package: globus-proxy-utils
--> Processing Dependency: globus-gsi-sysconfig >= 5 for package: globus-proxy-utils
--> Processing Dependency: globus-gsi-openssl-error >= 2 for package: globus-proxy-utils
--> Processing Dependency: globus-gsi-callback >= 4 for package: globus-proxy-utils
```


WMSEMI2RC4SL5 < IGIRelease < TWiki

```
--> Processing Dependency: libglobus_openssl_error.so.0() (64bit) for package: globus-proxy-utils
--> Processing Dependency: libglobus_openssl.so.0() (64bit) for package: globus-proxy-utils
--> Processing Dependency: libglobus_gsi_sysconfig.so.1() (64bit) for package: globus-proxy-utils
--> Processing Dependency: libglobus_gsi_callback.so.0() (64bit) for package: globus-proxy-utils
---> Package glue-schema.noarch 0:2.0.8-1.el5 set to be updated
---> Package jemalloc.x86_64 0:2.1.1.3-2.el5 set to be updated
---> Package lcas-lcmaps-gt4-interface.x86_64 0:0.2.1-4.el5 set to be updated
--> Processing Dependency: lcas for package: lcas-lcmaps-gt4-interface
--> Processing Dependency: lcmaps for package: lcas-lcmaps-gt4-interface
---> Package lcas-plugins-basic.x86_64 0:1.3.6-1.el5 set to be updated
---> Package lcas-plugins-voms.x86_64 0:1.3.10-1.el5 set to be updated
---> Package lcg-expiregridmapdir.noarch 0:3.0.1-1 set to be updated
---> Package lcmaps-plugins-voms.x86_64 0:1.5.3-1.el5 set to be updated
--> Processing Dependency: globus-gsi-proxy-ssl for package: lcmaps-plugins-voms
---> Package mysql-server.x86_64 0:5.0.95-1.el5_7.1 set to be updated
--> Processing Dependency: perl-DBD-MySQL for package: mysql-server
--> Running transaction check
---> Package argus-pep-api-c.x86_64 0:2.1.0-3.s15 set to be updated
---> Package boost.x86_64 0:1.33.1-15.el5 set to be updated
--> Processing Dependency: libicuuc.so.36() (64bit) for package: boost
--> Processing Dependency: libicui18n.so.36() (64bit) for package: boost
---> Package c-ares.x86_64 0:1.6.0-5.el5 set to be updated
---> Package classads.x86_64 0:1.0.8-1.el5 set to be updated
---> Package condor.x86_64 0:7.4.2-1 set to be updated
--> Processing Dependency: /bin/csh for package: condor
---> Package expect.x86_64 0:5.43.0-5.1 set to be updated
---> Package fcgi.x86_64 0:2.4.0-12.el5 set to be updated
---> Package glite-ce-cream-client-api-c.x86_64 0:1.14.0-3.s15 set to be updated
---> Package glite-jdl-api-cpp.x86_64 0:3.3.0-3.s15 set to be updated
---> Package glite-jobid-api-c.x86_64 0:2.1.2-1.el5 set to be updated
---> Package glite-lb-client.x86_64 0:5.1.3-1.el5 set to be updated
--> Processing Dependency: libglite_lbu_trio.so.2() (64bit) for package: glite-lb-client
---> Package glite-lb-client-java.x86_64 0:1.2.1-2.el5 set to be updated
--> Processing Dependency: jakarta-commons-lang for package: glite-lb-client-java
--> Processing Dependency: emi-trustmanager for package: glite-lb-client-java
--> Processing Dependency: emi-trustmanager-axis for package: glite-lb-client-java
--> Processing Dependency: glite-jobid-api-java for package: glite-lb-client-java
---> Package glite-lb-client-progs.x86_64 0:5.1.3-1.el5 set to be updated
---> Package glite-lb-common.x86_64 0:8.1.3-1.el5 set to be updated
---> Package glite-lb-doc.noarch 0:1.3.3-1.el5 set to be updated
---> Package glite-lb-harvester.x86_64 0:1.2.3-1.el5 set to be updated
--> Processing Dependency: libglite_lbu_log.so.1() (64bit) for package: glite-lb-harvester
--> Processing Dependency: libglite_lbu_db.so.3() (64bit) for package: glite-lb-harvester
---> Package glite-lb-logger.x86_64 0:2.3.4-1.el5 set to be updated
---> Package glite-lb-logger-msg.x86_64 0:1.1.3-1.el5 set to be updated
--> Processing Dependency: perl(Net::LDAP) for package: glite-lb-logger-msg
--> Processing Dependency: libactivemq-cpp.so.12() (64bit) for package: glite-lb-logger-msg
---> Package glite-lb-server.x86_64 0:2.3.3-1.el5 set to be updated
--> Processing Dependency: glite-lbjp-common-server-bones >= 2.2.0 for package: glite-lb-server
--> Processing Dependency: libglite_lb_statemachine.so.1() (64bit) for package: glite-lb-server
--> Processing Dependency: libglite_lbu_server_bones.so.2() (64bit) for package: glite-lb-server
--> Processing Dependency: libglite_lbu_maildir.so.2() (64bit) for package: glite-lb-server
---> Package glite-lb-utils.x86_64 0:2.2.1-3.el5 set to be updated
--> Processing Dependency: libglite_jp_common.so.2() (64bit) for package: glite-lb-utils
---> Package glite-lb-ws-test.x86_64 0:1.3.0-4.el5 set to be updated
--> Processing Dependency: glite-lb-ws-interface for package: glite-lb-ws-test
---> Package glite-lb-yaim.noarch 0:4.4.3-1.el5 set to be updated
--> Processing Dependency: glite-yaim-bdii for package: glite-lb-yaim
---> Package glite-lbjp-common-gsoap-plugin.x86_64 0:3.1.2-1.el5 set to be updated
---> Package glite-lbjp-common-gss.x86_64 0:3.1.3-1.el5 set to be updated
---> Package glite-px-proxyrenewal-libs.x86_64 0:1.3.25-1.el5 set to be updated
---> Package glite-wms-classad_plugin.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-common.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-configuration.noarch 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-helper.x86_64 0:3.4.0-3.s15 set to be updated
--> Processing Dependency: libglite_wms_broker.so.0() (64bit) for package: glite-wms-helper
--> Processing Dependency: libglite_wms_dli.so.0() (64bit) for package: glite-wms-helper
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
--> Processing Dependency: libglite_wms_matchmaking.so.0()(64bit) for package: glite-wms-helper
--> Processing Dependency: libglite_wms_brokerinfo.so.0()(64bit) for package: glite-wms-helper
---> Package glite-wms-ism.x86_64 0:3.4.0-3.sl5 set to be updated
---> Package glite-wms-jobsubmission-lib.x86_64 0:3.4.0-3.sl5 set to be updated
---> Package glite-wms-purger.x86_64 0:3.4.0-3.sl5 set to be updated
---> Package glite-wms-utils-classad.x86_64 0:3.3.0-2.sl5 set to be updated
---> Package glite-wms-utils-exception.x86_64 0:3.3.0-2.sl5 set to be updated
---> Package glite-yaim-core.noarch 0:5.0.3-4.sl5 set to be updated
---> Package globus-common.x86_64 0:14.5-4.el5 set to be updated
--> Processing Dependency: libltdl.so.3()(64bit) for package: globus-common
---> Package globus-gfork.x86_64 0:3.1-2.el5 set to be updated
---> Package globus-gridftp-server.x86_64 0:6.5-4.el5 set to be updated
--> Processing Dependency: globus-gridftp-server-control >= 2 for package: globus-gridftp-server
--> Processing Dependency: globus-ftp-control >= 4 for package: globus-gridftp-server
--> Processing Dependency: globus-authz >= 2 for package: globus-gridftp-server
--> Processing Dependency: libglobus_io.so.3()(64bit) for package: globus-gridftp-server
--> Processing Dependency: libglobus_gridftp_server_control.so.0()(64bit) for package: globus-gridftp-server
--> Processing Dependency: libglobus_ftp_control.so.1()(64bit) for package: globus-gridftp-server
--> Processing Dependency: libglobus_authz.so.0()(64bit) for package: globus-gridftp-server
---> Package globus-gridmap-callout-error.x86_64 0:1.2-2.el5 set to be updated
---> Package globus-gsi-callback.x86_64 0:4.1-2.el5 set to be updated
---> Package globus-gsi-cert-utils.x86_64 0:8.1-2.el5 set to be updated
---> Package globus-gsi-credential.x86_64 0:5.1-2.el5 set to be updated
---> Package globus-gsi-openssl-error.x86_64 0:2.1-2.el5 set to be updated
---> Package globus-gsi-proxy-core.x86_64 0:6.1-2.el5 set to be updated
---> Package globus-gsi-proxy-ssl.x86_64 0:4.1-2.el5 set to be updated
---> Package globus-gsi-sysconfig.x86_64 0:5.1-2.el5 set to be updated
---> Package globus-gss-assist.x86_64 0:8.1-2.el5 set to be updated
--> Processing Dependency: globus-callout >= 2 for package: globus-gss-assist
--> Processing Dependency: libglobus_callout.so.0()(64bit) for package: globus-gss-assist
---> Package globus-gssapi-error.x86_64 0:4.1-2.el5 set to be updated
---> Package globus-gssapi-gsi.x86_64 0:10.2-2.el5 set to be updated
---> Package globus-openssl-module.x86_64 0:3.1-2.el5 set to be updated
---> Package globus-usage.x86_64 0:3.1-2.el5 set to be updated
---> Package globus-xio.x86_64 0:3.2-2.el5 set to be updated
---> Package globus-xio-gsi-driver.x86_64 0:2.1-2.el5 set to be updated
---> Package gridsite-apache.x86_64 0:1.7.20-1.el5 set to be updated
---> Package gridsite-shared.x86_64 0:1.7.20-1.el5 set to be updated
---> Package gsoap.x86_64 0:2.7.13-4.el5 set to be updated
---> Package httpd.x86_64 0:2.2.3-63.sl5.1 set to be updated
--> Processing Dependency: libaprutil-1.so.0()(64bit) for package: httpd
--> Processing Dependency: libapr-1.so.0()(64bit) for package: httpd
---> Package lcas.x86_64 0:1.3.18-2.el5 set to be updated
---> Package lcms.x86_64 0:1.5.4-1.el5 set to be updated
---> Package lcms-plugins-basic.x86_64 0:1.5.0-3.el5 set to be updated
---> Package lcms-without-gsi.x86_64 0:1.5.4-1.el5 set to be updated
---> Package libtar.x86_64 0:1.2.11-13.el5 set to be updated
---> Package libxslt.x86_64 0:1.1.17-2.el5_2.2 set to be updated
---> Package log4cpp.x86_64 0:1.0-9.el5 set to be updated
---> Package mod_fcgid.x86_64 0:2.2-11.el5 set to be updated
---> Package mod_ssl.x86_64 1:2.2.3-63.sl5.1 set to be updated
--> Processing Dependency: libdistcache.so.1()(64bit) for package: mod_ssl
--> Processing Dependency: libnal.so.1()(64bit) for package: mod_ssl
---> Package myproxy-libs.x86_64 0:5.5-1.el5 set to be updated
---> Package openldap-clients.x86_64 0:2.3.43-12.el5_6.7 set to be updated
---> Package openldap-servers.x86_64 0:2.3.43-12.el5_6.7 set to be updated
---> Package perl-DBD-MySQL.x86_64 0:3.0007-2.el5 set to be updated
---> Package voms.x86_64 0:2.0.7-1.el5 set to be updated
--> Running transaction check
---> Package activemq-cpp-library.x86_64 0:3.2.5-1.sl5 set to be updated
---> Package apr.x86_64 0:1.2.7-11.el5_6.5 set to be updated
---> Package apr-util.x86_64 0:1.2.7-11.el5_5.2 set to be updated
---> Package distcache.x86_64 0:1.4.5-14.1 set to be updated
---> Package emi-trustmanager.noarch 0:3.1.3-1.sl5 set to be updated
--> Processing Dependency: java for package: emi-trustmanager
---> Package emi-trustmanager-axis.noarch 0:2.0.2-1.sl5 set to be updated
--> Processing Dependency: axis for package: emi-trustmanager-axis
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
---> Package glite-jobid-api-java.noarch 0:1.2.0-4.el5 set to be updated
--> Processing Dependency: jakarta-commons-codec for package: glite-jobid-api-java
---> Package glite-lb-state-machine.x86_64 0:1.3.2-1.el5 set to be updated
---> Package glite-lb-ws-interface.noarch 0:3.3.1-3.el5 set to be updated
---> Package glite-lbjp-common-db.x86_64 0:3.1.2-1.el5 set to be updated
---> Package glite-lbjp-common-jp-interface.x86_64 0:2.2.1-1.el5 set to be updated
---> Package glite-lbjp-common-log.x86_64 0:1.2.0-4.el5 set to be updated
--> Processing Dependency: liblog4c.so.3() (64bit) for package: glite-lbjp-common-log
---> Package glite-lbjp-common-maildir.x86_64 0:2.2.1-3.el5 set to be updated
---> Package glite-lbjp-common-server-bones.x86_64 0:2.2.2-1.el5 set to be updated
---> Package glite-lbjp-common-trio.x86_64 0:2.2.2-2.el5 set to be updated
---> Package glite-wms-broker.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-brokerinfo.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-wms-matchmaking.x86_64 0:3.4.0-3.s15 set to be updated
---> Package glite-yaim-bdii.noarch 0:4.3.9-1.el5 set to be updated
---> Package globus-authz.x86_64 0:2.1-2.el5 set to be updated
--> Processing Dependency: globus-authz-callout-error >= 2 for package: globus-authz
--> Processing Dependency: libglobus_gsi_authz_callout_error.so.0() (64bit) for package: globus-authz
---> Package globus-callout.x86_64 0:2.1-2.el5 set to be updated
---> Package globus-ftp-control.x86_64 0:4.2-2.el5 set to be updated
---> Package globus-gridftp-server-control.x86_64 0:2.3-2.el5 set to be updated
--> Processing Dependency: globus-xio-pipe-driver >= 2 for package: globus-gridftp-server-control
---> Package globus-io.x86_64 0:9.2-2.el5 set to be updated
---> Package jakarta-commons-lang.x86_64 0:2.1-5jpp.1 set to be updated
--> Processing Dependency: java-gcj-compat for package: jakarta-commons-lang
--> Processing Dependency: libgcj_bc.so.1() (64bit) for package: jakarta-commons-lang
---> Package libicu.x86_64 0:3.6-5.16.1 set to be updated
---> Package libtool-ltdl.x86_64 0:1.5.22-7.el5_4 set to be updated
---> Package perl-LDAP.noarch 1:0.33-3.fc6 set to be updated
--> Processing Dependency: perl(HTTP::Status) for package: perl-LDAP
--> Processing Dependency: perl(HTTP::Negotiate) for package: perl-LDAP
--> Processing Dependency: perl(Convert::ASN1) for package: perl-LDAP
--> Processing Dependency: perl(LWP::MediaTypes) for package: perl-LDAP
--> Processing Dependency: perl(HTTP::Response) for package: perl-LDAP
--> Processing Dependency: perl(LWP::Protocol) for package: perl-LDAP
--> Processing Dependency: perl(XML::SAX::Base) for package: perl-LDAP
--> Processing Dependency: perl(IO::Socket::SSL) for package: perl-LDAP
---> Package tcsh.x86_64 0:6.14-17.el5_5.2 set to be updated
--> Running transaction check
---> Package axis.x86_64 0:1.2.1-2jpp.6 set to be updated
--> Processing Dependency: jpackage-utils >= 1.5 for package: axis
--> Processing Dependency: jakarta-commons-discovery for package: axis
--> Processing Dependency: log4j for package: axis
--> Processing Dependency: javamail for package: axis
--> Processing Dependency: jakarta-commons-logging for package: axis
--> Processing Dependency: jaf for package: axis
--> Processing Dependency: jakarta-commons-httpclient for package: axis
--> Processing Dependency: wsdl4j for package: axis
---> Package globus-authz-callout-error.x86_64 0:2.1-2.el5 set to be updated
---> Package globus-xio-pipe-driver.x86_64 0:2.1-2.el5 set to be updated
---> Package jakarta-commons-codec.x86_64 0:1.3-7jpp.2 set to be updated
---> Package java-1.4.2-gcj-compat.x86_64 0:1.4.2.0-40jpp.115 set to be updated
--> Processing Dependency: zip for package: java-1.4.2-gcj-compat
--> Processing Dependency: gjdoc for package: java-1.4.2-gcj-compat
---> Package java-1.6.0-openjdk.x86_64 1:1.6.0.0-1.25.1.10.6.el5_8 set to be updated
--> Processing Dependency: libjpeg = 6b for package: java-1.6.0-openjdk
--> Processing Dependency: libasound.so.2(ALSA_0.9) (64bit) for package: java-1.6.0-openjdk
--> Processing Dependency: libasound.so.2(ALSA_0.9.0rc4) (64bit) for package: java-1.6.0-openjdk
--> Processing Dependency: libpng12.so.0(PNG12_0) (64bit) for package: java-1.6.0-openjdk
--> Processing Dependency: tzdata-java for package: java-1.6.0-openjdk
--> Processing Dependency: libfreetype.so.6() (64bit) for package: java-1.6.0-openjdk
--> Processing Dependency: libXtst.so.6() (64bit) for package: java-1.6.0-openjdk
--> Processing Dependency: libXrender.so.1() (64bit) for package: java-1.6.0-openjdk
--> Processing Dependency: libasound.so.2() (64bit) for package: java-1.6.0-openjdk
--> Processing Dependency: libjpeg.so.62() (64bit) for package: java-1.6.0-openjdk
--> Processing Dependency: libpng12.so.0() (64bit) for package: java-1.6.0-openjdk
--> Processing Dependency: libXi.so.6() (64bit) for package: java-1.6.0-openjdk
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
--> Processing Dependency: libgif.so.4() (64bit) for package: java-1.6.0-openjdk
---> Package libgcj.x86_64 0:4.1.2-51.el5 set to be updated
--> Processing Dependency: libart_lgpl >= 2.1.0 for package: libgcj
--> Processing Dependency: gtk2 >= 2.4.0 for package: libgcj
--> Processing Dependency: libgtk-x11-2.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libXrandr.so.2() (64bit) for package: libgcj
--> Processing Dependency: libpangoft2-1.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libcairo.so.2() (64bit) for package: libgcj
--> Processing Dependency: libpangocairo-1.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libatk-1.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libgdk-x11-2.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libpango-1.0.so.0() (64bit) for package: libgcj
--> Processing Dependency: libgdk_pixbuf-2.0.so.0() (64bit) for package: libgcj
---> Package log4c.x86_64 0:1.2.1-7.el5 set to be updated
---> Package perl-Convert-ASN1.noarch 0:0.20-1.1 set to be updated
---> Package perl-IO-Socket-SSL.noarch 0:1.01-1.fc6 set to be updated
--> Processing Dependency: perl(Net::SSL) >= 1.21 for package: perl-IO-Socket-SSL
---> Package perl-XML-SAX.noarch 0:0.14-8 set to be updated
--> Processing Dependency: perl(XML::NamespaceSupport) for package: perl-XML-SAX
---> Package perl-libwww-perl.noarch 0:5.805-1.1.1 set to be updated
--> Processing Dependency: perl-HTML-Parser >= 3.33 for package: perl-libwww-perl
--> Processing Dependency: perl(URI::URL) for package: perl-libwww-perl
--> Processing Dependency: perl(URI) for package: perl-libwww-perl
--> Processing Dependency: perl(HTML::Entities) for package: perl-libwww-perl
--> Processing Dependency: perl(Compress::Zlib) for package: perl-libwww-perl
--> Processing Dependency: perl(URI::Escape) for package: perl-libwww-perl
--> Processing Dependency: perl(URI::Heuristic) for package: perl-libwww-perl
--> Running transaction check
---> Package alsa-lib.x86_64 0:1.0.17-1.el5 set to be updated
---> Package atk.x86_64 0:1.12.2-1.fc6 set to be updated
---> Package cairo.x86_64 0:1.2.4-5.el5 set to be updated
--> Processing Dependency: libfontconfig.so.1() (64bit) for package: cairo
---> Package classpathx-jaf.x86_64 0:1.0-9jpp.1 set to be updated
---> Package classpathx-mail.x86_64 0:1.1.1-4jpp.2 set to be updated
---> Package freetype.x86_64 0:2.2.1-28.el5_7.2 set to be updated
---> Package giflib.x86_64 0:4.1.3-7.3.3.el5 set to be updated
---> Package gjdoc.x86_64 0:0.7.7-12.el5 set to be updated
--> Processing Dependency: antlr for package: gjdoc
---> Package gtk2.x86_64 0:2.10.4-21.el5_5.6 set to be updated
--> Processing Dependency: libtiff >= 3.6.1 for package: gtk2
--> Processing Dependency: hicolor-icon-theme for package: gtk2
--> Processing Dependency: libtiff.so.3() (64bit) for package: gtk2
--> Processing Dependency: libXcursor.so.1() (64bit) for package: gtk2
--> Processing Dependency: libXinerama.so.1() (64bit) for package: gtk2
--> Processing Dependency: libXfixes.so.3() (64bit) for package: gtk2
--> Processing Dependency: libcups.so.2() (64bit) for package: gtk2
---> Package jakarta-commons-discovery.x86_64 1:0.3-4jpp.1 set to be updated
---> Package jakarta-commons-httpclient.x86_64 1:3.0-7jpp.1 set to be updated
---> Package jakarta-commons-logging.x86_64 0:1.0.4-6jpp.1 set to be updated
---> Package jpackage-utils.noarch 0:1.7.3-1jpp.2.el5 set to be updated
---> Package libXi.x86_64 0:1.0.1-4.el5_4 set to be updated
---> Package libXrandr.x86_64 0:1.1.1-3.3 set to be updated
---> Package libXrender.x86_64 0:0.9.1-3.1 set to be updated
---> Package libXtst.x86_64 0:1.0.1-3.1 set to be updated
---> Package libart_lgpl.x86_64 0:2.3.17-4 set to be updated
---> Package libjpeg.x86_64 0:6b-37 set to be updated
---> Package libpng.x86_64 2:1.2.10-16.el5_8 set to be updated
---> Package log4j.x86_64 0:1.2.13-3jpp.2 set to be updated
--> Processing Dependency: xml-commons-apis for package: log4j
---> Package pango.x86_64 0:1.14.9-8.el5_7.3 set to be updated
--> Processing Dependency: bitstream-vera-fonts for package: pango
--> Processing Dependency: libXft for package: pango
--> Processing Dependency: libXft.so.2() (64bit) for package: pango
---> Package perl-Compress-Zlib.x86_64 0:1.42-1.fc6 set to be updated
---> Package perl-HTML-Parser.x86_64 0:3.55-1.fc6 set to be updated
--> Processing Dependency: perl-HTML-Tagset >= 3.03 for package: perl-HTML-Parser
--> Processing Dependency: perl(HTML::Tagset) for package: perl-HTML-Parser
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```

---> Package perl-Net-SSLeay.x86_64 0:1.30-4.fc6 set to be updated
---> Package perl-URI.noarch 0:1.35-3 set to be updated
---> Package perl-XML-Namespacesupport.noarch 0:1.09-1.2.1 set to be updated
---> Package tzdata-java.x86_64 0:2012b-3.el5 set to be updated
---> Package wsdl4j.x86_64 0:1.5.2-4jpp.1 set to be updated
---> Package zip.x86_64 0:2.31-2.el5 set to be updated
--> Running transaction check
---> Package antlr.x86_64 0:2.7.6-4jpp.2 set to be updated
---> Package bitstream-vera-fonts.noarch 0:1.10-7 set to be updated
---> Package cups-libs.x86_64 1:1.3.7-30.el5 set to be updated
--> Processing Dependency: libgnutls.so.13(GNUTLS_1_3) (64bit) for package: cups-libs
--> Processing Dependency: libgnutls.so.13() (64bit) for package: cups-libs
---> Package fontconfig.x86_64 0:2.4.1-7.el5 set to be updated
---> Package hicolor-icon-theme.noarch 0:0.9-2.1 set to be updated
---> Package jdk.x86_64 2000:1.6.0_31-fcs set to be updated
---> Package libXcursor.x86_64 0:1.1.7-1.1 set to be updated
---> Package libXfixes.x86_64 0:4.0.1-2.1 set to be updated
---> Package libXft.x86_64 0:2.1.10-1.1 set to be updated
---> Package libXinerama.x86_64 0:1.0.1-2.1 set to be updated
---> Package libtiff.x86_64 0:3.8.2-7.el5_6.7 set to be updated
---> Package perl-HTML-Tagset.noarch 0:3.10-2.1.1 set to be updated
--> Running transaction check
---> Package gnutls.x86_64 0:1.4.1-7.el5_8.2 set to be updated
--> Finished Dependency Resolution
Beginning Kernel Module Plugin
Finished Kernel Module Plugin

```

Dependencies Resolved

Package	Arch	Version	Repository	Size
Installing:				
emi-wms	x86_64	1.0.2-3.s15	EMI-2-RC4-base	1.9 k
Installing for dependencies:				
activemq-cpp-library	x86_64	3.2.5-1.s15	EMI-2-RC4-third-party	24 M
alsa-lib	x86_64	1.0.17-1.el5	sl-base	414 k
antlr	x86_64	2.7.6-4jpp.2	sl-base	1.1 M
apr	x86_64	1.2.7-11.el5_6.5	sl-base	119 k
apr-util	x86_64	1.2.7-11.el5_5.2	sl-base	79 k
argus-gsi-pep-callout	x86_64	1.2.1-2.s15	EMI-2-RC4-base	38 k
argus-pep-api-c	x86_64	2.1.0-3.s15	EMI-2-RC4-base	53 k
atk	x86_64	1.12.2-1.fc6	sl-base	224 k
axis	x86_64	1.2.1-2jpp.6	sl-base	3.6 M
bdii	noarch	5.2.10-1.el5	EMI-2-RC4-base	22 k
bitstream-vera-fonts	noarch	1.10-7	sl-base	344 k
boost	x86_64	1.33.1-15.el5	sl-security	863 k
c-ares	x86_64	1.6.0-5.el5	sl-base	49 k
cairo	x86_64	1.2.4-5.el5	sl-base	386 k
classads	x86_64	1.0.8-1.el5	epel	453 k
classpathx-jaf	x86_64	1.0-9jpp.1	sl-base	111 k
classpathx-mail	x86_64	1.1.1-4jpp.2	sl-base	1.2 M
condor	x86_64	7.4.2-1	EMI-2-RC4-third-party	167 M
condor-lcg	i386	1.2.0-1	EMI-2-RC4-third-party	445 k
cups-libs	x86_64	1:1.3.7-30.el5	sl-security	196 k
distcache	x86_64	1.4.5-14.1	sl-base	121 k
emi-lb	x86_64	1.0.1-1.el5	EMI-2-RC4-base	1.9 k
emi-trustmanager	noarch	3.1.3-1.s15	EMI-2-RC4-base	272 k
emi-trustmanager-axis	noarch	2.0.2-1.s15	EMI-2-RC4-base	28 k
emi-version	x86_64	2.0.0-0_rc2.s15	EMI-2-RC4-base	1.9 k
expect	x86_64	5.43.0-5.1	sl-base	160 k
fcgi	x86_64	2.4.0-12.el5	epel	45 k
fetch-crl	noarch	2.8.5-1.el5	epel	24 k
fontconfig	x86_64	2.4.1-7.el5	sl-base	175 k

WMSEMI2RC4SL5 < IGIRelease < TWiki

freetype	x86_64	2.2.1-28.e15_7.2	sl-security	311 k
giflib	x86_64	4.1.3-7.3.3.e15	sl-base	39 k
gjdoc	x86_64	0.7.7-12.e15	sl-base	885 k
glite-ce-cream-client-api-c	x86_64	1.14.0-3.s15	EMI-2-RC4-base	4.9 M
glite-info-provider-service	noarch	1.8.1-2.e15	EMI-2-RC4-base	59 k
glite-initscript-globus-gridftp	noarch	1.0.4-1.s15	EMI-2-RC4-base	3.3 k
glite-jdl-api-cpp	x86_64	3.3.0-3.s15	EMI-2-RC4-base	2.4 M
glite-jobid-api-c	x86_64	2.1.2-1.e15	EMI-2-RC4-base	8.9 k
glite-jobid-api-java	noarch	1.2.0-4.e15	EMI-2-RC4-base	5.6 k
glite-lb-client	x86_64	5.1.3-1.e15	EMI-2-RC4-base	229 k
glite-lb-client-java	x86_64	1.2.1-2.e15	EMI-2-RC4-base	592 k
glite-lb-client-progs	x86_64	5.1.3-1.e15	EMI-2-RC4-base	101 k
glite-lb-common	x86_64	8.1.3-1.e15	EMI-2-RC4-base	115 k
glite-lb-doc	noarch	1.3.3-1.e15	EMI-2-RC4-base	1.3 M
glite-lb-harvester	x86_64	1.2.3-1.e15	EMI-2-RC4-base	69 k
glite-lb-logger	x86_64	2.3.4-1.e15	EMI-2-RC4-base	78 k
glite-lb-logger-msg	x86_64	1.1.3-1.e15	EMI-2-RC4-base	26 k
glite-lb-server	x86_64	2.3.3-1.e15	EMI-2-RC4-base	675 k
glite-lb-state-machine	x86_64	1.3.2-1.e15	EMI-2-RC4-base	48 k
glite-lb-utils	x86_64	2.2.1-3.e15	EMI-2-RC4-base	39 k
glite-lb-ws-interface	noarch	3.3.1-3.e15	EMI-2-RC4-base	20 k
glite-lb-ws-test	x86_64	1.3.0-4.e15	EMI-2-RC4-base	883 k
glite-lb-yaim	noarch	4.4.3-1.e15	EMI-2-RC4-base	10 k
glite-lbjp-common-db	x86_64	3.1.2-1.e15	EMI-2-RC4-base	22 k
glite-lbjp-common-gsoap-plugin	x86_64	3.1.2-1.e15	EMI-2-RC4-base	14 k
glite-lbjp-common-gss	x86_64	3.1.3-1.e15	EMI-2-RC4-base	18 k
glite-lbjp-common-jp-interface	x86_64	2.2.1-1.e15	EMI-2-RC4-base	8.9 k
glite-lbjp-common-log	x86_64	1.2.0-4.e15	EMI-2-RC4-base	8.7 k
glite-lbjp-common-maildir	x86_64	2.2.1-3.e15	EMI-2-RC4-base	6.9 k
glite-lbjp-common-server-bones	x86_64	2.2.2-1.e15	EMI-2-RC4-base	11 k
glite-lbjp-common-trio	x86_64	2.2.2-2.e15	EMI-2-RC4-base	27 k
glite-px-proxyrenewal-libs	x86_64	1.3.25-1.e15	EMI-2-RC4-base	19 k
glite-wms-broker	x86_64	3.4.0-3.s15	EMI-2-RC4-base	338 k
glite-wms-brokerinfo	x86_64	3.4.0-3.s15	EMI-2-RC4-base	415 k
glite-wms-classad_plugin	x86_64	3.4.0-3.s15	EMI-2-RC4-base	354 k
glite-wms-common	x86_64	3.4.0-3.s15	EMI-2-RC4-base	1.3 M
glite-wms-configuration	noarch	3.4.0-3.s15	EMI-2-RC4-base	8.2 k
glite-wms-helper	x86_64	3.4.0-3.s15	EMI-2-RC4-base	832 k
glite-wms-ice	x86_64	3.4.0-3.s15	EMI-2-RC4-base	9.0 M
glite-wms-ism	x86_64	3.4.0-3.s15	EMI-2-RC4-base	1.7 M
glite-wms-jobsubmission	x86_64	3.4.0-3.s15	EMI-2-RC4-base	138 k
glite-wms-jobsubmission-lib	x86_64	3.4.0-3.s15	EMI-2-RC4-base	377 k
glite-wms-manager	x86_64	3.4.0-3.s15	EMI-2-RC4-base	482 k
glite-wms-matchmaking	x86_64	3.4.0-3.s15	EMI-2-RC4-base	154 k
glite-wms-purger	x86_64	3.4.0-3.s15	EMI-2-RC4-base	252 k
glite-wms-utils-classad	x86_64	3.3.0-2.s15	EMI-2-RC4-base	45 k
glite-wms-utils-exception	x86_64	3.3.0-2.s15	EMI-2-RC4-base	42 k
glite-wms-wmproxy	x86_64	3.4.0-3.s15	EMI-2-RC4-base	1.6 M
glite-yaim-bdii	noarch	4.3.9-1.e15	EMI-2-RC4-base	9.9 k
glite-yaim-core	noarch	5.0.3-4.s15	EMI-2-RC4-base	118 k
glite-yaim-wms	noarch	4.2.0-3.s15	EMI-2-RC4-base	20 k
globus-authz	x86_64	2.1-2.e15	epel	14 k
globus-authz-callout-error	x86_64	2.1-2.e15	epel	11 k
globus-callout	x86_64	2.1-2.e15	epel	17 k
globus-common	x86_64	14.5-4.e15	epel	131 k
globus-ftp-control	x86_64	4.2-2.e15	epel	73 k
globus-gfork	x86_64	3.1-2.e15	epel	20 k
globus-gridftp-server	x86_64	6.5-4.e15	extras	165 k
globus-gridftp-server-control	x86_64	2.3-2.e15	epel	77 k
globus-gridftp-server-progs	x86_64	6.5-4.e15	extras	44 k
globus-gridmap-callout-error	x86_64	1.2-2.e15	epel	10 k
globus-gsi-callback	x86_64	4.1-2.e15	epel	42 k
globus-gsi-cert-utils	x86_64	8.1-2.e15	epel	20 k
globus-gsi-credential	x86_64	5.1-2.e15	epel	35 k
globus-gsi-openssl-error	x86_64	2.1-2.e15	epel	16 k
globus-gsi-proxy-core	x86_64	6.1-2.e15	epel	37 k
globus-gsi-proxy-ssl	x86_64	4.1-2.e15	epel	18 k

WMSEMI2RC4SL5 < IGIRelease < TWiki

globus-gsi-sysconfig	x86_64	5.1-2.e15	epel	30 k
globus-gss-assist	x86_64	8.1-2.e15	epel	35 k
globus-gssapi-error	x86_64	4.1-2.e15	epel	14 k
globus-gssapi-gsi	x86_64	10.2-2.e15	epel	57 k
globus-io	x86_64	9.2-2.e15	epel	44 k
globus-openssl-module	x86_64	3.1-2.e15	epel	13 k
globus-proxy-utils	x86_64	5.0-2.e15	epel	45 k
globus-usage	x86_64	3.1-2.e15	epel	17 k
globus-xio	x86_64	3.2-2.e15	epel	178 k
globus-xio-gsi-driver	x86_64	2.1-2.e15	epel	37 k
globus-xio-pipe-driver	x86_64	2.1-2.e15	epel	17 k
glue-schema	noarch	2.0.8-1.e15	EMI-2-RC4-base	34 k
gnutls	x86_64	1.4.1-7.e15_8.2	sl-security	365 k
gridsite-apache	x86_64	1.7.20-1.e15	EMI-2-RC4-base	69 k
gridsite-shared	x86_64	1.7.20-1.e15	EMI-2-RC4-base	131 k
gsoap	x86_64	2.7.13-4.e15	epel	444 k
gtk2	x86_64	2.10.4-21.e15_5.6	sl-base	6.6 M
hicolor-icon-theme	noarch	0.9-2.1	sl-base	25 k
httpd	x86_64	2.2.3-63.sl5.1	sl-security	1.3 M
jakarta-commons-codec	x86_64	1.3-7jpp.2	sl-base	109 k
jakarta-commons-discovery	x86_64	1:0.3-4jpp.1	sl-base	150 k
jakarta-commons-httpclient	x86_64	1:3.0-7jpp.1	sl-base	595 k
jakarta-commons-lang	x86_64	2.1-5jpp.1	sl-base	508 k
jakarta-commons-logging	x86_64	1.0.4-6jpp.1	sl-base	115 k
java-1.4.2-gcj-compat	x86_64	1.4.2.0-40jpp.115	sl-base	29 k
java-1.6.0-openjdk	x86_64	1:1.6.0.0-1.25.1.10.6.e15_8	sl-security	36 M
jdk	x86_64	2000:1.6.0_31-fcs	sl-security	68 M
jemalloc	x86_64	2.1.3-2.e15	epel	63 k
jpackage-utils	noarch	1.7.3-1jpp.2.e15	sl-base	61 k
lcas	x86_64	1.3.18-2.e15	EMI-2-RC4-base	25 k
lcas-lcmapi-gt4-interface	x86_64	0.2.1-4.e15	EMI-2-RC4-third-party	21 k
lcas-plugins-basic	x86_64	1.3.6-1.e15	EMI-2-RC4-base	22 k
lcas-plugins-voms	x86_64	1.3.10-1.e15	EMI-2-RC4-base	29 k
lcg-expiregridmapdir	noarch	3.0.1-1	EMI-2-RC4-base	6.5 k
lcmapi	x86_64	1.5.4-1.e15	EMI-2-RC4-base	85 k
lcmapi-plugins-basic	x86_64	1.5.0-3.e15	EMI-2-RC4-base	38 k
lcmapi-plugins-voms	x86_64	1.5.3-1.e15	EMI-2-RC4-base	48 k
lcmapi-without-gsi	x86_64	1.5.4-1.e15	EMI-2-RC4-base	67 k
libXcursor	x86_64	1.1.7-1.1	sl-base	32 k
libXfixes	x86_64	4.0.1-2.1	sl-base	15 k
libXft	x86_64	2.1.10-1.1	sl-base	44 k
libXi	x86_64	1.0.1-4.e15_4	sl-base	26 k
libXinerama	x86_64	1.0.1-2.1	sl-base	9.8 k
libXrandr	x86_64	1.1.1-3.3	sl-base	15 k
libXrender	x86_64	0.9.1-3.1	sl-base	28 k
libXtst	x86_64	1.0.1-3.1	sl-base	16 k
libart_lgpl	x86_64	2.3.17-4	sl-base	75 k
libgcj	x86_64	4.1.2-51.e15	sl-base	18 M
libicu	x86_64	3.6-5.16.1	sl-security	5.2 M
libjpeg	x86_64	6b-37	sl-base	139 k
libpng	x86_64	2:1.2.10-16.e15_8	sl-security	235 k
libtar	x86_64	1.2.11-13.e15	epel	30 k
libtiff	x86_64	3.8.2-7.e15_6.7	sl-base	313 k
libtool-ltdl	x86_64	1.5.22-7.e15_4	sl-base	38 k
libxslt	x86_64	1.1.17-2.e15_2.2	sl-base	488 k
log4c	x86_64	1.2.1-7.e15	epel	35 k
log4cpp	x86_64	1.0-9.e15	sl-base	197 k
log4j	x86_64	1.2.13-3jpp.2	sl-base	729 k
mod_fcgid	x86_64	2.2-11.e15	epel	58 k
mod_ssl	x86_64	1:2.2.3-63.sl5.1	sl-security	96 k
myproxy-libs	x86_64	5.5-1.e15	epel	121 k
mysql-server	x86_64	5.0.95-1.e15_7.1	sl-security	9.9 M
openldap-clients	x86_64	2.3.43-12.e15_6.7	sl-base	223 k
openldap-servers	x86_64	2.3.43-12.e15_6.7	sl-base	2.2 M
pango	x86_64	1.14.9-8.e15_7.3	sl-security	338 k

WMSEMI2RC4SL5 < IGIRelease < TWiki

perl-Compress-Zlib	x86_64	1.42-1.fc6	sl-base	52 k
perl-Convert-ASN1	noarch	0.20-1.1	sl-base	41 k
perl-DBD-MySQL	x86_64	3.0007-2.e15	sl-base	147 k
perl-HTML-Parser	x86_64	3.55-1.fc6	sl-base	91 k
perl-HTML-Tagset	noarch	3.10-2.1.1	sl-base	14 k
perl-IO-Socket-SSL	noarch	1.01-1.fc6	sl-base	49 k
perl-LDAP	noarch	1:0.33-3.fc6	sl-base	316 k
perl-Net-SSLeay	x86_64	1.30-4.fc6	sl-base	192 k
perl-URI	noarch	1.35-3	sl-base	116 k
perl-XML-Namespacesupport	noarch	1.09-1.2.1	sl-base	15 k
perl-XML-SAX	noarch	0.14-8	sl-base	77 k
perl-libwww-perl	noarch	5.805-1.1.1	sl-base	375 k
tcsh	x86_64	6.14-17.e15_5.2	sl-base	476 k
tzdata-java	x86_64	2012b-3.e15	sl-security	181 k
voms	x86_64	2.0.7-1.e15	EMI-2-RC4-base	163 k
wSDL4j	x86_64	1.5.2-4jpp.1	sl-base	428 k
zip	x86_64	2.31-2.e15	sl-base	135 k

Transaction Summary

```

=====
Install      179 Package(s)
Upgrade      0 Package(s)

```

Total download size: 388 M

Downloading Packages:

```

-----
Total                               4.9 MB/s | 388 MB    01:19

```

Running rpm_check_debug

Running Transaction Test

Finished Transaction Test

Transaction Test Succeeded

Running Transaction

```

Installing      : glite-jobid-api-c           1/179
Installing      : classads                    2/179
Installing      : glite-wms-utils-classad     3/179
Installing      : glite-wms-utils-exception   4/179
Installing      : voms                        5/179
Installing      : glite-lb-jp-common-trio     6/179
Installing      : libXrender                  7/179
Installing      : glite-jdl-api-cpp           8/179
Installing      : c-ares                      9/179
Installing      : freetype                    10/179
Installing      : gsoap                       11/179
Installing      : gridsite-shared             12/179
Installing      : fontconfig                  13/179
Installing      : libpng                      14/179
Installing      : libjpeg                     15/179
Installing      : cairo                       16/179
Installing      : libtool-ltdl                17/179
Installing      : globus-common               18/179
Installing      : globus-gsi-openssl-error    19/179
Installing      : globus-xio                  20/179
Installing      : globus-gsi-sysconfig        21/179
Installing      : globus-gsi-proxy-ssl       22/179
Installing      : globus-openssl-module      23/179
Installing      : globus-gsi-cert-utils       24/179
Installing      : globus-gsi-callback         25/179
Installing      : globus-gsi-credential       26/179
Installing      : globus-gsi-proxy-core      27/179
Installing      : globus-gssapi-gsi          28/179
Installing      : glite-lb-jp-common-gss      29/179
Installing      : glite-lb-common             30/179
Installing      : glite-lb-client             31/179
Installing      : glite-lb-jp-common-gsoap-plugin 32/179
Installing      : globus-usage                33/179
Installing      : lcas                        34/179
Installing      : glite-lb-state-machine      35/179

```


WMSEMI2RC4SL5 < IGIRelease < TWiki

Installing	: globus-gfork	36/179
Installing	: globus-callout	37/179
Installing	: globus-gss-assist	38/179
Installing	: globus-gssapi-error	39/179
Installing	: globus-xio-gsi-driver	40/179
Installing	: globus-io	41/179
Installing	: globus-gridmap-callout-error	42/179
Installing	: myproxy-libs	43/179
Installing	: glite-px-proxyrenewal-libs	44/179
Installing	: lcmaps	45/179
Installing	: libtiff	46/179
Installing	: libXrandr	47/179
Installing	: atk	48/179
Installing	: alsa-lib	49/179
Installing	: argus-pep-api-c	50/179
Installing	: glite-lbjp-common-maildir	51/179
Installing	: apr	52/179
Installing	: log4cpp	53/179
Installing	: libXtst	54/179
Installing	: libXi	55/179
Installing	: libXfixes	56/179
Installing	: zip	57/179
Installing	: libXcursor	58/179
Installing	: apr-util	59/179
Installing	: httpd	60/179
Installing	: mod_fcgid	61/179
Installing	: argus-gsi-pep-callout	62/179
Installing	: lcmaps-plugins-voms	63/179
Installing	: lcas-lcmaps-gt4-interface	64/179
Installing	: globus-ftp-control	65/179
Installing	: globus-proxy-utils	66/179
Installing	: lcas-plugins-basic	67/179
Installing	: glite-lb-client-progs	68/179
Installing	: lcas-plugins-voms	69/179
Installing	: globus-xio-pipe-driver	70/179
Installing	: globus-gridftp-server-control	71/179
Installing	: globus-authz-callout-error	72/179
Installing	: globus-authz	73/179
Installing	: globus-gridftp-server	74/179
Installing	: globus-gridftp-server-progs	75/179
Installing	: openldap-servers	76/179
Installing	: libXft	77/179
Installing	: gridsite-apache	78/179
Installing	: expect	79/179
Installing	: lcmaps-without-gsi	80/179
Installing	: gnutls	81/179
Installing	: cups-libs	82/179
Installing	: distcache	83/179
Installing	: mod_ssl	84/179
Installing	: libtar	85/179
Installing	: perl-Net-SSLeay	86/179
Installing	: openldap-clients	87/179
Installing	: fcgi	88/179
Installing	: libicu	89/179
Installing	: boost	90/179
Installing	: glite-wms-common	91/179
Installing	: glite-wms-ism	92/179
Installing	: glite-wms-purger	93/179
Installing	: glite-wms-classad_plugin	94/179
Installing	: glite-wms-matchmaking	95/179
Installing	: glite-wms-brokerinfo	96/179
Installing	: glite-wms-broker	97/179
Installing	: glite-wms-helper	98/179
Installing	: glite-ce-cream-client-api-c	99/179
Installing	: libart_lgpl	100/179
Installing	: jemalloc	101/179
Installing	: perl-DBD-MySQL	102/179

WMSEMI2RC4SL5 < IGIRelease < TWiki

```

Installing      : mysql-server                      103/179
Installing      : perl-Compress-Zlib                104/179
Installing      : libxslt                           105/179
Installing      : lcmaps-plugins-basic              106/179
Installing      : giflib                             107/179
Installing      : activemq-cpp-library              108/179
Installing      : log4c                              109/179
Installing      : glite-lb-jp-common-log            110/179
Installing      : glite-lb-jp-common-db             111/179
Installing      : glite-lb-logger                   112/179
Installing      : glite-lb-jp-common-jp-interface  113/179
Installing      : glite-lb-utils                     114/179
Installing      : glite-lb-harvester                115/179
Installing      : glite-lb-jp-common-server-bones  116/179
Installing      : glite-lb-server                   117/179
Installing      : libXinerama                       118/179
Installing      : tcsh                               119/179
Installing      : jpackage-utils                    120/179
Installing      : glite-wms-configuration           121/179
Installing      : glue-schema                       122/179
Installing      : condor                            123/179Setting up Condor

```

WARNING: Unable to find mail program! Condor will not be

able to send status notifications until MAIL parameter is configured.
 Unable to find a valid Java installation
 Java Universe will not work properly until the JAVA
 (and JAVA_MAXHEAP_ARGUMENT) parameters are set in the configuration file!

Condor has been installed into:
 /opt/condor-7.4.2

Configured condor using these configuration files:
 global: /opt/condor-7.4.2/etc/condor_config
 local: /opt/condor-7.4.2/local.cert-13/condor_config.local

In order for Condor to work properly you must set your CONDOR_CONFIG
 environment variable to point to your Condor configuration file:
 /opt/condor-7.4.2/etc/condor_config before running Condor commands/daemons.
 Created scripts which can be sourced by users to setup their
 Condor environment variables. These are:
 sh: /opt/condor-7.4.2/condor.sh
 csh: /opt/condor-7.4.2/condor.csh

```

Installing      : glite-wms-jobsubmission-lib       124/179
Installing      : bdii                             125/179
Installing      : glite-info-provider-service       126/179
Installing      : emi-version                       127/179
Installing      : glite-yaim-core                   128/179
Installing      : fetch-crl                         129/179
Installing      : glite-wms-jobsubmission           130/179
Installing      : glite-wms-manager                 131/179
Installing      : glite-wms-wmproxy                 132/179
warning: group mockbuild does not exist - using root
warning: group mockbuild does not exist - using root
warning: group mockbuild does not exist - using root
warning: group mockbuild does not exist - using root
Installing      : glite-wms-ice                     133/179
Installing      : glite-yaim-wms                    134/179
Installing      : perl-IO-Socket-SSL                135/179
Installing      : bitstream-vera-fonts              136/179
Installing      : pango                             137/179
Installing      : perl-XML-NamespaceSupport         138/179
Installing      : perl-XML-SAX                      139/179
Installing      : jdk                               140/179Unpacking JAR file

```

```

rt.jar...
jsse.jar...
charsets.jar...
tools.jar...
localedata.jar...
plugin.jar...
javaws.jar...
deploy.jar...

```

```

Installing      : tzdata-java                      141/179
Installing      : java-1.6.0-openjdk              142/179
Installing      : emi-trustmanager                 143/179
Installing      : perl-HTML-Tagset                 144/179
Installing      : perl-HTML-Parser                 145/179
Installing      : glite-lb-doc                     146/179
Installing      : glite-lb-ws-interface             147/179
Installing      : glite-lb-ws-test                 148/179
Installing      : hicolor-icon-theme               149/179
Installing      : gtk2                             150/179
Installing      : libgcj                           151/179
Installing      : perl-Convert-ASN1                 152/179
Installing      : perl-URI                         153/179
Installing      : perl-libwww-perl                 154/179
Installing      : perl-LDAP                        155/179
Installing      : glite-lb-logger-msg               156/179
Installing      : glite-yaim-bdii                   157/179
Installing      : glite-lb-yaim                     158/179
Installing      : glite-initscript-globus-gridftp   159/179
Installing      : lcg-expiregridmapdir             160/179
Installing      : condor-lcg                       161/179
Installing      : java-1.4.2-gcj-compat             162/179
Installing      : jakarta-commons-logging           163/179
Installing      : classpathx-jaf                   164/179
Installing      : classpathx-mail                   165/179
Installing      : jakarta-commons-httpclient        166/179
Installing      : jakarta-commons-discovery         167/179
Installing      : jakarta-commons-codec            168/179
Installing      : antlr                             169/179
Installing      : gjdoc                             170/179
Installing      : log4j                             171/179
Installing      : wsd14j                            172/179
Installing      : axis                              173/179
Installing      : jakarta-commons-lang              174/179
Installing      : emi-trustmanager-axis             175/179
Installing      : glite-jobid-api-java              176/179
Installing      : glite-lb-client-java              177/179
Installing      : emi-lb                            178/179
Installing      : emi-wms                           179/179

```

Installed:

```
emi-wms.x86_64 0:1.0.2-3.s15
```

Dependency Installed:

```

activemq-cpp-library.x86_64 0:3.2.5-1.s15
alsa-lib.x86_64 0:1.0.17-1.el5
antlr.x86_64 0:2.7.6-4jpp.2
apr.x86_64 0:1.2.7-11.el5_6.5
apr-util.x86_64 0:1.2.7-11.el5_5.2
argus-gsi-pep-callout.x86_64 0:1.2.1-2.s15
argus-pep-api-c.x86_64 0:2.1.0-3.s15
atk.x86_64 0:1.12.2-1.fc6
axis.x86_64 0:1.2.1-2jpp.6
bdii.noarch 0:5.2.10-1.el5
bitstream-vera-fonts.noarch 0:1.10-7
boost.x86_64 0:1.33.1-15.el5
c-ares.x86_64 0:1.6.0-5.el5
cairo.x86_64 0:1.2.4-5.el5

```

```
classads.x86_64 0:1.0.8-1.e15
classpathx-jaf.x86_64 0:1.0-9jpp.1
classpathx-mail.x86_64 0:1.1.1-4jpp.2
condor.x86_64 0:7.4.2-1
condor-lcg.i386 0:1.2.0-1
cups-libs.x86_64 1:1.3.7-30.e15
distcache.x86_64 0:1.4.5-14.1
emi-lb.x86_64 0:1.0.1-1.e15
emi-trustmanager.noarch 0:3.1.3-1.s15
emi-trustmanager-axis.noarch 0:2.0.2-1.s15
emi-version.x86_64 0:2.0.0-0_rc2.s15
expect.x86_64 0:5.43.0-5.1
fcgi.x86_64 0:2.4.0-12.e15
fetch-curl.noarch 0:2.8.5-1.e15
fontconfig.x86_64 0:2.4.1-7.e15
freetype.x86_64 0:2.2.1-28.e15_7.2
giflib.x86_64 0:4.1.3-7.3.3.e15
gjjdoc.x86_64 0:0.7.7-12.e15
glite-ce-cream-client-api-c.x86_64 0:1.14.0-3.s15
glite-info-provider-service.noarch 0:1.8.1-2.e15
glite-initscript-globus-gridftp.noarch 0:1.0.4-1.s15
glite-jdl-api-cpp.x86_64 0:3.3.0-3.s15
glite-jobid-api-c.x86_64 0:2.1.2-1.e15
glite-jobid-api-java.noarch 0:1.2.0-4.e15
glite-lb-client.x86_64 0:5.1.3-1.e15
glite-lb-client-java.x86_64 0:1.2.1-2.e15
glite-lb-client-progs.x86_64 0:5.1.3-1.e15
glite-lb-common.x86_64 0:8.1.3-1.e15
glite-lb-doc.noarch 0:1.3.3-1.e15
glite-lb-harvester.x86_64 0:1.2.3-1.e15
glite-lb-logger.x86_64 0:2.3.4-1.e15
glite-lb-logger-msg.x86_64 0:1.1.3-1.e15
glite-lb-server.x86_64 0:2.3.3-1.e15
glite-lb-state-machine.x86_64 0:1.3.2-1.e15
glite-lb-utils.x86_64 0:2.2.1-3.e15
glite-lb-ws-interface.noarch 0:3.3.1-3.e15
glite-lb-ws-test.x86_64 0:1.3.0-4.e15
glite-lb-yaim.noarch 0:4.4.3-1.e15
glite-lbjp-common-db.x86_64 0:3.1.2-1.e15
glite-lbjp-common-gsoap-plugin.x86_64 0:3.1.2-1.e15
glite-lbjp-common-gss.x86_64 0:3.1.3-1.e15
glite-lbjp-common-jp-interface.x86_64 0:2.2.1-1.e15
glite-lbjp-common-log.x86_64 0:1.2.0-4.e15
glite-lbjp-common-maildir.x86_64 0:2.2.1-3.e15
glite-lbjp-common-server-bones.x86_64 0:2.2.2-1.e15
glite-lbjp-common-trio.x86_64 0:2.2.2-2.e15
glite-px-proxyrenewal-libs.x86_64 0:1.3.25-1.e15
glite-wms-broker.x86_64 0:3.4.0-3.s15
glite-wms-brokerinfo.x86_64 0:3.4.0-3.s15
glite-wms-classad_plugin.x86_64 0:3.4.0-3.s15
glite-wms-common.x86_64 0:3.4.0-3.s15
glite-wms-configuration.noarch 0:3.4.0-3.s15
glite-wms-helper.x86_64 0:3.4.0-3.s15
glite-wms-ice.x86_64 0:3.4.0-3.s15
glite-wms-ism.x86_64 0:3.4.0-3.s15
glite-wms-jobsubmission.x86_64 0:3.4.0-3.s15
glite-wms-jobsubmission-lib.x86_64 0:3.4.0-3.s15
glite-wms-manager.x86_64 0:3.4.0-3.s15
glite-wms-matchmaking.x86_64 0:3.4.0-3.s15
glite-wms-purger.x86_64 0:3.4.0-3.s15
glite-wms-utils-classad.x86_64 0:3.3.0-2.s15
glite-wms-utils-exception.x86_64 0:3.3.0-2.s15
glite-wms-wmproxy.x86_64 0:3.4.0-3.s15
glite-yaim-bdii.noarch 0:4.3.9-1.e15
glite-yaim-core.noarch 0:5.0.3-4.s15
glite-yaim-wms.noarch 0:4.2.0-3.s15
globus-authz.x86_64 0:2.1-2.e15
```

```

globus-authz-callout-error.x86_64 0:2.1-2.e15
globus-callout.x86_64 0:2.1-2.e15
globus-common.x86_64 0:14.5-4.e15
globus-ftp-control.x86_64 0:4.2-2.e15
globus-gfork.x86_64 0:3.1-2.e15
globus-gridftp-server.x86_64 0:6.5-4.e15
globus-gridftp-server-control.x86_64 0:2.3-2.e15
globus-gridftp-server-progs.x86_64 0:6.5-4.e15
globus-gridmap-callout-error.x86_64 0:1.2-2.e15
globus-gsi-callback.x86_64 0:4.1-2.e15
globus-gsi-cert-utils.x86_64 0:8.1-2.e15
globus-gsi-credential.x86_64 0:5.1-2.e15
globus-gsi-openssl-error.x86_64 0:2.1-2.e15
globus-gsi-proxy-core.x86_64 0:6.1-2.e15
globus-gsi-proxy-ssl.x86_64 0:4.1-2.e15
globus-gsi-sysconfig.x86_64 0:5.1-2.e15
globus-gss-assist.x86_64 0:8.1-2.e15
globus-gssapi-error.x86_64 0:4.1-2.e15
globus-gssapi-gsi.x86_64 0:10.2-2.e15
globus-io.x86_64 0:9.2-2.e15
globus-openssl-module.x86_64 0:3.1-2.e15
globus-proxy-utils.x86_64 0:5.0-2.e15
globus-usage.x86_64 0:3.1-2.e15
globus-xio.x86_64 0:3.2-2.e15
globus-xio-gsi-driver.x86_64 0:2.1-2.e15
globus-xio-pipe-driver.x86_64 0:2.1-2.e15
glue-schema.noarch 0:2.0.8-1.e15
gnutls.x86_64 0:1.4.1-7.e15_8.2
gridsite-apache.x86_64 0:1.7.20-1.e15
gridsite-shared.x86_64 0:1.7.20-1.e15
gsoap.x86_64 0:2.7.13-4.e15
gtk2.x86_64 0:2.10.4-21.e15_5.6
hicolor-icon-theme.noarch 0:0.9-2.1
httpd.x86_64 0:2.2.3-63.s15.1
jakarta-commons-codec.x86_64 0:1.3-7jpp.2
jakarta-commons-discovery.x86_64 1:0.3-4jpp.1
jakarta-commons-httpclient.x86_64 1:3.0-7jpp.1
jakarta-commons-lang.x86_64 0:2.1-5jpp.1
jakarta-commons-logging.x86_64 0:1.0.4-6jpp.1
java-1.4.2-gcj-compat.x86_64 0:1.4.2.0-40jpp.115
java-1.6.0-openjdk.x86_64 1:1.6.0.0-1.25.1.10.6.e15_8
jdk.x86_64 2000:1.6.0_31-fcs
jemalloc.x86_64 0:2.1.3-2.e15
jpackage-utils.noarch 0:1.7.3-1jpp.2.e15
lcas.x86_64 0:1.3.18-2.e15
lcas-lcmapi-gt4-interface.x86_64 0:0.2.1-4.e15
lcas-plugins-basic.x86_64 0:1.3.6-1.e15
lcas-plugins-voms.x86_64 0:1.3.10-1.e15
lcg-expiregridmapdir.noarch 0:3.0.1-1
lcmapi.x86_64 0:1.5.4-1.e15
lcmapi-plugins-basic.x86_64 0:1.5.0-3.e15
lcmapi-plugins-voms.x86_64 0:1.5.3-1.e15
lcmapi-without-gsi.x86_64 0:1.5.4-1.e15
libXcursor.x86_64 0:1.1.7-1.1
libXfixes.x86_64 0:4.0.1-2.1
libXft.x86_64 0:2.1.10-1.1
libXi.x86_64 0:1.0.1-4.e15_4
libXinerama.x86_64 0:1.0.1-2.1
libXrandr.x86_64 0:1.1.1-3.3
libXrender.x86_64 0:0.9.1-3.1
libXtst.x86_64 0:1.0.1-3.1
libart_lgpl.x86_64 0:2.3.17-4
libgcj.x86_64 0:4.1.2-51.e15
libicu.x86_64 0:3.6-5.16.1
libjpeg.x86_64 0:6b-37
libpng.x86_64 2:1.2.10-16.e15_8
libtar.x86_64 0:1.2.11-13.e15

```

```

libtiff.x86_64 0:3.8.2-7.e15_6.7
libtool-ltdl.x86_64 0:1.5.22-7.e15_4
libxslt.x86_64 0:1.1.17-2.e15_2.2
log4c.x86_64 0:1.2.1-7.e15
log4cpp.x86_64 0:1.0-9.e15
log4j.x86_64 0:1.2.13-3jpp.2
mod_fcgid.x86_64 0:2.2-11.e15
mod_ssl.x86_64 1:2.2.3-63.sl5.1
myproxy-libs.x86_64 0:5.5-1.e15
mysql-server.x86_64 0:5.0.95-1.e15_7.1
openldap-clients.x86_64 0:2.3.43-12.e15_6.7
openldap-servers.x86_64 0:2.3.43-12.e15_6.7
pango.x86_64 0:1.14.9-8.e15_7.3
perl-Compress-Zlib.x86_64 0:1.42-1.fc6
perl-Convert-ASN1.noarch 0:0.20-1.1
perl-DBD-MySQL.x86_64 0:3.0007-2.e15
perl-HTML-Parser.x86_64 0:3.55-1.fc6
perl-HTML-Tagset.noarch 0:3.10-2.1.1
perl-IO-Socket-SSL.noarch 0:1.01-1.fc6
perl-LDAP.noarch 1:0.33-3.fc6
perl-Net-SSLeay.x86_64 0:1.30-4.fc6
perl-URI.noarch 0:1.35-3
perl-XML-Namespacesupport.noarch 0:1.09-1.2.1
perl-XML-SAX.noarch 0:0.14-8
perl-libwww-perl.noarch 0:5.805-1.1.1
tcsh.x86_64 0:6.14-17.e15_5.2
tzdata-java.x86_64 0:2012b-3.e15
voms.x86_64 0:2.0.7-1.e15
wsdl4j.x86_64 0:1.5.2-4jpp.1
zip.x86_64 0:2.31-2.e15

```

Complete!

```

#####
EXECUTING COMMAND N° 10:  "/opt/glite/yaim/bin/yaim -v -s site-info.def -n WMS"
COMMAND EXIT STATUS: 0
FOLLOWS COMMAND OUTPUT: ++++++

```

```

WARNING:
WARNING: *****
WARNING: Your siteinfo directory is world readable. This is generally a bad idea
WARNING: as configuration files may contain passwords and other sensitive information.
WARNING: *****
WARNING:
INFO: Configuring HOST: cert-13.cnaf.infn.it
INFO: Using site configuration file: site-info.def
INFO: Sourcing service specific configuration file: ./services/glite-wms
INFO:

```

```
#####
```

```

.          /'-. ' )
.   yA,-"-,( ,m,:/ )   .oo.   oo   o   ooo o.   .oo
.   /          .-Y a  a Y-.   8. .8'   8'8.   8   8b   d'8
.   /          ~ ~ /          8'   .8oo88.   8   8   8'   8
.   (_/          '===='      8   .8'   8.   8   8   Y   8
.   Y,-''-,Yy,-.,/          o8o o8o   o88o o8o o8o   o8o
.   I_))_) I_))_)

```

```

current working directory: /root/siteinfo
site-info.def date: Apr 11 14:36 site-info.def
yaim command: -v -s site-info.def -n WMS
log file: /opt/glite/yaim/bin/./log/yaimlog
Wed Apr 11 15:09:05 CEST 2012 : /opt/glite/yaim/bin/yaim

```

```

Installed YAIM versions:
glite-lb-yaim 4.4.3-1
glite-yaim-bdii 4.3.9-1

```

WMSEMI2RC4SL5 < IGIRelease < TWiki

glite-yaim-core 5.0.3-4
glite-yaim-wms 4.2.0-3

```
#####  
INFO: The default location of the grid-env.(c)sh files will be: /usr/libexec  
INFO: Sourcing the utilities in /opt/glite/yaim/functions/utils  
INFO: Detecting environment  
INFO: Executing function: config_add_pool_env_check  
INFO: Executing function: config_host_certs_check  
INFO: Executing function: config_lcgenv_check  
INFO: Executing function: config_edgusers_check  
INFO: Executing function: config_users_check  
INFO: Executing function: config_vomsmmap_check  
INFO: Executing function: config_vomsdir_check  
INFO: Executing function: config_vomses_check  
INFO: Executing function: config_gip_wms_check  
INFO: Executing function: config_info_service_wms_check  
INFO: Executing function: config_globus_gridftp_check  
INFO: Executing function: config_lcas_lcmmaps_gt4_check  
INFO: Executing function: config_condor_wms_check  
INFO: Executing function: config_mysql_wms_check  
INFO: Executing function: config_glite_wms_check  
INFO: Executing function: config_gliteservices_wms_check  
INFO: Executing function: config_cron_wms_check  
INFO: Executing function: config_glite_lb_check  
INFO: Executing function: config_glite_locallogger_check  
INFO: Executing function: config_bdii_5.2_check  
INFO: Checking is done.  
INFO: All the necessary variables to configure WMS are defined in your configuration files.  
INFO: Please, bear in mind that YAIM only guarantees the definition of variables  
INFO: controlled in the _check functions.  
INFO: YAIM terminated succesfully.
```

```
#####  
EXECUTING COMMAND N° 11: "/opt/glite/yaim/bin/yaim -c -d 6 -s site-info.def -n WMS"  
COMMAND EXIT STATUS: 256  
FOLLOWS COMMAND OUTPUT: ++++++
```

```
DEBUG: Checking siteinfo dir is not world readable  
WARNING:  
WARNING: *****  
WARNING: Your siteinfo directory is world readable. This is generally a bad idea  
WARNING: as configuration files may contain passwords and other sensitive information.  
WARNING: *****  
WARNING:  
DEBUG: Checking site-info.def is syntactically correct  
INFO: Configuring HOST: cert-13.cnaf.infn.it  
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/site-info.pre  
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/glite-wms.pre  
INFO: Using site configuration file: site-info.def  
DEBUG: Sourcing site-info.def file: site-info.def  
INFO: Sourcing service specific configuration file: ./services/glite-wms  
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/site-info.post  
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/glite-wms.post  
DEBUG: Sourcing /opt/glite/yaim/bin/./defaults/mapping  
INFO:
```

```
#####
```

```
.          /'.-. ' )  
.      yA,-"-,( ,m, :/ ) .oo.      oo      o      ooo o.      .oo  
.      /          .-Y a  a Y-.      8. .8'      8'8.      8      8b  d'8  
.      /          ~ ~ /          8'      .8oo88.      8      8 8' 8  
.      (_/          '===='          8      .8'      8.      8      8 Y 8  
.      Y,-''-,Yy,-.,/          o8o o8o      o88o o8o o8o      o8o  
.      I_)_) I_)_)
```

current working directory: /root/siteinfo

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
site-info.def date: Apr 11 14:36 site-info.def
yaim command: -c -d 6 -s site-info.def -n WMS
log file: /opt/glite/yaim/bin/./log/yaimlog
Wed Apr 11 15:09:08 CEST 2012 : /opt/glite/yaim/bin/yaim
```

```
Installed YAIM versions:
glite-lb-yaim 4.4.3-1
glite-yaim-bdii 4.3.9-1
glite-yaim-core 5.0.3-4
glite-yaim-wms 4.2.0-3
```

```
#####
INFO: The default location of the grid-env.(c)sh files will be: /usr/libexec
INFO: Sourcing the utilities in /opt/glite/yaim/functions/utils
INFO: Detecting environment
DEBUG: Detect platform: OS flavour detected is: "Scientific Linux SL release 5.7 (Boron)"
DEBUG: Detected architecture is 64BIT
DEBUG: Detect platform: OS type detected: sl5
DEBUG: GROUPS_CONF is defined. Adding global groups to the groups.conf temp file
DEBUG: GROUPS_CONF points now to the groups.conf temp file
DEBUG: GROUPS_CONF=/tmp/yaim.Pn8205
DEBUG: Resulted NODE_TYPE_LIST is : WMS
DEBUG: Setting environment variable GRID_ENV_LOCATION, to value "/usr/libexec".
DEBUG: Unset environment variable GRID_ENV_LOCATION.
DEBUG: Setting environment variable LCG_LOCATION, to value "/usr".
DEBUG: Unset environment variable LCG_LOCATION.
DEBUG: Setting environment variable GLITE_LOCATION, to value "/usr".
DEBUG: Unset environment variable GLITE_LOCATION.
DEBUG: Setting environment variable GLITE_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable GLITE_LOCATION_VAR.
DEBUG: Appending value "/bin" to environment variable PATH.
DEBUG: Deleting value "/bin" from environment variable PATH.
DEBUG: Appending value "/opt/glite/share/man" to environment variable MANPATH.
DEBUG: Deleting value "/opt/glite/share/man" from environment variable MANPATH.
DEBUG: Sourcing node definition file: /opt/glite/yaim/bin/./node-info.d/glite-wms
INFO: Executing function: config_add_pool_env_check
DEBUG: Skipping function: config_crl_check because it is not defined
INFO: Executing function: config_host_certs_check
INFO: Executing function: config_lcgenv_check
INFO: Executing function: config_edgusers_check
INFO: Executing function: config_users_check
INFO: Executing function: config_vomsmmap_check
INFO: Executing function: config_vomsdir_check
INFO: Executing function: config_vomses_check
INFO: Executing function: config_gip_wms_check
INFO: Executing function: config_info_service_wms_check
INFO: Executing function: config_globus_gridftp_check
INFO: Executing function: config_lcas_lcmapi_gt4_check
INFO: Executing function: config_condor_wms_check
INFO: Executing function: config_mysql_wms_check
DEBUG: This function doesn't set any environment variable
INFO: Executing function: config_glite_wms_check
INFO: Executing function: config_gliteservices_wms_check
INFO: Executing function: config_cron_wms_check
INFO: Executing function: config_glite_lb_check
INFO: Executing function: config_glite_locallogger_check
INFO: Executing function: config_bdii_5.2_check
DEBUG: Skipping function: config_glite_initd_check because it is not defined
INFO: Executing function: config_add_pool_env_setenv
DEBUG: Currently this function doesn't set any environment variables.
INFO: Executing function: config_add_pool_env
DEBUG: Creating links for the grid environment in /etc/profile.d/
DEBUG: Skipping function: config_crl_setenv because it is not defined
INFO: Executing function: config_crl
INFO: Now updating the CRLs - this may take a few minutes...
Enabling periodic fetch-crl: [ OK ]
DEBUG: fetch-crl cron enabled
```


WMSEMI2RC4SL5 < IGIRelease < TWiki

```
DEBUG: Skipping function: config_host_certs_setenv because it is not defined
INFO: Executing function: config_host_certs
DEBUG: Skipping function: config_lcgenv_setenv because it is not defined
INFO: Executing function: config_lcgenv
DEBUG: Setting environment variable LCG_GFAL_INFOSYS, to value "emi2rc-sl5-bdii.cern.ch:2170".
DEBUG: Unset environment variable LCG_GFAL_INFOSYS.
DEBUG: Setting environment variable MYPROXY_SERVER, to value "emitb-myproxy.civ.zcu.cz".
DEBUG: Unset environment variable MYPROXY_SERVER.
DEBUG: Setting environment variable VO_TESTERS_EU_EMI_EU_SW_DIR, to value "/testers.eu-emi.eu".
DEBUG: Unset environment variable VO_TESTERS_EU_EMI_EU_SW_DIR.
DEBUG: Setting environment variable VO_TESTERS2_EU_EMI_EU_SW_DIR, to value "/testers2.eu-emi.eu".
DEBUG: Unset environment variable VO_TESTERS2_EU_EMI_EU_SW_DIR.
DEBUG: Setting environment variable VO_DTEAM_SW_DIR, to value "/dteam".
DEBUG: Unset environment variable VO_DTEAM_SW_DIR.
DEBUG: Skipping function: config_edgusers_setenv because it is not defined
INFO: Executing function: config_edgusers
DEBUG: Creating user edguser...
DEBUG: User edguser doesn't exist
DEBUG: YAIM is going to add user edguser
DEBUG: HOME directory ${EDG_HOME_DIR} is specified for the user
DEBUG: Checking whether the group edguser infosys for user edguser already exist...
DEBUG: Group edguser added
DEBUG: Group infosys added
DEBUG: User edguser added
DEBUG: Creating user edginfo...
DEBUG: User edginfo doesn't exist
DEBUG: YAIM is going to add user edginfo
DEBUG: HOME directory ${EDGINFO_HOME_DIR} is specified for the user
DEBUG: Checking whether the group edginfo infosys for user edginfo already exist...
DEBUG: Group edginfo added
DEBUG: Group infosys added
DEBUG: User edginfo added
DEBUG: Creating user glite...
DEBUG: Skipping user glite since it already exists...
DEBUG: Creating user edguser...
DEBUG: Skipping user edguser since it already exists...
DEBUG: Skipping function: config_users_setenv because it is not defined
INFO: Executing function: config_users
WARNING: VO dteam doesn't have pool accounts defined in /root/siteinfo/users.conf
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
DEBUG: Skipping blank line in /root/siteinfo/users.conf.
DEBUG: Group 'piltesters2' with gid '6270' for user 'pilt2st01' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'pilt2st01' succesfully created.
DEBUG: Group 'piltesters2' with gid '6270' for user 'pilt2st02' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'pilt2st02' succesfully created.
DEBUG: Group 'piltesters2' with gid '6270' for user 'pilt2st03' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'pilt2st03' succesfully created.
DEBUG: Group 'piltesters' with gid '6170' for user 'piltst01' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'piltst01' succesfully created.
DEBUG: Group 'piltesters' with gid '6170' for user 'piltst02' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'piltst02' succesfully created.
DEBUG: Group 'piltesters' with gid '6170' for user 'piltst03' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'piltst03' succesfully created.
DEBUG: Group 'sgmtesters2' with gid '6290' for user 'sgmt2st01' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'sgmt2st01' succesfully created.
DEBUG: Group 'sgmtesters2' with gid '6290' for user 'sgmt2st02' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'sgmt2st02' succesfully created.
DEBUG: Group 'sgmtesters2' with gid '6290' for user 'sgmt2st03' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 'sgmt2st03' succesfully created.
DEBUG: Group 'sgmtesters' with gid '6190' for user 'sgmtst01' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'sgmtst01' succesfully created.
DEBUG: Group 'sgmtesters' with gid '6190' for user 'sgmtst02' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'sgmtst02' succesfully created.
DEBUG: Group 'sgmtesters' with gid '6190' for user 'sgmtst03' succesfully created.
DEBUG: Group 'testers' with gid '6100' for user 'sgmtst03' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 't2st01' succesfully created.
DEBUG: Group 'testers2' with gid '6200' for user 't2st02' succesfully created.
```


WMSEMI2RC4SL5 < IGIRelease < TWiki

```
INFO: Creating voms grid-map file in /etc/grid-security/voms-grid-mapfile
INFO: Creating voms groupmap file in /etc/grid-security/groupmapfile
DEBUG: **** VO TESTERS.EU-EMI.EU ****
users_getvogroup: could not find group for "DTEAM".
users_getvoprefix: could not find pool account prefix for DTEAM in /root/siteinfo/users.conf
locate: can not open `/var/lib/mlocate/mlocate.db': No such file or directory
/opt/glite/yaim/functions/config_condor_wms: line 64: ./condor_configure: No such file or directory
DEBUG: create gridmapdir files
DEBUG: **** VO TESTERS2.EU-EMI.EU ****
DEBUG: create gridmapdir files
DEBUG: **** VO DTEAM ****
DEBUG: create gridmapdir files
WARNING: VO 'DTEAM' not found in /tmp/yaim.Pn8205
INFO: Copying the /etc/grid-security/voms-grid-mapfile in the standard location /etc/grid-security/voms-grid-mapfile
INFO: Executing function: config_vomsdir_setenv
DEBUG: This function currently doesn't set any environment variables.
INFO: Executing function: config_vomsdir
DEBUG: .lsc file configuration for VO testers.eu-emi.eu...
DEBUG: Create the /etc/grid-security/vomsdir/testers.eu-emi.eu directory
DEBUG: Create the /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed07.cnaf.infn.it.lsc
DEBUG: Copying /C=IT/O=INFN/OU=Host/L=CNAF/CN=emitestbed07.cnaf.infn.it in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed07.cnaf.infn.it.lsc
DEBUG: Create the /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed01.cnaf.infn.it.lsc
DEBUG: Copying /C=IT/O=INFN/OU=Host/L=CNAF/CN=emitestbed01.cnaf.infn.it in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed01.cnaf.infn.it.lsc
DEBUG: Copying the emitestbed07.cnaf.infn.it CA DN /C=IT/O=INFN/CN=INFN CA in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed07.cnaf.infn.it
DEBUG: Copying the emitestbed01.cnaf.infn.it CA DN /C=IT/O=INFN/CN=INFN CA in /etc/grid-security/vomsdir/testers.eu-emi.eu/emitestbed01.cnaf.infn.it
DEBUG: .lsc file configuration for VO testers2.eu-emi.eu...
DEBUG: Create the /etc/grid-security/vomsdir/testers2.eu-emi.eu directory
DEBUG: Create the /etc/grid-security/vomsdir/testers2.eu-emi.eu/emitestbed27.cnaf.infn.it.lsc
DEBUG: Copying /C=IT/O=INFN/OU=Host/L=CNAF/CN=emitestbed27.cnaf.infn.it in /etc/grid-security/vomsdir/testers2.eu-emi.eu/emitestbed27.cnaf.infn.it.lsc
DEBUG: Copying the emitestbed27.cnaf.infn.it CA DN /C=IT/O=INFN/CN=INFN CA in /etc/grid-security/vomsdir/testers2.eu-emi.eu/emitestbed27.cnaf.infn.it
DEBUG: .lsc file configuration for VO dteam...
DEBUG: Create the /etc/grid-security/vomsdir/dteam directory
DEBUG: Create the /etc/grid-security/vomsdir/dteam/lcg-voms.cern.ch.lsc
DEBUG: Copying /DC=ch/DC=cern/OU=computers/CN=lcg-voms.cern.ch in /etc/grid-security/vomsdir/dteam/lcg-voms.cern.ch.lsc
DEBUG: Create the /etc/grid-security/vomsdir/dteam/voms.cern.ch.lsc
DEBUG: Copying /DC=ch/DC=cern/OU=computers/CN=voms.cern.ch in /etc/grid-security/vomsdir/dteam/voms.cern.ch.lsc
DEBUG: Copying the lcg-voms.cern.ch CA DN /DC=ch/DC=cern/CN=CERN Trusted Certification Authority in /etc/grid-security/vomsdir/dteam/voms.cern.ch
DEBUG: Copying the voms.cern.ch CA DN /DC=ch/DC=cern/CN=CERN Trusted Certification Authority in /etc/grid-security/vomsdir/dteam/voms.cern.ch
DEBUG: Skipping function: config_vomses_setenv because it is not defined
INFO: Executing function: config_vomses
DEBUG: Skipping function: config_gip_wms_setenv because it is not defined
INFO: Executing function: config_gip_wms
INFO: Executing function: config_info_service_wms_setenv
DEBUG: This function currently doesn't set any environment variables.
INFO: Executing function: config_info_service_wms
DEBUG: Delete a previous version of the glite-info-service-wmproxy.conf if it exists
DEBUG: Create the glite-info-service-wmproxy.conf file out of the template file
DEBUG: Delete a previous version of the glite-info-provider-service-wmproxy-wrapper if it exists
DEBUG: Create the /var/lib/bdii/gip/provider in case it doesn't exist
DEBUG: Create the glite-info-provider-service-wmproxy-wrapper file
INFO: Executing function: config_globus_gridftp_setenv
DEBUG: Setting environment variable GLOBUS_TCP_PORT_RANGE, to value "20000,25000".
DEBUG: Unset environment variable GLOBUS_TCP_PORT_RANGE.
INFO: Executing function: config_globus_gridftp
DEBUG: Set up maximum number of connections
DEBUG: connections_max is not defined in /etc/gridftp.conf.
DEBUG: Adding the value of connections_max with 150...
INFO: Starting gridftp service :
Stopping globus-gridftp-server: [FAILED]
Starting globus-gridftp-server: [ OK ]
INFO: Executing function: config_lcas_lcmaps_gt4_setenv
DEBUG: Setting environment variable X509_VOMS_DIR, to value "/etc/grid-security/vomsdir/".
DEBUG: Unset environment variable X509_VOMS_DIR.
DEBUG: Setting environment variable X509_CERT_DIR, to value "/etc/grid-security/certificates/".
DEBUG: Unset environment variable X509_CERT_DIR.
DEBUG: Setting environment variable LCMAPS_LOG_LEVEL, to value "1".
DEBUG: Unset environment variable LCMAPS_LOG_LEVEL.
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
DEBUG: Setting environment variable LCMAPS_DEBUG_LEVEL, to value "0".
DEBUG: Unset environment variable LCMAPS_DEBUG_LEVEL.
DEBUG: Setting environment variable LCAS_LOG_LEVEL, to value "1".
DEBUG: Unset environment variable LCAS_LOG_LEVEL.
DEBUG: Setting environment variable LCAS_DEBUG_LEVEL, to value "0".
DEBUG: Unset environment variable LCAS_DEBUG_LEVEL.
INFO: Executing function: config_lcas_lcmaps_gt4
DEBUG: Creating GSI authorization file in /etc/grid-security/gsi-authz.conf
INFO: Creating LCAS_DB_FILE in /etc/lcas/lcas.db
DEBUG: Creating an empty BANNED_DB_FILE in /etc/lcas/ban_users.db
INFO: Creating LCMAPS_DB_FILE in /etc/lcmaps/lcmaps.db.gridftp
INFO: Executing function: config_condor_wms_setenv
DEBUG: Appending value "/opt/condor-c/lib" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/opt/condor-c/lib" from environment variable LD_LIBRARY_PATH.
DEBUG: Appending value "/opt/condor-c/bin" to environment variable PATH.
DEBUG: Deleting value "/opt/condor-c/bin" from environment variable PATH.
DEBUG: Appending value "/opt/condor-c/libexec/glite" to environment variable PATH.
DEBUG: Deleting value "/opt/condor-c/libexec/glite" from environment variable PATH.
DEBUG: Setting environment variable GRIDMAP, to value "/etc/grid-security/grid-mapfile".
DEBUG: Unset environment variable GRIDMAP.
DEBUG: Setting environment variable CONDOR_CONFIG, to value "/opt/condor-c/etc/condor_config".
DEBUG: Unset environment variable CONDOR_CONFIG.
DEBUG: Setting environment variable CONDORG_INSTALL_PATH, to value "/opt/condor-c".
DEBUG: Unset environment variable CONDORG_INSTALL_PATH.
INFO: Executing function: config_condor_wms
DEBUG: Configure Condor
DEBUG: Skipping function: config_mysql_wms_setenv because it is not defined
INFO: Executing function: config_mysql_wms
DEBUG: Backup existing my.cnf file
DEBUG: Create and fill /etc/my.cnf
INFO: Executing function: config_glite_wms_setenv
DEBUG: Setting environment variable WMS_LOCATION_LOG, to value "/var/log/wms".
DEBUG: Unset environment variable WMS_LOCATION_LOG.
DEBUG: Setting environment variable WMS_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable WMS_LOCATION_VAR.
DEBUG: Setting environment variable WMS_LOCATION_TMP, to value "/tmp".
DEBUG: Unset environment variable WMS_LOCATION_TMP.
DEBUG: Setting environment variable WMS_LOCATION_LIBEXEC, to value "/usr/libexec".
DEBUG: Unset environment variable WMS_LOCATION_LIBEXEC.
DEBUG: Setting environment variable WMS_LOCATION_USR, to value "/usr".
DEBUG: Unset environment variable WMS_LOCATION_USR.
DEBUG: Setting environment variable WMS_LOCATION_ETC, to value "/etc".
DEBUG: Unset environment variable WMS_LOCATION_ETC.
DEBUG: Setting environment variable WMS_LOCATION_SBIN, to value "/usr/sbin".
DEBUG: Unset environment variable WMS_LOCATION_SBIN.
DEBUG: Setting environment variable WMS_JOBWRAPPER_TEMPLATE, to value "/usr/share/glite-wms".
DEBUG: Unset environment variable WMS_JOBWRAPPER_TEMPLATE.
DEBUG: Setting environment variable GLITE_WMS_TMP, to value "/tmp".
DEBUG: Unset environment variable GLITE_WMS_TMP.
DEBUG: Setting environment variable GLITE_WMS_LOCATION_VAR, to value "/var".
DEBUG: Unset environment variable GLITE_WMS_LOCATION_VAR.
DEBUG: Setting environment variable GLITE_SD_PLUGIN, to value "bdii".
DEBUG: Unset environment variable GLITE_SD_PLUGIN.
DEBUG: Setting environment variable GLITE_WMS_GROUP, to value "glite".
DEBUG: Unset environment variable GLITE_WMS_GROUP.
DEBUG: Setting environment variable GLITE_WMS_USER, to value "glite".
DEBUG: Unset environment variable GLITE_WMS_USER.
DEBUG: Setting environment variable GLITE_USER, to value "glite".
DEBUG: Unset environment variable GLITE_USER.
DEBUG: Setting environment variable GLITE_WMS_QUERY_TIMEOUT, to value "300".
DEBUG: Unset environment variable GLITE_WMS_QUERY_TIMEOUT.
DEBUG: Setting environment variable GLITE_PR_TIMEOUT, to value "300".
DEBUG: Unset environment variable GLITE_PR_TIMEOUT.
DEBUG: Setting environment variable GLITE_HOST_CERT, to value "/var/glite/.certs/hostcert.pem".
DEBUG: Unset environment variable GLITE_HOST_CERT.
DEBUG: Setting environment variable GLITE_HOST_KEY, to value "/var/glite/.certs/hostkey.pem".
DEBUG: Unset environment variable GLITE_HOST_KEY.
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

```
DEBUG: Setting environment variable X509_CERT_DIR, to value "/etc/grid-security/certificates/"
DEBUG: Unset environment variable X509_CERT_DIR.
DEBUG: Setting environment variable X509_VOMS_DIR, to value "/etc/grid-security/vomsdir/".
DEBUG: Unset environment variable X509_VOMS_DIR.
DEBUG: Setting environment variable GRIDMAPDIR, to value "/etc/grid-security/gridmapdir".
DEBUG: Unset environment variable GRIDMAPDIR.
DEBUG: Setting environment variable GRIDMAPFILE, to value "/etc/grid-security/grid-mapfile".
DEBUG: Unset environment variable GRIDMAPFILE.
DEBUG: Setting environment variable GLOBUS_TCP_PORT_RANGE, to value "20000,25000".
DEBUG: Unset environment variable GLOBUS_TCP_PORT_RANGE.
DEBUG: Setting environment variable MYPROXY_TCP_PORT_RANGE, to value "20000,25000".
DEBUG: Unset environment variable MYPROXY_TCP_PORT_RANGE.
DEBUG: Setting environment variable GLITE_WMS_WMPROXY_MAX_SERVED_REQUESTS, to value "50".
DEBUG: Unset environment variable GLITE_WMS_WMPROXY_MAX_SERVED_REQUESTS.
DEBUG: Setting environment variable CONDORG_INSTALL_PATH, to value "/opt/condor-c".
DEBUG: Unset environment variable CONDORG_INSTALL_PATH.
DEBUG: Appending value "/opt/condor-c" to environment variable CONDORG_INSTALL_PATH.
DEBUG: Deleting value "/opt/condor-c" from environment variable CONDORG_INSTALL_PATH.
DEBUG: Setting environment variable LCMAPS_LOG_LEVEL, to value "1".
DEBUG: Unset environment variable LCMAPS_LOG_LEVEL.
DEBUG: Setting environment variable LCMAPS_DEBUG_LEVEL, to value "0".
DEBUG: Unset environment variable LCMAPS_DEBUG_LEVEL.
DEBUG: Appending value "/usr/lib64" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/usr/lib64" from environment variable LD_LIBRARY_PATH.
INFO: Executing function: config_glite_wms
INFO: config_glite_wms: Configuration file
DEBUG: config_glite_wms: First configuration, /etc/glite-wms/glite_wms.conf does not exist, cr
DEBUG: config_glite_wms: Removing old backup files
DEBUG: OS_ARCH = 64BIT
INFO: config_glite_wms: Creating /etc/glite-wms/glite_wms.conf ...
WARNING: /usr/sbin/glite_wms_wmproxy_load_monitor found
DEBUG: OS_ARCH = 64BIT
Your identity: /C=IT/O=INFN/OU=Host/L=CNAF/CN=cert-13.cnaf.infn.it
Creating proxy ..... Done
Your proxy is valid until: Thu Apr 12 15:10:04 2012
INFO: Executing function: config_gliteservices_wms_setenv
DEBUG: Setting environment variable GLITE_WMS_CONFIG_DIR, to value "/etc/glite-wms".
DEBUG: Unset environment variable GLITE_WMS_CONFIG_DIR.
DEBUG: Setting environment variable WMS_LOCATION_BIN, to value "/usr/bin".
DEBUG: Unset environment variable WMS_LOCATION_BIN.
DEBUG: Setting environment variable WMS_LOCATION_ETC, to value "/etc".
DEBUG: Unset environment variable WMS_LOCATION_ETC.
DEBUG: Setting environment variable WMS_LOCATION_LOG, to value "/var/log/wms".
DEBUG: Unset environment variable WMS_LOCATION_LOG.
DEBUG: Setting environment variable WMS_LOCATION_TMP, to value "/tmp".
DEBUG: Unset environment variable WMS_LOCATION_TMP.
DEBUG: Setting environment variable WMS_LOCATION_LIBEXEC, to value "/usr/libexec".
DEBUG: Unset environment variable WMS_LOCATION_LIBEXEC.
DEBUG: Setting environment variable CONDOR_CONFIG, to value "/opt/condor-c/etc/condor_config".
DEBUG: Unset environment variable CONDOR_CONFIG.
DEBUG: Appending value "/opt/condor-c/lib" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/opt/condor-c/lib" from environment variable LD_LIBRARY_PATH.
DEBUG: Appending value "/opt/c-ares/lib" to environment variable LD_LIBRARY_PATH.
DEBUG: Deleting value "/opt/c-ares/lib" from environment variable LD_LIBRARY_PATH.
INFO: Executing function: config_gliteservices_wms
DEBUG: Starting service globus-gridftp
Stopping globus-gridftp-server: [ OK ]
Starting globus-gridftp-server: [ OK ]
DEBUG: Starting service glite-wms-wm
stopping workload manager... ok
starting workload manager... failure
ABORT: Service glite-wms-wm failed to start!
ERROR: Error during the execution of function: config_gliteservices_wms
ERROR: Error during the configuration. Exiting. [FAILED]
ERROR: One of the functions returned with error without specifying its nature !
```

WMSEMI2RC4SL5 < IGIRelease < TWiki

++++
***** END OF TEST: FAILURE *****

-- FabioCapannini - 2012-04-10

This topic: IGIRelease > WMSEMI2RC4SL5
Topic revision: r6 - 2012-04-13 - FabioCapannini



Copyright © 2008-2020 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback