

Yaim Verification ▾ **Yaim Verification** ▾

Yaim Verification

```
# /opt/glite/yaim/bin/yaim -v -s site-info_cremoso.def -n creamCE -n TORQUE_utils -n DGAS_sensors
INFO: Using site configuration file: site-info_cremoso.def
INFO: Sourcing service specific configuration file: ./services/glite-creamce
INFO: Sourcing service specific configuration file: ./services/dgas_sensors
INFO:
#####

.
.      yA,-"-,( ,m,:/ ) .oo.      oo      o      ooo o.      .oo
.      /      .-Y a  a Y-.      8. .8'      8'8.      8      8b  d'8
.      /      ~ ~ /      8'      .8oo88.      8      8  8'  8
.      (_/      '===='      8      .8'      8.      8      8  Y  8
.      Y,-''-,YY,-.,/      o8o  o8o      o88o  o8o  o8o      o8o
.      I_)_) I_)_)

current working directory: /root
site-info.def date: Feb 10 15:52 site-info_cremoso.def
yaim command: -v -s site-info_cremoso.def -n creamCE -n TORQUE_utils -n DGAS_sensors
log file: /opt/glite/yaim/bin/./log/yaimlog
Fri Feb 10 15:56:51 CET 2012 : /opt/glite/yaim/bin/yaim

Installed YAIM versions:
glite-yaim-bdii 4.3.4-1
glite-yaim-core 5.0.2-1
glite-yaim-cream-ce 4.2.3-1
glite-yaim-torque-utils 5.0.0-1

#####
INFO: The default location of the grid-env.(c)sh files will be: /usr/libexec
INFO: Sourcing the utilities in /opt/glite/yaim/functions/utils
INFO: Detecting environment
INFO: Executing function: config_cream_stop_check
INFO: Executing function: config_cream_clean_check
INFO: Executing function: config_cream_db_check
INFO: Executing function: config_add_pool_env_check
INFO: Executing function: config_host_certs_check
INFO: Executing function: config_vomsdir_check
INFO: Executing function: config_vomses_check
INFO: Executing function: config_users_check
INFO: Executing function: config_edgusers_check
INFO: Executing function: config_cream_glexec_user_check
INFO: Executing function: config_cream_clean_sudoers_check
INFO: Executing function: config_cream_sudoers_check
INFO: Executing function: config_secure_tomcat_check
INFO: Executing function: config_vomsmap_check
INFO: Executing function: config_cream_remove_subcluster_ce_check
INFO: Executing function: config_lcas_lcmapi_gt4_check
INFO: Executing function: config_globus_gridftp_check
INFO: Executing function: config_cream_glexec_check
INFO: Executing function: config_cream_blah_check
INFO: Executing function: config_cream_ce_check
INFO: Executing function: config_cream_logrotation_check
INFO: Executing function: config_bdii_5.2_check
INFO: Executing function: config_cream_gip_info_dynamic_check
INFO: Executing function: config_cream_gip_check
INFO: Executing function: config_cream_gip_glue2_check
INFO: Executing function: config_cream_gip_software_plugin_check
INFO: Executing function: config_cream_vo_tag_dir_check
INFO: Executing function: config_info_service_cream_ce_check
INFO: Executing function: config_info_service_cemon_check
INFO: Executing function: config_cream_info_service_rtepublish_check
INFO: Executing function: config_cream_cemon_check
```

```

INFO: Executing function: config_cream_gliteservices_check
INFO: Executing function: config_cream_locallogger_check
INFO: Executing function: config_glite_locallogger_check
INFO: Executing function: config_maui_cfg_check
INFO: Executing function: config_apel_pbs_check
INFO: Executing function: config_gip_sched_plugin_pbs_check
INFO: Executing function: config_torque_submitter_ssh_check
INFO: Executing function: config_dgas_ce_check
INFO: Checking is done.
INFO: All the necessary variables to configure creamCE TORQUE_utils DGAS_sensors are defined i
INFO: Please, bear in mind that YAIM only guarantees the definition of variables
INFO: controlled in the _check functions.
INFO: YAIM terminated succesfully.

```

Yaim Configuration ▾ **Yaim Configuration** ▾

Yaim Configuration

```

# /opt/glite/yaim/bin/yaim -c -s site-info_cremoso.def -n creamCE -n TORQUE_utils -n DGAS_sensors
INFO: Using site configuration file: site-info_cremoso.def
INFO: Sourcing service specific configuration file: ./services/glite-creamce
INFO: Sourcing service specific configuration file: ./services/dgas_sensors
INFO:
#####

.          /'.-. ' )
.   yA,-"-,( ,m,:/ ) .oo.   oo   o   ooo o.   .oo
.   /      .-Y a  a Y-.   8. .8'   8'8.   8   8b  d'8
.   /      ~ ~ /        8'   .8oo88.   8   8  8'  8
.  (_/      '===='      8   .8'   8.   8   8  Y  8
.   Y,-''-,Yy,-.,/      o8o  o8o   o88o  o8o  o8o   o8o
.   I_))_) I_))_)

current working directory: /root
site-info.def date: Feb 10 15:52 site-info_cremoso.def
yaim command: -c -s site-info_cremoso.def -n creamCE -n TORQUE_utils -n DGAS_sensors
log file: /opt/glite/yaim/bin/./log/yaimlog
Fri Feb 10 15:59:35 CET 2012 : /opt/glite/yaim/bin/yaim

Installed YAIM versions:
glite-yaim-bdii 4.3.4-1
glite-yaim-core 5.0.2-1
glite-yaim-cream-ce 4.2.3-1
glite-yaim-torque-utils 5.0.0-1

#####
INFO: The default location of the grid-env.(c)sh files will be: /usr/libexec
INFO: Sourcing the utilities in /opt/glite/yaim/functions/utils
INFO: Detecting environment
INFO: Executing function: config_cream_stop_check
INFO: Executing function: config_cream_clean_check
INFO: Executing function: config_cream_db_check
INFO: Executing function: config_add_pool_env_check
INFO: Executing function: config_host_certs_check
INFO: Executing function: config_vommdir_check
INFO: Executing function: config_vomses_check
INFO: Executing function: config_users_check
INFO: Executing function: config_edgusers_check
INFO: Executing function: config_cream_glexec_user_check
INFO: Executing function: config_cream_clean_sudoers_check
INFO: Executing function: config_cream_sudoers_check
INFO: Executing function: config_secure_tomcat_check
INFO: Executing function: config_vomsmmap_check
INFO: Executing function: config_cream_remove_subcluster_ce_check
INFO: Executing function: config_lcas_lcmapi_gt4_check
INFO: Executing function: config_globus_gridftp_check

```

CreamForTorqueYaimVerConf < SiteAdminCorner < TWiki

```
INFO: Executing function: config_cream_glexec_check
INFO: Executing function: config_cream_blah_check
INFO: Executing function: config_cream_ce_check
INFO: Executing function: config_cream_logrotation_check
INFO: Executing function: config_bdii_5.2_check
INFO: Executing function: config_cream_gip_info_dynamic_check
INFO: Executing function: config_cream_gip_check
INFO: Executing function: config_cream_gip_glue2_check
INFO: Executing function: config_cream_gip_software_plugin_check
INFO: Executing function: config_cream_vo_tag_dir_check
INFO: Executing function: config_info_service_cream_ce_check
INFO: Executing function: config_info_service_cemon_check
INFO: Executing function: config_cream_info_service_rtepublish_check
INFO: Executing function: config_cream_cemon_check
INFO: Executing function: config_cream_gliteservices_check
INFO: Executing function: config_cream_locallogger_check
INFO: Executing function: config_glite_locallogger_check
INFO: Executing function: config_maui_cfg_check
INFO: Executing function: config_apel_pbs_check
INFO: Executing function: config_gip_sched_plugin_pbs_check
INFO: Executing function: config_torque_submitter_ssh_check
INFO: Executing function: config_dgas_ce_check
INFO: Executing function: config_cream_stop_setenv
INFO: Executing function: config_cream_stop
INFO: blah not running
INFO: tomcat not running
INFO: blah not running
INFO: lb processes not running
INFO: Executing function: config_cream_clean_setenv
INFO: Executing function: config_cream_clean
INFO: Executing function: config_cream_db_setenv
INFO: Executing function: config_cream_db
Initializing MySQL database: Installing MySQL system tables...
OK
Filling help tables...
OK

To start mysqld at boot time you have to copy
support-files/mysql.server to the right place for your system

PLEASE REMEMBER TO SET A PASSWORD FOR THE MySQL root USER !
To do so, start the server, then issue the following commands:
/usr/bin/mysqladmin -u root password 'new-password'
/usr/bin/mysqladmin -u root -h cremoso.cnaf.infn.it password 'new-password'

Alternatively you can run:
/usr/bin/mysql_secure_installation

which will also give you the option of removing the test
databases and anonymous user created by default. This is
strongly recommended for production servers.

See the manual for more instructions.

You can start the MySQL daemon with:
cd /usr ; /usr/bin/mysqld_safe &

You can test the MySQL daemon with mysql-test-run.pl
cd mysql-test ; perl mysql-test-run.pl

Please report any problems with the /usr/bin/mysqlbug script!

The latest information about MySQL is available on the web at
http://www.mysql.com
Support MySQL by buying support/licenses at http://shop.mysql.com
Starting MySQL: [ OK ]
```

CreamForTorqueYaimVerConf < SiteAdminCorner < TWiki

```
The database version requested by cream service is 2.4
Impossible to retrieve the version of creamdb database. Database will be created from scratch.
Creating/Updating creamdb database...
creamdb database created!
The database version requested by cream service is 2.4
Impossible to retrieve the version of delegationdb database. Database will be created from scratch.
Creating/Updating delegationdb database...
delegationdb database created!
INFO: Executing function: config_add_pool_env_setenv
INFO: Executing function: config_add_pool_env
INFO: Executing function: config_ldconf
INFO: config_ldconf: function not needed anymore, left empty waiting to be removed
INFO: Executing function: config_sysconfig_edg
INFO: Executing function: config_host_certs
INFO: Executing function: config_crl
INFO: Now updating the CRLs - this may take a few minutes...
Enabling periodic fetch-crl: [ OK ]
INFO: Executing function: config_vomsdir_setenv
INFO: Executing function: config_vomsdir
INFO: Executing function: config_vomses
INFO: Executing function: config_users
INFO: Executing function: config_edgusers
INFO: Executing function: config_cream_glexec_user_setenv
INFO: Executing function: config_cream_glexec_user
INFO: CONFIG_USERS is set to yes
INFO: Executing function: config_cream_clean_sudoers_setenv
INFO: Executing function: config_cream_clean_sudoers
INFO: /etc/sudoers file already clean. Probably installation from scratch
INFO: Executing function: config_cream_sudoers_setenv
INFO: Executing function: config_cream_sudoers
INFO: Installed sudo version: 1.7.2
INFO: Executing function: config_secure_tomcat_setenv
INFO: Executing function: config_secure_tomcat
INFO: Check that java is installed
INFO: Check that tomcat is installed
INFO: Stop tomcat in case it's running
Stopping tomcat5: INFO: Copying hostcert to /etc/grid-security/tomcat-cert.pem for tomcat:root
INFO: Copying hostkey to /etc/grid-security/tomcat-key.pem for tomcat:root...
INFO: Configuring /etc/tomcat5/server.xml...
INFO: Copying trustmanager log4j properties to tomcat configuration directory..
INFO: Linking log4j and bouncycastle jars to tomcat server lib directory..
INFO: Linking trustmanager jars to tomcat server lib directory..
INFO: Defining JAVA_HOME in the Tomcat configuration file
INFO: Starting Tomcat
Starting tomcat5: [ OK ]
INFO: Executing function: config_vomsmap_setenv
INFO: Executing function: config_vomsmap
INFO: Creating grid-map directory in /etc/grid-security/gridmapdir
INFO: Creating voms grid-map file in /etc/grid-security/voms-grid-mapfile
INFO: Creating voms groupmap file in /etc/grid-security/groupmapfile
grep: /etc/grid-security/gridftp.conf: No such file or directory
INFO: Copying the /etc/grid-security/voms-grid-mapfile in the standard location /etc/grid-security
INFO: Executing function: config_cream_remove_subcluster_ce_setenv
INFO: Executing function: config_cream_remove_subcluster_ce
INFO: Executing function: config_lcas_lcmapi_gt4_setenv
INFO: Executing function: config_lcas_lcmapi_gt4
INFO: Executing function: config_globus_gridftp_setenv
INFO: Executing function: config_globus_gridftp
INFO: Starting gridftp service :
Stopping globus-gridftp-server: [FAILED]
Starting globus-gridftp-server: [ OK ]
INFO: Executing function: config_cream_glexec_setenv
INFO: Executing function: config_cream_glexec
INFO: Executing function: config_cream_blah_setenv
INFO: Executing function: config_cream_blah
INFO: Executing function: config_cream_ce_setenv
INFO: Executing function: config_cream_ce
```

CreamForTorqueYaimVerConf < SiteAdminCorner < TWiki

```
WARNING: File /etc/glite-ce-cream/cream-config.xml not present. No need to backup it
INFO: File /etc/glite-ce-cream/cream-config.xml backed-up in /etc/glite-ce-cream/cream-config.
Stopping tomcat5: [ OK ]
Starting tomcat5: [ OK ]
INFO: Executing function: config_cream_logrotation_setenv
INFO: Executing function: config_cream_logrotation
INFO: Executing function: config_bdii_5.2
Stopping BDII: BDII already stopped
Starting BDII slapd: [ OK ]
Starting BDII update process: [ OK ]
INFO: Executing function: config_cream_gip_info_dynamic_setenv
INFO: Executing function: config_cream_gip_info_dynamic
INFO: Executing function: config_cream_gip_setenv
INFO: Executing function: config_cream_gip
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue prod was enabled for one or more FQANs which specify an entire VO
WARNING: Queue prod was enabled for one or more FQANs which specify an entire VO
WARNING: Queue prod was enabled for one or more FQANs which specify an entire VO
WARNING: Queue prod was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cloudtf was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cloudtf was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cloudtf was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cloudtf was enabled for one or more FQANs which specify an entire VO
INFO: Executing function: config_cream_gip_glue2_setenv
INFO: Executing function: config_cream_gip_glue2
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
WARNING: Queue cert was enabled for one or more FQANs which specify an entire VO
allvoview=/comput-er.it/ROLE=SoftwareManager
/dteam/ROLE=lcgadmin
/dteam/ROLE=production
/enmr.eu/ROLE=SoftwareManager
/glast.org/ROLE=SoftwareManager
/glast.org/ROLE=prod
/gridit/ROLE=SoftwareManager
/infngrid/ROLE=SoftwareManager
/infngrid/ROLE=pilot
/ops/ROLE=lcgadmin
/ops/ROLE=pilot
comput-er.it
dteam
enmr.eu
glast.org
gridit
infngrid
ops
allvoview=/comput-er.it/ROLE=SoftwareManager
/dteam/ROLE=lcgadmin
/dteam/ROLE=production
/enmr.eu/ROLE=SoftwareManager
/glast.org/ROLE=SoftwareManager
/glast.org/ROLE=prod
/gridit/ROLE=SoftwareManager
/infngrid/ROLE=SoftwareManager
/infngrid/ROLE=pilot
/ops/ROLE=lcgadmin
/ops/ROLE=pilot
comput-er.it
dteam
```

```

enmr.eu
glast.org
gridit
infngrid
ops
allvoview=/comput-er.it/ROLE=SoftwareManager
/dteam/ROLE=lcgadmin
/dteam/ROLE=production
/enmr.eu/ROLE=SoftwareManager
/glast.org/ROLE=SoftwareManager
/glast.org/ROLE=prod
/gridit/ROLE=SoftwareManager
/infngrid/ROLE=SoftwareManager
/infngrid/ROLE=pilot
/ops/ROLE=lcgadmin
/ops/ROLE=pilot
comput-er.it
dteam
enmr.eu
glast.org
gridit
infngrid
ops
    WARNING: Queue prod was enabled for one or more FQANs which specify an entire VO
    WARNING: Queue prod was enabled for one or more FQANs which specify an entire VO
    WARNING: Queue prod was enabled for one or more FQANs which specify an entire VO
    WARNING: Queue prod was enabled for one or more FQANs which specify an entire VO
allvoview=/comput-er.it/ROLE=SoftwareManager
/dteam/ROLE=lcgadmin
/dteam/ROLE=production
/enmr.eu/ROLE=SoftwareManager
/glast.org/ROLE=SoftwareManager
/glast.org/ROLE=prod
/gridit/ROLE=SoftwareManager
/infngrid/ROLE=SoftwareManager
/infngrid/ROLE=pilot
/ops/ROLE=lcgadmin
/ops/ROLE=pilot
comput-er.it
dteam
enmr.eu
glast.org
gridit
infngrid
ops
allvoview=/comput-er.it/ROLE=SoftwareManager
/dteam/ROLE=lcgadmin
/dteam/ROLE=production
/enmr.eu/ROLE=SoftwareManager
/glast.org/ROLE=SoftwareManager
/glast.org/ROLE=prod
/gridit/ROLE=SoftwareManager
/infngrid/ROLE=SoftwareManager
/infngrid/ROLE=pilot
/ops/ROLE=lcgadmin
/ops/ROLE=pilot
comput-er.it
dteam
enmr.eu
glast.org
gridit
infngrid
ops
allvoview=/comput-er.it/ROLE=SoftwareManager
/dteam/ROLE=lcgadmin
/dteam/ROLE=production
/enmr.eu/ROLE=SoftwareManager

```

```

/glast.org/ROLE=SoftwareManager
/glast.org/ROLE=prod
/gridit/ROLE=SoftwareManager
/infngrid/ROLE=SoftwareManager
/infngrid/ROLE=pilot
/ops/ROLE=lcgadmin
/ops/ROLE=pilot
comput-er.it
dteam
enmr.eu
glast.org
gridit
infngrid
ops
    WARNING: Queue cloudtf was enabled for one or more FQANs which specify an entire VO
    WARNING: Queue cloudtf was enabled for one or more FQANs which specify an entire VO
    WARNING: Queue cloudtf was enabled for one or more FQANs which specify an entire VO
    WARNING: Queue cloudtf was enabled for one or more FQANs which specify an entire VO
allvoview=/comput-er.it/ROLE=SoftwareManager
/dteam/ROLE=lcgadmin
/dteam/ROLE=production
/enmr.eu/ROLE=SoftwareManager
/glast.org/ROLE=SoftwareManager
/glast.org/ROLE=prod
/gridit/ROLE=SoftwareManager
/infngrid/ROLE=SoftwareManager
/infngrid/ROLE=pilot
/ops/ROLE=lcgadmin
/ops/ROLE=pilot
comput-er.it
dteam
enmr.eu
glast.org
gridit
infngrid
ops
allvoview=/comput-er.it/ROLE=SoftwareManager
/dteam/ROLE=lcgadmin
/dteam/ROLE=production
/enmr.eu/ROLE=SoftwareManager
/glast.org/ROLE=SoftwareManager
/glast.org/ROLE=prod
/gridit/ROLE=SoftwareManager
/infngrid/ROLE=SoftwareManager
/infngrid/ROLE=pilot
/ops/ROLE=lcgadmin
/ops/ROLE=pilot
comput-er.it
dteam
enmr.eu
glast.org
gridit
infngrid
ops
allvoview=/comput-er.it/ROLE=SoftwareManager
/dteam/ROLE=lcgadmin
/dteam/ROLE=production
/enmr.eu/ROLE=SoftwareManager
/glast.org/ROLE=SoftwareManager
/glast.org/ROLE=prod
/gridit/ROLE=SoftwareManager
/infngrid/ROLE=SoftwareManager
/infngrid/ROLE=pilot
/ops/ROLE=lcgadmin
/ops/ROLE=pilot
comput-er.it
dteam

```

CreamForTorqueYaimVerConf < SiteAdminCorner < TWiki

```
enmr.eu
glast.org
gridit
infngrid
ops
Illegal division by zero at /usr/bin/glite-ce-glue2-executionenvironment-static line 185.
SE_LIST=sunstorm.cnaf.infn.it darkstorm.cnaf.infn.it
WARNING: File /etc/glite-ce-glue2/glite-ce-glue2.conf not present. No need to backup it
INFO: Executing function: config_cream_gip_scheduler_plugin_setenv
INFO: Executing function: config_cream_gip_scheduler_plugin
INFO: Executing function: config_cream_gip_software_plugin_setenv
INFO: Executing function: config_cream_gip_software_plugin
INFO: Executing function: config_cream_vo_tag_dir
INFO: Executing function: config_info_service_cream_ce_setenv
INFO: Executing function: config_info_service_cream_ce
INFO: Executing function: config_info_service_cemon_setenv
INFO: Executing function: config_info_service_cemon
INFO: Executing function: config_cream_info_service_rtepublish_setenv
INFO: Executing function: config_cream_info_service_rtepublish
munge: Error: Unable to access "/var/run/munge/munge.socket.2": No such file or directory
/usr/bin/pbsnodes: Invalid credential
INFO: Executing function: config_cream_gip_scheduler_plugin_setenv
INFO: Executing function: config_cream_gip_scheduler_plugin
INFO: Executing function: config_cream_gip_software_plugin_setenv
INFO: Executing function: config_cream_gip_software_plugin
INFO: Executing function: config_cream_vo_tag_dir
INFO: Executing function: config_info_service_cream_ce_setenv
INFO: Executing function: config_info_service_cream_ce
INFO: Executing function: config_info_service_cemon_setenv
INFO: Executing function: config_info_service_cemon
INFO: Executing function: config_cream_info_service_rtepublish_setenv
INFO: Executing function: config_cream_info_service_rtepublish
INFO: Executing function: config_cream_cemon_setenv
INFO: Executing function: config_cream_cemon
INFO: Executing function: config_cream_gliteservices_setenv
INFO: Executing function: config_cream_gliteservices
INFO: Executing function: config_cream_locallogger_setenv
INFO: Executing function: config_cream_locallogger
INFO: Executing function: config_glite_locallogger_setenv
INFO: Executing function: config_glite_locallogger
INFO: The workaround for bug 22389 already exists
Stopping glite-lb-logd ... not running
Stopping glite-lb-interlogd ... not running
Starting glite-lb-logd ...This is LocalLogger, part of Workload Management System in EU DataGrid
done
Warning: stale /var/cream_lb/glite-lb-interlogd.pid for glite-lb-interlogd
Warning: stale /tmp/interlogger.sock for glite-lb-interlogd
Starting glite-lb-interlogd ... done
INFO: Executing function: config_glite_initd
INFO: Executing function: config_maui_cfg_setenv
INFO: Executing function: config_maui_cfg
INFO: maui is not going to be configured since CONFIG_MAUI=no
INFO: Executing function: config_apel_pbs_setenv
INFO: Executing function: config_apel_pbs
INFO: Executing function: config_gip_sched_plugin_pbs_setenv
INFO: Executing function: config_gip_sched_plugin_pbs
INFO: Executing function: config_torque_submitter_ssh
Reloading sshd: [ OK ]
INFO: Executing function: config_dgas_ce_setenv
INFO: No enviroment variables to set.
INFO: Executing function: config_dgas_ce
INFO: config_dgas_ce: Create configuration file.
INFO: config_dgas_ce: Creating /etc/dgas/dgas_sensors.conf ...
INFO: config_dgas_ce: Successfully created /etc/dgas/dgas_sensors.conf !
INFO: config_dgas_ce: Creating /etc/logrotate.d/dgas ...
INFO: config_dgas_ce: Successfully created /etc/logrotate.d/dgas !
INFO: config_dgas_ce: Restart services.
```


CreamForTorqueYaimVerConf < SiteAdminCorner < TWiki

```
Stopping dgas-pushd-SQLite.pl:/var/lock/dgas/dgas_pushd.loc[ OK ]5385)
Stopping urCollector HAD... [ OK ]
Stopping dgas-urcollector-SQLite.pl: [ OK ]
Starting dgas-urcollector-SQLite.pl: [ OK ]
Starting urCollector HAD... [ OK ]
Starting dgas-pushd-SQLite.pl: [ OK ]
INFO: Configuration Complete. [ OK ]
INFO: YAIM terminated succesfully.
```

-- AlessandroPaolini - 2012-02-15

This topic: SiteAdminCorner > CreamForTorqueYaimVerConf

Topic revision: r1 - 2012-02-15 - AlessandroPaolini



Copyright © 2008-2020 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback