

Table of Contents

Color scheme settings for PatternSkin.....	1
Usage.....	1
Step 1.....	1
Step 2.....	1
Step 3.....	1
Color variables.....	1
Logical groupings.....	1
Text.....	1
MAIN_TEXT_COLOR Main text color.....	1
MAIN_BACKGROUND_COLOR Main background color.....	1
LIGHT_ON_DARK_TEXT_COLOR Light on dark text color.....	1
GRAYED_TEXT_COLOR.....	1
GENERAL_TEXT General text (if not set in MAIN_BACKGROUND_COLOR) (black).....	2
HEADER_TEXT Header text.....	2
CODE_TEXT Code text, left bar text and links.....	2
MUTED_TEXT Muted text (dark gray).....	2
GRAYED_OUT_TEXT Grayed out text.....	2
Links.....	2
LINK_TEXT_NORMAL Link normal text.....	2
LINK_BACKGROUND_NORMAL Link normal background.....	2
LINK_TEXT_NORMAL_VISITED Link normal text visited.....	2
LINK_TEXT_ACTION_BUTTON Link text red (same as LINK_BACKGROUND_HOVER).....	2
LINK_TEXT_HOVER Link hover text.....	2
LINK_BACKGROUND_HOVER Link background hover.....	2
SIDE_BAR_LINK_TEXT Side bar link text.....	2
Disabled.....	2
DISABLED_BORDER Disabled border.....	3
DISABLED_TEXT Disabled text.....	3
DISABLED_BACKGROUND Disabled background.....	3
BUTTON_BORDERS_DISABLED Disabled button borders.....	3
'New'.....	3
NEW_TEXT New text (green).....	3
NEW_BACKGROUND New background (light green).....	3
Alert.....	3
ALERT_TEXT Alert text (red).....	3
ALERT_TEXT_MUTED Muted alert text (dark red).....	3
ALERT_BORDER Alert border.....	3
Buttons.....	3
BUTTON_TEXT Button text color (dark gray).....	3
BUTTON_BORDERS Button borders.....	3
BUTTON_BACKGROUND Button background.....	3
BUTTON_CANCEL_BACKGROUND Cancel button background.....	4
SUBMIT_BUTTON_BACKGROUND Submit button background.....	4
SUBMIT_BUTTON_BORDER_TEXT Submit button text color.....	4
SELECT_BORDER Select border.....	4
Background colors.....	4
GENERAL_BACKGROUND General background color (if not set in MAIN_BACKGROUND_COLOR) (white).....	4
SIDE_BAR_BACKGROUND Side bar background.....	4
NEUTRAL_BACKGROUND.....	4
TOP_BAR_BACKGROUND Top bar background.....	4
ATTACHMENT_AND_FORM_BACKGROUND Attachment, form.....	4
TOPIC_ACTION_BACKGROUND Topic action row.....	4

Table of Contents

Color scheme settings for PatternSkin

HEADER_BACKGROUND h2, h3.....	4
DIFF_HEADER_BACKGROUND Diff header (dark gray).....	4
NOTIFICATION_BACKGROUND Info, broadcast message and notifications.....	5
INFO_BACKGROUND.....	5
Border colors.....	5
NEUTRAL_BORDER Info (light gray).....	5
SEPARATOR_BORDER.....	5
MINOR_SEPARATOR_BORDER Header H3..H6 bottom.....	5
LAYOUT_ELEMENT_BORDER Main layout elements (neutral tone).....	5
IMAGE_BORDER Image border.....	5
FORM_STEP_BORDER Form step border.....	5
NOTIFICATION_BORDER Broadcast message.....	5
Table colors.....	5
TABLE_DATA_BACKGROUND Table data background.....	5
TABLE_HEADER_BACKGROUND Table header background.....	5
TABLE_SELECTED_COLUMN_HEADER_BACKGROUND Sorted table column accent background.....	5
TABLE_DATA_ODD_BACKGROUND Table data background (odd row).....	6
TABLE_DATA_EVEN_BACKGROUND Table data background (even row).....	6
TABLE_DATA_ODD_SELECTED_BACKGROUND Table data background (odd row, selected column).....	6
TABLE_DATA_EVEN_SELECTED_BACKGROUND Table data background (even row, selected column).....	6
TABLE_DATA_MIX_BACKGROUND Table data background (mix between even and odd).....	6
TABLE_BORDER Table border, sup (light neutral tone).....	6
LINK_TEXT_NORMAL_TABLE_HEADER Table header link text.....	6
LINK_TEXT_NORMAL_BORDER_TABLE_HEADER Table header link border.....	6
LINK_TEXT_SORTED_TABLE_HEADER Sorted table header link text.....	6
LINK_TEXT_HOVER_TABLE_HEADER Table header link hover text.....	6
LINK_BORDER_TABLE_SELECTED_COLUMN_HEADER Link border in selected column header.....	6
Forms.....	6
INPUT_FIELD_BORDERS Input field borders.....	6
FORM_INPUT_BORDER Textarea, input and select (darker gray).....	6
FORM_BORDER Form (same as twikiTable border).....	7
ACTIVE_FORM_BACKGROUND Edit form, form steps.....	7
FORMFIELD_ACTIVE Active form field.....	7
FORM_HEADER_TEXT Header text on form background.....	7

Color scheme settings for PatternSkin

Use this topic to change the color settings of PatternSkin. When this topic is saved, the attachment `theme-colors.css` will be updated with new color values. This method relies on `TWiki:Plugins.AttachContentPlugin` to work.

`AttachContentPlugin` is **not** installed.

Usage

Step 1

Let PatternSkin point to the custom-made colors style sheet. In `Main.TWikiPreferences` put:

```
* Set USERCOLORSURL = %PUBURLPATH%/%SYSTEMWEB%/PatternSkin/theme-colors.css
```

Step 2

Edit this topic, and change the color variables as you like.

Step 3

Save the topic. This will generate an attachment to topic PatternSkin.

 For more help on customizing styles, see `PatternSkinCustomization`.

Color variables

Logical groupings

Text

MAIN_TEXT_COLOR Main text color

- Set `MAIN_TEXT_COLOR` = #000

MAIN_BACKGROUND_COLOR Main background color

- Set `MAIN_BACKGROUND_COLOR` = #fff

LIGHT_ON_DARK_TEXT_COLOR Light on dark text color

- Set `LIGHT_ON_DARK_TEXT_COLOR` = #fff

GRAYED_TEXT_COLOR

- Set `GRAYED_TEXT_COLOR` = #777

GENERAL_TEXT General text (if not set in MAIN_BACKGROUND_COLOR) (black)

- Set GENERAL_TEXT = #000

HEADER_TEXT Header text

- Set HEADER_TEXT = #630000

CODE_TEXT Code text, left bar text and links

- Set CODE_TEXT = #7A4707

MUTED_TEXT Muted text (dark gray)

- Set MUTED_TEXT = #777

GRAYED_OUT_TEXT Grayed out text

- Set GRAYED_OUT_TEXT = #777

Links

LINK_TEXT_NORMAL Link normal text

- Set LINK_TEXT_NORMAL = #4571d0

LINK_BACKGROUND_NORMAL Link normal background

- Set LINK_BACKGROUND_NORMAL =

LINK_TEXT_NORMAL_VISITED Link normal text visited

- Set LINK_TEXT_NORMAL_VISITED = #666

LINK_TEXT_ACTION_BUTTON Link text red (same as LINK_BACKGROUND_HOVER)

- Set LINK_TEXT_ACTION_BUTTON = #be000a

LINK_TEXT_HOVER Link hover text

- Set LINK_TEXT_HOVER = #fff

LINK_BACKGROUND_HOVER Link background hover

- Set LINK_BACKGROUND_HOVER = #ce000f

SIDE_BAR_LINK_TEXT Side bar link text

- Set SIDE_BAR_LINK_TEXT = #444

Disabled

DISABLED_BORDER Disabled border

- Set DISABLED_BORDER = #e0e0e0

DISABLED_TEXT Disabled text

- Set DISABLED_TEXT = #aaa

DISABLED_BACKGROUND Disabled background

- Set DISABLED_BACKGROUND = #fafaf8

BUTTON_BORDERS_DISABLED Disabled button borders

- Set BUTTON_BORDERS_DISABLED = #fff #ccc #ccc #fff

'New'

NEW_TEXT New text (green)

- Set NEW_TEXT = #049804

NEW_BACKGROUND New background (light green)

- Set NEW_BACKGROUND = #ECFADC

Alert

ALERT_TEXT Alert text (red)

- Set ALERT_TEXT = #f00

ALERT_TEXT_MUTED Muted alert text (dark red)

- Set ALERT_TEXT_MUTED = #900

ALERT_BORDER Alert border

- Set ALERT_BORDER = #f00

Buttons

BUTTON_TEXT Button text color (dark gray)

- Set BUTTON_TEXT = #000

BUTTON_BORDERS Button borders

- Set BUTTON_BORDERS = #fff #888 #888 #fff

BUTTON_BACKGROUND Button background

- Set BUTTON_BACKGROUND = #e2e3e3

BUTTON_CANCEL_BACKGROUND Cancel button background

- Set BUTTON_CANCEL_BACKGROUND = #f2d5d0

SUBMIT_BUTTON_BACKGROUND Submit button background

- Set SUBMIT_BUTTON_BACKGROUND = #06c

SUBMIT_BUTTON_BORDER_TEXT Submit button text color

- Set SUBMIT_BUTTON_BORDER_TEXT = #fff

SELECT_BORDER Select border

- Set SELECT_BORDER = #888

Background colors

GENERAL_BACKGROUND General background color (if not set in MAIN_BACKGROUND_COLOR) (white)

- Set GENERAL_BACKGROUND = #fff

SIDE_BAR_BACKGROUND Side bar background

- Set SIDE_BAR_BACKGROUND = #f6f6f6

NEUTRAL_BACKGROUND

- Set NEUTRAL_BACKGROUND = #fdfaf1

TOP_BAR_BACKGROUND Top bar background

- Set TOP_BAR_BACKGROUND = #fefcf7

ATTACHMENT_AND_FORM_BACKGROUND Attachment, form

- Set ATTACHMENT_AND_FORM_BACKGROUND = #f6f6f6

TOPIC_ACTION_BACKGROUND Topic action row

- Set TOPIC_ACTION_BACKGROUND = #f6f6f6

HEADER_BACKGROUND h2, h3

- Set HEADER_BACKGROUND = #f6f6f6

DIFF_HEADER_BACKGROUND Diff header (dark gray)

- Set DIFF_HEADER_BACKGROUND = #ccc

NOTIFICATION_BACKGROUND Info, broadcast message and notifications

- Set NOTIFICATION_BACKGROUND = #ffe67b

INFO_BACKGROUND

- Set INFO_BACKGROUND = #ffe67b

Border colors

NEUTRAL_BORDER Info (light gray)

- Set NEUTRAL_BORDER = #ddd

SEPARATOR_BORDER

- Set SEPARATOR_BORDER = #e2e2e2

MINOR_SEPARATOR_BORDER Header H3..H6 bottom

- Set MINOR_SEPARATOR_BORDER = #e2e2e2

LAYOUT_ELEMENT_BORDER Main layout elements (neutral tone)

- Set LAYOUT_ELEMENT_BORDER = #dadada

IMAGE_BORDER Image border

- Set IMAGE_BORDER = #eee

FORM_STEP_BORDER Form step border

- Set FORM_STEP_BORDER = #e2e2e2

NOTIFICATION_BORDER Broadcast message

- Set NOTIFICATION_BORDER = #ffdf4c

Table colors

TABLE_DATA_BACKGROUND Table data background

- Set TABLE_DATA_BACKGROUND = #f0f6f9

TABLE_HEADER_BACKGROUND Table header background

- Set TABLE_HEADER_BACKGROUND = #6b7f93

TABLE_SELECTED_COLUMN_HEADER_BACKGROUND Sorted table column accent background

- Set TABLE_SELECTED_COLUMN_HEADER_BACKGROUND = #345

TABLE_DATA_ODD_BACKGROUND Table data background (odd row)

- Set TABLE_DATA_ODD_BACKGROUND = #f0f6fb

TABLE_DATA_EVEN_BACKGROUND Table data background (even row)

- Set TABLE_DATA_EVEN_BACKGROUND = #ffffff

TABLE_DATA_ODD_SELECTED_BACKGROUND Table data background (odd row, selected column)

- Set TABLE_DATA_ODD_SELECTED_BACKGROUND = #dce7ee

TABLE_DATA_EVEN_SELECTED_BACKGROUND Table data background (even row, selected column)

- Set TABLE_DATA_EVEN_SELECTED_BACKGROUND = #f5f5f5

TABLE_DATA_MIX_BACKGROUND Table data background (mix between even and odd)

- Set TABLE_DATA_MIX_BACKGROUND = #f7fafc

TABLE_BORDER Table border, sup (light neutral tone)

- Set TABLE_BORDER = #e2e2e2

LINK_TEXT_NORMAL_TABLE_HEADER Table header link text

- Set LINK_TEXT_NORMAL_TABLE_HEADER = #fff

LINK_TEXT_NORMAL_BORDER_TABLE_HEADER Table header link border

- Set LINK_TEXT_NORMAL_BORDER_TABLE_HEADER = #bbb

LINK_TEXT_SORTED_TABLE_HEADER Sorted table header link text

- Set LINK_TEXT_SORTED_TABLE_HEADER = #fff

LINK_TEXT_HOVER_TABLE_HEADER Table header link hover text

- Set LINK_TEXT_HOVER_TABLE_HEADER = #fff

LINK_BORDER_TABLE_SELECTED_COLUMN_HEADER Link border in selected column header

- Set LINK_BORDER_TABLE_SELECTED_COLUMN_HEADER = #999

Forms

INPUT_FIELD_BORDERS Input field borders

- Set INPUT_FIELD_BORDERS = #bbb #f2f2f2 #f2f2f2 #bbb

FORM_INPUT_BORDER Textarea, input and select (darker gray)

- Set FORM_INPUT_BORDER = #aaa

FORM_BORDER Form (same as twikiTable border)

- Set FORM_BORDER = #cfcfcf

ACTIVE_FORM_BACKGROUND Edit form, form steps

- Set ACTIVE_FORM_BACKGROUND = #fbfbfb

FORMFIELD_ACTIVE Active form field

- Set FORMFIELD_ACTIVE = #ffffe0

FORM_HEADER_TEXT Header text on form background

- Set FORM_HEADER_TEXT = #036

Do not change the text below this line unless you know what you are doing!

```
%STARTATTACH{"theme-colors.css" web="%SYSTEMWEB%" topic="PatternSkin"}%
/* PatternSkin colors */
/* Generated by AttachContentPlugin from %WEB%.%TOPIC% */

/* LAYOUT ELEMENTS */

#patternTopBar {
  border-color:%SEPARATOR_BORDER%;
  background-color:%TOP_BAR_BACKGROUND%;
}
#patternMain { /* don't set a background here; use patternOuter */ }
#patternOuter {
  background-color:%MAIN_BACKGROUND_COLOR%; /* Sets background of center col */
  border-color:%LAYOUT_ELEMENT_BORDER%;
}
#patternLeftBar,
#patternWrapper {
  background-color:%SIDE_BAR_BACKGROUND%;
}
#patternBottomBar {
  border-color:%SEPARATOR_BORDER%;
}
#patternBottomBarContents,
#patternBottomBarContents a:link,
#patternBottomBarContents a:visited {
  color:%GRAYED_OUT_TEXT%;
}
#patternBottomBarContents a:hover {
  color:%LINK_TEXT_HOVER%;
}

/* GENERAL HTML ELEMENTS */

html body {
  background-color:%MAIN_BACKGROUND_COLOR%;
  color:%MAIN_TEXT_COLOR%;
}
/* be kind to netscape 4 that doesn't understand inheritance */
body, p, li, ul, ol, dl, dt, dd, acronym, h1, h2, h3, h4, h5, h6 {
  background-color:transparent;
}
hr {
  color:%SEPARATOR_BORDER%;
  background-color:%SEPARATOR_BORDER%;
}
```

PatternSkinColorSettings < TWiki < TWiki

```
pre, code, tt {
    color:%CODE_TEXT%;
}
blockquote {
    background-color:%ACTIVE_FORM_BACKGROUND%;
    border-color:%ACTIVE_FORM_BACKGROUND% %ACTIVE_FORM_BACKGROUND% %ACTIVE_FORM_BACKGROUND% %NEUTRAL_BORDER%;
}
blockquote h2 {
    background:none;
}
h1, h2, h3, h4, h5, h6 {
    color:%HEADER_TEXT%;
}
h2 {
    background-color:%HEADER_BACKGROUND%;
    border-color:%MINOR_SEPARATOR_BORDER%;
}
h3, h4, h5, h6 {
    border-color:%MINOR_SEPARATOR_BORDER%;
}
/* to override old Render.pm coded font color style */
.twikiNewLink font {
    color:inherit;
}
.twikiNewLink a:link sup,
.twikiNewLink a:visited sup {
    color:%MUTED_TEXT%;
    border-color:%NEUTRAL_BORDER%;
}
.twikiNewLink a:hover sup {
    background-color:%LINK_BACKGROUND_HOVER%;
    color:%LINK_TEXT_HOVER%;
    border-color:%LINK_BACKGROUND_HOVER%;
}
.twikiNewLink {
    border-color:%NEUTRAL_BORDER%;
}
:link:focus,
:visited:focus,
:link,
:visited,
:link:active,
:visited:active {
    color:%LINK_TEXT_NORMAL%;
    background-color:transparent;
}
:link:hover,
:visited:hover {
    color:%LINK_TEXT_HOVER%;
    background-color:%LINK_BACKGROUND_HOVER%;
    background-image:none;
}
:link:hover img,
:visited:hover img {
    background-color:transparent;
}
.patternTopic a:visited {
    color:%LINK_TEXT_NORMAL_VISITED%;
}
.patternTopic a:hover {
    color:%LINK_TEXT_HOVER%;
}
#patternMainContents h1 a:link, #patternMainContents h1 a:visited,
#patternMainContents h2 a:link, #patternMainContents h2 a:visited,
#patternMainContents h3 a:link, #patternMainContents h3 a:visited,
#patternMainContents h4 a:link, #patternMainContents h4 a:visited,
```

PatternSkinColorSettings < TWiki < TWiki

```
#patternMainContents h5 a:link, #patternMainContents h5 a:visited,
#patternMainContents h6 a:link, #patternMainContents h6 a:visited {
    color:%HEADER_TEXT%;
}
#patternMainContents h1 a:hover,
#patternMainContents h2 a:hover,
#patternMainContents h3 a:hover,
#patternMainContents h4 a:hover,
#patternMainContents h5 a:hover,
#patternMainContents h6 a:hover {
    color:%LINK_TEXT_HOVER%;
}
.patternTopic .twikiUnvisited a:visited {
    color:%LINK_TEXT_NORMAL%;
}
.patternTopic .twikiUnvisited a:hover {
    color:%LINK_TEXT_HOVER%;
}

/* Form elements */

textarea,
input,
select {
    border-color:%FORM_INPUT_BORDER%;
    color:%MAIN_TEXT_COLOR%;
    background-color:%GENERAL_BACKGROUND%;
}
.twikiSubmit,
.twikiButton {
    border-color:%BUTTON_BORDERS%;
}
.twikiSubmit {
    color:%SUBMIT_BUTTON_BORDER_TEXT%;
    background-color:%SUBMIT_BUTTON_BACKGROUND%;
}
.twikiButton {
    color:%BUTTON_TEXT%;
    background-color:%BUTTON_BACKGROUND%;
}
.twikiButtonCancel {
    color:%BUTTON_TEXT%;
    background-color:%BUTTON_CANCEL_BACKGROUND%;
}
.twikiSubmitDisabled,
.twikiSubmitDisabled:active {
    border-color:%BUTTON_BORDERS_DISABLED%;
    color:%DISABLED_TEXT%;
    background-color:%ACTIVE_FORM_BACKGROUND%;
}
.twikiTextarea,
.twikiInputField,
.twikiInputFieldDisabled,
.twikiInputFieldReadOnly,
.twikiSelect {
    border-color:%INPUT_FIELD_BORDERS%;
}
.twikiTextarea,
.twikiInputField,
.twikiSelect {
    color:%MAIN_TEXT_COLOR%;
    background-color:%MAIN_BACKGROUND_COLOR%;
}
.twikiInputField:active,
.twikiInputField:focus,
.twikiInputFieldFocus {
    background-color:%FORMFIELD_ACTIVE%;
```

PatternSkinColorSettings < TWiki < TWiki

```
}

.twikiTextareaRawView {
  color:%GENERAL_TEXT%;
}
.twikiInputFieldDisabled {
  color:%DISABLED_TEXT%;
  background-color:%DISABLED_BACKGROUND%;
}
.twikiInputFieldReadOnly {
  color:%GRAYED_TEXT_COLOR%;
}
.twikiSelect {
  border-color:%INPUT_FIELD_BORDERS%;
  color:%MAIN_TEXT_COLOR%;
  background-color:%MAIN_BACKGROUND_COLOR%;
}
.twikiInputFieldDisabled,
.twikiSelectDisabled {
  color:%DISABLED_TEXT%;
  border-color:%INPUT_FIELD_BORDERS%;
  background-color:%DISABLED_BACKGROUND%;
}
.twikiInputFieldBeforeFocus {
  color:%MUTED_TEXT%;
}

/* -----
   Plugin elements
   ----- */

/* TablePlugin */
.twikiTable,
.twikiTable td,
.twikiTable th {
  border-color:%TABLE_BORDER%;
}
.twikiTable th a:link,
.twikiTable th a:visited,
.twikiTable th a font {
  color:%LINK_TEXT_NORMAL_TABLE_HEADER%;
}

/* TwistyContrib */
.twistyPlaceholder {
  color:%GRAYED_OUT_TEXT%;
}
a:hover.twistyTrigger {
  color:%LINK_TEXT_HOVER%;
}

/* TipsContrib */
.tipsOfTheDay {
}

/* RevCommentPlugin */
.revComment .patternTopicAction {
  background-color:%ATTACHMENT_AND_FORM_BACKGROUND%;
}

/* -----
   TWiki styles
   ----- */

.twikiGrayText {
  color:%GRAYED_OUT_TEXT%;
}
```

PatternSkinColorSettings < TWiki < TWiki

```
.twikiGrayText a:link,
.twikiGrayText a:visited {
    color:%GRAYED_OUT_TEXT%;
}
.twikiGrayText a:hover {
    color:%LINK_TEXT_HOVER%;
}

table.twikiFormTable th.twikiFormTableHRow,
table.twikiFormTable td.twikiFormTableRow {
    color:%MUTED_TEXT%;
}
.twikiEditForm {
    color:%MAIN_TEXT_COLOR%;
}
.twikiEditForm .twikiFormTable,
.twikiEditForm .twikiFormTable th,
.twikiEditForm .twikiFormTable td {
    border-color:%TABLE_BORDER%;
}
/* use a different table background color mix: no odd/even rows, no white background */
.twikiEditForm .twikiFormTable td {
    background-color:%TABLE_DATA_MIX_BACKGROUND%;
}
.twikiEditForm .twikiFormTable th {
    background-color:%TABLE_DATA_ODD_BACKGROUND%;
}
.patternContent .twikiAttachments,
.patternContent .twikiForm {
    background-color:%ATTACHMENT_AND_FORM_BACKGROUND%;
    border-color:%TABLE_BORDER%;
}
.twikiAttachments table,
table.twikiFormTable {
    border-color:%TABLE_BORDER%;
    background-color:%MAIN_BACKGROUND_COLOR%;
}
.twikiAttachments table {
    background-color:%MAIN_BACKGROUND_COLOR%;
}
.twikiAttachments td,
.twikiAttachments th {
    border-color:%TABLE_BORDER%;
}
.twikiAttachments .twikiTable th font,
table.twikiFormTable th.twikiFormTableHRow font {
    color:%LINK_TEXT_NORMAL%;
}

.twikiFormSteps {
    background-color:%ACTIVE_FORM_BACKGROUND%;
    border-color:%FORM_STEP_BORDER%;
}
.twikiFormStep {
    border-color:%FORM_STEP_BORDER%;
}
.twikiFormStep h3,
.twikiFormStep h4 {
    color:%FORM_HEADER_TEXT%;
}
.twikiFormStep h3,
.twikiFormStep h4 {
    background-color:transparent;
}
.twikiActionFormStepSign {
    color:%FORM_HEADER_TEXT%;
}
}
```

PatternSkinColorSettings < TWiki < TWiki

```
.twikiToc .twikiTocTitle {
    color:%MUTED_TEXT%;
}
.twikiBroadcastMessage {
    background-color:%NOTIFICATION_BACKGROUND%;
}
.twikiNotification {
    background-color:%NOTIFICATION_BACKGROUND%;
}
#twikiLogin .patternLoginNotification {
    background-color:%MAIN_BACKGROUND_COLOR%;
    border-color:%ALERT_BORDER%;
}
.twikiHelp {
    background-color:%INFO_BACKGROUND%;
}
.twikiHelp {
    background-color:%ATTACHMENT_AND_FORM_BACKGROUND%;
    border-color:%SEPARATOR_BORDER%;
}
.twikiBroadcastMessage b,
.twikiBroadcastMessage strong {
    color:%ALERT_TEXT%;
}
.twikiAlert,
.twikiAlert code {
    color:%ALERT_TEXT%;
}
.twikiEmulatedLink {
    color:%LINK_TEXT_NORMAL%;
}
.twikiPageForm table {
    border-color:%TABLE_BORDER%;
    background:%MAIN_BACKGROUND_COLOR%;
}
.twikiPageForm hr {
    border-color:%FORM_BORDER%;
    background-color:%FORM_BORDER%;
    color:%FORM_BORDER%;
}
.twikiAccessKey {
    color:inherit;
    border-color:%GRAYED_OUT_TEXT%;
}
a:link .twikiAccessKey,
a:visited .twikiAccessKey {
    color:inherit;
}
a:hover .twikiAccessKey {
    color:inherit;
}
.twikiImage img {
    border-color:%IMAGE_BORDER%;
    background-color:%MAIN_BACKGROUND_COLOR%;
}
#patternTopBar .twikiImage img {
    background-color:transparent;
}
.twikiImage a:hover img {
    border-color:%LINK_BACKGROUND_HOVER%;
}

/* -----
   Pattern skin specific elements
   ----- */
#patternPage {
    background-color:%MAIN_BACKGROUND_COLOR%;
```

```

}
.patternHomePath a:link,
.patternHomePath a:visited {
    border-color:%NEUTRAL_BORDER%;
    color:%LINK_TEXT_NORMAL_VISITED%;
}
.patternTop a:hover {
    border:none;
    color:%LINK_TEXT_HOVER%;
}
.patternHomePath .patternRevInfo,
.patternHomePath .patternRevInfo a:link,
.patternHomePath .patternRevInfo a:visited {
    color:%GRAYED_OUT_TEXT%;
}
.patternHomePath .patternRevInfo a:hover {
    color:%LINK_TEXT_HOVER%;
}

/* Left bar */
#patternLeftBarContents {
    color:%GENERAL_TEXT%;
}
#patternLeftBarContents hr {
    color:%FORM_STEP_BORDER%;
    background-color:%FORM_STEP_BORDER%;
}
#patternLeftBarContents a:link,
#patternLeftBarContents a:visited {
    color:%SIDE_BAR_LINK_TEXT%;
}
#patternLeftBarContents a:hover {
    color:%LINK_TEXT_HOVER%;
}
#patternLeftBarContents .patternLeftBarPersonal,
#patternLeftBarContents .patternWebIndicator {
    border-color:#dadada;
}
#patternLeftBarContents b,
#patternLeftBarContents strong {
    color:%HEADER_TEXT%;
}

.patternTopicActions {
    border-color:%TABLE_BORDER%;
    background-color:%TOPIC_ACTION_BACKGROUND%;
    color:%MUTED_TEXT%;
}
.patternTopicAction {
    border-color:%TABLE_BORDER%;
}
.patternTopicAction s,
.patternTopicAction strike {
    color:%DISABLED_TEXT%;
}
.patternTopicAction .twikiSeparator {
    color:%SEPARATOR_BORDER%;
}
.patternActionButtons a:link,
.patternActionButtons a:visited {
    color:%LINK_TEXT_ACTION_BUTTON%;
}
.patternActionButtons a:hover {
    color:%LINK_TEXT_HOVER%;
}
.patternTopicAction .twikiAccessKey {
    color:%LINK_TEXT_ACTION_BUTTON%;
}

```

PatternSkinColorSettings < TWiki < TWiki

```

border-color:%LINK_TEXT_ACTION_BUTTON%;
}
.patternTopicAction a:hover .twikiAccessKey {
color:%LINK_TEXT_HOVER%;
}
.patternTopicAction label {
color:%GENERAL_TEXT%;
}
.patternHelpCol {
color:%GRAYED_OUT_TEXT%;
}
.patternSigLine {
color:%MUTED_TEXT%;
}
.patternToolBar a:link .twikiAccessKey,
.patternToolBar a:visited .twikiAccessKey {
color:inherit;
border-color:%LINK_TEXT_NORMAL_VISITED%;
}
.patternToolBar a:hover .twikiAccessKey {
background-color:transparent;
color:inherit;
border-color:%LINK_TEXT_NORMAL_VISITED%;
}
.patternSaveHelp {
background-color:%MAIN_BACKGROUND_COLOR%;
}

/* WebSearch, WebSearchAdvanced */
table#twikiSearchTable {
border-color:%FORM_STEP_BORDER%;
}
table#twikiSearchTable th,
table#twikiSearchTable td {
background-color:%GENERAL_BACKGROUND%;
border-color:%FORM_STEP_BORDER%;
}
table#twikiSearchTable hr {
border-color:%FORM_STEP_BORDER%;
background-color:%FORM_STEP_BORDER%;
}
table#twikiSearchTable th {
color:%MAIN_TEXT_COLOR%;
}

/* -----
Search results
styles and overridden styles used in search.pattern.tpl
----- */

h3.patternSearchResultsHeader,
h4.patternSearchResultsHeader {
background-color:%ATTACHMENT_AND_FORM_BACKGROUND%;
border-color:%SEPARATOR_BORDER%;
}
h4.patternSearchResultsHeader {
color:%MAIN_TEXT_COLOR%;
}
.patternNoViewPage h4.patternSearchResultsHeader {
color:%HEADER_TEXT%;
}
.patternSearchResult .twikiBottomRow {
border-color:%MINOR_SEPARATOR_BORDER%;
}
.patternSearchResult .twikiAlert {
color:%ALERT_TEXT%;
}

```


PatternSkinColorSettings < TWiki < TWiki

```
.patternSearchResult .twikiSummary .twikiAlert {
    color:%ALERT_TEXT_MUTED%;
}
.patternSearchResult .twikiNew {
    background-color:%NEW_BACKGROUND%;
    border-color:%NEW_TEXT%;
    color:%NEW_TEXT%;
}
.patternViewPage .patternSearchResultsBegin {
    border-color:%TABLE_BORDER%;
}

/* Search results in book view format */

.patternBookView .twikiTopRow {
    background-color:transparent; /* set to WEBBGOLOR in css.pattern.tpl */
    color:%MUTED_TEXT%;
}
.patternBookView .twikiBottomRow {
    border-color:%TABLE_BORDER%;
}
.patternBookView .patternSearchResultCount {
    color:%GRAYED_OUT_TEXT%;
}

/* edit.pattern.tpl */

/* preview.pattern.tpl */

.twikiPreviewArea {
    border-color:%ALERT_BORDER%;
    background-color:%MAIN_BACKGROUND_COLOR%;
}

/* rdiff.pattern.tpl */

.patternDiff {
    border-color:%TABLE_HEADER_BACKGROUND%;
}
#patternMainContents .patternDiff h4.patternSearchResultsHeader {
    background-color:%TABLE_HEADER_BACKGROUND%;
    color:%LIGHT_ON_DARK_TEXT_COLOR%;
}
#patternMainContents .patternDiff h4.patternSearchResultsHeader a:link,
#patternMainContents .patternDiff h4.patternSearchResultsHeader a:visited {
    color:%LIGHT_ON_DARK_TEXT_COLOR%;
}
tr.twikiDiffDebug td {
    border-color:%TABLE_BORDER%;
}
.patternDiffPage .twikiDiffTable th {
    background-color:%DIFF_HEADER_BACKGROUND%;
}
/* Changed */
.twikiDiffChangedHeader,
tr.twikiDiffDebug .twikiDiffChangedText,
tr.twikiDiffDebug .twikiDiffChangedText {
    background:#9f9; /* green - do not change */
}
/* Deleted */
.twikiDiffDeletedHeader,
tr.twikiDiffDebug .twikiDiffDeletedMarker,
tr.twikiDiffDebug .twikiDiffDeletedText {
    background-color:#f99; /* red - do not change */
}
/* Added */
.twikiDiffAddedHeader,
```

PatternSkinColorSettings < TWiki < TWiki

```
tr.twikiDiffDebug .twikiDiffAddedMarker,
tr.twikiDiffDebug .twikiDiffAddedText {
    background-color:#ccf; /* violet - do not change */
}
/* Unchanged */
tr.twikiDiffDebug .twikiDiffUnchangedText {
    color:%GRAYED_OUT_TEXT%;
}
.twikiDiffUnchangedTextContents { }
.twikiDiffLineNumberHeader {
    background-color:%DIFF_HEADER_BACKGROUND%;
}

/* IMAGES */
/* image positions are set here as well as these are dependent on the image */

h2,
.patternTopicAction {
    background-image:url(bg_action_gradient.gif);
    background-repeat:repeat-x;
}
.twikiToc li {
    background-image:url(bullet-toc.gif);
    background-repeat:no-repeat;
    background-position:0 .4em;
}
#patternOuter,
#patternTopBar {
    /* gradient yellow of left bar and main */
    background-image:url(bg_outer_gradient.gif);
    background-repeat:repeat-x;
}
.patternPrintPage #patternOuter {
    background:#fff; /* white - do not change */
}
.twikiPageForm table,
table#twikiSearchTable td.twikiFirstRow {
    background-image:url(form_gradient.gif);
    background-repeat:repeat-x;
    background-color:#f5f5f5;
}
.twikiSubmit,
.twikiSubmitDisabled {
    background-image:url(bg_submit_gradient.gif);
    background-repeat:repeat-x;
}
.twikiSubmit,
a.twikiSubmit:link,
a.twikiSubmit:visited {
    background-position:0px 0px;
    background-color:#06c;
    border-color:#abcdef0 #0048b8 #0048b8 #abcdef0;
    color:#fff;
}
.twikiSubmit:hover,
a.twikiSubmit:hover {
    background-position:0px -80px;
    background-color:#0047b7;
    border-color:#98bce9 #0031a4 #0031a4 #98bce9;
    color:#fff;
}
.twikiSubmit:active,
a.twikiSubmit:active {
    background-position:0px -160px;
    background-color:#73ace6;
    border-color:#0031a4 #98bce9 #98bce9 #0031a4;
```

PatternSkinColorSettings < TWiki < TWiki

```
    color:#fff;
}
.twikiSubmitDisabled,
.twikiSubmitDisabled:hover,
.twikiSubmitDisabled:active {
    background-position:0px -240px;
    background-color:#d9e8f7;
    border-color:#f5f9fd #ccc #ccc #f5f9fd;
    color:#ccc;
}
.twikiButton,
a.twikiButton:link,
a.twikiButton:visited {
    background-image:url(bg_button_gradient.gif);
    background-repeat:repeat-x;
    background-position:0px 0px;
    border-color:#f8f6ec #b8b6ad #b8b6ad #f8f6ec;
    background-color:#dbd9cf;
    color:#333;
}
.twikiChangeFormButtonHolder .twikiButton {
    background-color:#fff;
    background-image:none;
    color:#06c;
}
.twikiChangeFormButtonHolder .twikiButton:hover,
.twikiChangeFormButtonHolder .twikiButton:active {
    background-image:url(bg_button_gradient.gif);
    background-repeat:repeat-x;
}
.twikiButton:hover,
.twikiChangeFormButtonHolder .twikiButton:hover,
a.twikiButton:hover {
    background-position:0px -80px;
    border-color:#f4f2eb #a3a092 #a3a092 #f4f2eb;
    background-color:#c2bfae;
    color:#222;
}
.twikiButton:active,
.twikiChangeFormButtonHolder .twikiButton:active,
a.twikiButton:active {
    background-position:0px -160px;
    border-color:#a3a092 #f4f2eb #f4f2eb #a3a092;
    background-color:#e8e5d7;
    color:#222;
}
.twikiButtonDisabled,
.twikiButtonDisabled:hover,
.twikiButtonDisabled:active {
    background-image:url(bg_button_gradient.gif);
    background-repeat:repeat-x;
    background-position:0px -240px;
    border-color:#fcfbf9 #e3e2dd #e3e2dd #fcfbf9;
    background-color:#edece6;
    color:#bbb;
}
.twikiButtonCancel {
    background-image:url(bg_buttoncancel_gradient.gif);
    background-repeat:repeat-x;
    background-position:0px 0px;
    border-color:#f3ddd7 #b5706a #b5706a #f3ddd7;
    background-color:#cc867f;
    color:#333;
}
.twikiButtonCancel:hover {
    background-position:0px -80px;
    border-color:#eacac1 #9f564f #9f564f #eacac1;
```

PatternSkinColorSettings < TWiki < TWiki

```
background-color:#b26259;
color:#222;
}
.twikiButtonCancel:active {
background-position:0px -160px;
border-color:#9f564f #eaca1 #eaca1 #9f564f;
background-color:#e5bdb1;
color:#222;
}
.patternToolBar span a:link,
.patternToolBar span a:visited,
.patternToolBar span s,
.patternToolBar span strike {
background-image:url(bg_button_small_gradient.gif);
background-repeat:repeat-x;
}
.patternToolBar span a:link,
.patternToolBar span a:visited {
background-position:0px 0px;
border-color:#f8f6ec #b8b6ad #b8b6ad #f8f6ec;
background-color:#dbd9cf;
color:#333;
}
.patternToolBar span a:hover {
background-position:0px -80px;
border-color:#f4f2eb #a3a092 #a3a092 #f4f2eb;
background-color:#c2bfae;
color:#222;
}
.patternToolBar span a:active {
background-position:0px -160px;
border-color:#a3a092 #f4f2eb #f4f2eb #a3a092;
background-color:#e8e5d7;
color:#222;
}
.patternToolBar span s,
.patternToolBar span strike {
background-position:0px -240px;
border-color:#fcfbf9 #e3e2dd #e3e2dd #fcfbf9;
background-color:#edece6;
color:#bbb;
}
.patternTextareaButton {
border-color:#fffefd #b8b6ad #b8b6ad #fffefd;
overflow:hidden;
}
.patternButtonFontSelector {
background-image:url(button_font_selector.gif);
width:33px;
height:16px;
}
.patternButtonFontSelectorProportional {
background-position:0 0;
}
.patternButtonFontSelectorMonospace {
background-position:0 -16px;
}
.patternButtonEnlarge,
.patternButtonShrink {
background-image:url(button_arrow.gif);
width:16px;
height:16px;
}
.patternButtonEnlarge {
background-position:0 0;
}
.patternButtonEnlarge:hover {
```

PatternSkinColorSettings < TWiki < TWiki

```
    background-position:0 -42px;
}
.patternButtonEnlarge:active {
    background-position:0 -84px;
}
.patternButtonShrink {
    background-position:16px 0;
}
.patternButtonShrink:hover {
    background-position:16px -42px;
}
.patternButtonShrink:active {
    background-position:16px -84px;
}
.twikiBroadcastMessage,
.twikiNotification {
    background-image:url(background_alert.gif);
    background-repeat:repeat-x;
}

/* common settings */
.patternLeftBarPersonal li,
li.patternLogOut,
li.patternLogIn {
    padding-left:13px;
    background-position:0 .4em;
    background-repeat:no-repeat;
}
.patternLeftBarPersonal li {
    background-image:url(bullet-personal_sidebar.gif);
}
.patternLeftBarPersonal li.patternLogOut {
    background-image:url(bullet-lock.gif);
}
.patternLeftBarPersonal li.patternLogIn {
    background-image:url(bullet-lock.gif);
}
}
%ENDATTACH%
```

This topic: TWiki > PatternSkinColorSettings

Topic revision: r6 - 2011-07-17 - TWikiContributor



Copyright © 1999-2022 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback

Note: Please contribute updates to this topic on TWiki.org at TWiki:TWiki.PatternSkinColorSettings.