

ADDDTOHEAD -- add HTML to the HTML head section of the current page

- Useful for TWiki applications to add custom CSS or JavaScript to the HTML head section of a topic. Supplied TWiki variables will be expanded. %ADDDTOHEAD{ }% expands in-place to an empty string, unless there is an error in which case the variable expands to an error string.
- Syntax: %ADDDTOHEAD{ "... " text="..." }%
- Supported parameters:

Parameter:	Description:	Comment:
"..."	ID of the head block, such as "MY_CSS"	Optional but recommended
text="..."	HTML text to add to the head section	Mutually exclusive with topic=""
topic="Web.TopicName"	Name of topic that contains the full HTML text to add to the head section, such as topic="Main.MyCssTopic"	Mutually exclusive with text=""
requires="..., ..."	Comma-separated list of other IDs this one depends on	Optional

- Example: %ADDDTOHEAD{ "MYBOX_CSS" text="<style type=\"text/css\">.myBox { height: 22px; background-color: #AFB3C5; } </style>" }%

This topic: TWiki > VarADDDTOHEAD

Topic revision: r1 - 2010-06-08 - TWikiContributor



Copyright © 1999-2020 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback

Note: Please contribute updates to this topic on TWiki.org at TWiki:TWiki.VarADDDTOHEAD.