SEARCH{"text"} -- search content

- Inline search, shows a search result embedded in a topic
- Syntax: `%SEARCH{"text" ...}%`
- Supported parameters:

Parameter:	Description:	Default:
`"text"`	Search term. Is a keyword search, literal search, regular expression search, or query, depending on the `type` parameter. SearchHelp has more	required
`search="text"`	(Alternative to above)	N/A
`web="Name"` `web="Main, Know"` `web="all"`	Comma-separated list of webs to search. You can specifically **exclude** webs from an `all` search using a minus sign - for example, `web="all,-Secretweb"`. The special word `all` means all webs that do **not** have the `NOSEARCHALL` variable set to `on` in their WebPreferences. Note that TWikiAccessControls are respected when searching webs; it is **much** better to use them than `NOSEARCHALL`.	Current web
`topic="WebPreferences"` `topic="*Bug"`	Limit search to topics: A topic, a topic with asterisk wildcards, or a list of topics separated by comma. *Note* this is a list of **topic names** and must **not** include web names.	All topics in a web
`excludetopic="Web*"` `excludetopic="WebHome, WebChanges"`	Exclude topics from search: A topic, a topic with asterisk wildcards, or a list of topics separated by comma. *Note* this is a list of **topic names** and must **not** include web names.	None
`scope="topic"` `scope="text"` `scope="all"`	Search topic name (title); the text (body) of topic; or all (title and body)	`"text"`
`type="keyword"` `type="word"` `type="literal"` `type="regex"` `type="query"`	Control how the search is performed when `scope="text"` or `scope="all"`	`%SEARCHVAR-DEFAULTTYPE%` preferences setting (literal)
	`keyword`: use Google-like controls as in `soap "web service" -shampoo`; searches word parts: using the example, topics with "soapsuds" will be found as well, but topics with "shampoos" will be excluded	
	`word`: identical to `keyword` but searches whole words: topics with "soapsuds" will not be found, and topics with "shampoos" will not be excluded	
	`literal`: search for the exact string, like `web service`	

	`regex`: use a RegularExpression search like `soap;web service; !shampoo;` to search on whole words use `\bsoap\b`	
	`query`: query search of form fields and other meta-data, like `(Firstname='Emma' OR Firstname='John') AND Lastname='Peel'`	
`order="topic"` `order="created"` `order="modified"` `order="editby"` `order= "formfield(name)"`	Sort the results of search by the topic names, topic creation time, last modified time, last editor, or named field of TWikiForms. The sorting is done web by web; if you want to sort across webs, create a formatted table and sort it with TablePlugin's initsort. Note that dates are sorted most recent date **last** (i.e at the bottom of the table).	Sort by topic name
`limit="all"` `limit="16"`	Limit the number of results returned. This is done after sorting if `order` is specified	All results
`date="..."`	limits the results to those pages with latest edit time in the given time interval.	All results
`reverse="on"`	Reverse the direction of the search	Ascending search
`casesensitive="on"`	Case sensitive search	Ignore case
`bookview="on"`	BookView search, e.g. show complete topic text	Show topic summary
`nonoise="on"`	Shorthand for `nosummary="on"` `nosearch="on" nototal="on"` `zeroresults="off"` `noheader="on" noempty="on"`	Off
`nosummary="on"`	Show topic title only	Show topic summary
`nosearch="on"`	Suppress search string	Show search string
`noheader="on"`	Suppress default search header **Topics: Changed: By:** , unless a `header` is explicitly specified	Show default search header, unless search is inline and a format is specified (Cairo compatibility)
`nototal="on"`	Do not show number of topics found	Show number
`zeroresults="off"`	Suppress all output if there are no hits	`zeroresults="on"`, displays: "Number of topics: 0"
`noempty="on"`	Suppress results for webs that have no hits.	Show webs with no hits
`headingoffset="2"`	Adjust the level of headings in text of topics found, taking effect in `$text` and `$pattern()` of a FormattedSearch. A `"2"` or `"+2"` increases the level by two, e.g. a `---+` H1 turns into a `---+++` H3. Positive	no adjustment

	and negative values are supported. Adjusted min and max levels are H1 and H6, respectively.	
`header="..."` `format="..."` `footer="..."`	Custom format results: see **FormattedSearch** for usage, variables & examples	Results in table
`expandvariables="on"`	Expand variables before applying a FormattedSearch on a search hit. Useful to show the expanded text, e.g. to show the result of a SpreadSheetPlugin `%CALC{}%` instead of the formula	Raw text
`multiple="on"`	Multiple hits per topic. Each hit can be formatted. The last token is used in case of a regular expression ";" *and* search	Only one hit per topic
`nofinalnewline="on"`	If `on`, the search variable does not end in a line by itself. Any text continuing immediately after the search variable on the same line will be rendered as part of the table generated by the search, if appropriate.	`off`
`recurse="on"`	Recurse into subwebs, if subwebs are enabled.	`off`
`separator=", "`	Line separator *between* search hits	`"$n"` (Newline)
`newline="%BR%"`	Line separator *within* a search hit. Useful if you want to put multi-line content into a table cell, for example if the format="" parameter contains a $pattern() that captures more than one line, or contains a $formfield() that returns a multi-line textfield.	`"$n"` (Newline)

- Example: `%SEARCH{"wiki" web="Main" scope="topic"}%`
- Example with format: `%SEARCH{"FAQ" scope="topic" nosearch="on" nototal="on" header="| *Topic: * | *Summary: * |" format="| $topic | $summary |"}%` *(displays results in a table with header - details)*
- 🅸 Hint: If the TWiki:Plugins.TablePlugin   is installed, you may set a `%TABLE{}%` variable just before the `%SEARCH{}%` to alter the output of a search. Example: `%TABLE{ tablewidth="90%" }%`
- Related: FORMFIELD, METASEARCH, TOPICLIST, WEBLIST, FormattedSearch, QuerySearch, SearchHelp, SearchPatternCookbook, RegularExpression

---

This topic: TWiki > VarSEARCH
Topic revision: r9 - 2011-01-09 - TWikiContributor